

WHM API 1 Functions - fetch_vhost_ssl_components

Guide to WHM API 1

[Return Data](#)

[Filter Output](#)

[Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Call cPanel API 2 and UAPI](#)

[restore_modules_summary](#)

[restore_queue_activate](#)

[restore_queue_add_task](#)

[restore_queue_clear_all_completed_tasks](#)

[restore_queue_clear_all_failed_tasks](#)

[restore_queue_clear_all_pending_tasks](#)

[restore_queue_clear_all_tasks](#)

[restore_queue_clear_completed_task](#)

[restore_queue_clear_pending_task](#)

[restore_queue_is_active](#)

[restore_queue_list_active](#)

[restore_queue_list_completed](#)

[restore_queue_list_pending](#)

[restore_queue_state](#)

[restoreaccount](#)

[verify_new_username_for_restore](#)

Description

This function lists the components of each SSL certificate on the server's virtual hosts.



Warning:

- On most servers, this function returns a large amount of output. We **strongly** recommend that you [filter](#) and [sort](#) the output.
- The following example uses the filter and sort options:

```
https://hostname.example.com:2087/cpsess#####/json-api/fetch_vhost_ssl_components?api.version=1&api.filter.a.field=servername&api.filter.a.arg0=servername.com&api.filter.a.type=eq&api.filter.enable=1&api.sort.enable=1&api.sort.a.field=servername
```

Examples

```
https://hostname.example.com:2087/cpsess#####/json-api/fetch_vhost_ssl_components?api.version=1
```

```
https://hostname.example.com:2087/cpsess#####/xml-api/fetch_vhost_ssl_components?api.version=1
```

```
whmapil fetch_vhost_ssl_components
```



Notes:

- Unless otherwise noted, you **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local/cpanel/bin/whmapil
```

```
{
  "data": {
    "components": [
      {
        "servername": "example.com",
        "key_id":
        "e353a_5bc13_7ff85c8ae9750fbec0fbf7b30cle0134",
        "certificate":
        "-----BEGIN
        CERTIFICATE-----
        \nMIID3TCCAsWgAwIBAgIFANfp2rUwDQYJKoZIhvcNAQEFBQAwYYxFtAT
        BgNVBAMM\ndGV4YW1wbGUxLmNvbTEuMAkGA1UEBhMCVVMxKDAmBgkqhkiG
        9w0BCQEWGWhdXJl\nbmNlLnNpbW9uQG9wYw5lbC5uZXQxZDASBgNVBAoM
```

Function information

API Version:
[WHM API 1](#)
Available in:
WHM 11.32+
Methods:
GET, POST
Required Parameters:
(none)
Return Format:
JSON, XML



Important:

cPanel & WHM version 66 **deprecated** XML output.

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.



Notes:

accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_current_users_count
get_disk_usage
get_domain_info
getdomainowner
get_maximum_users
getminimumpasswordstrengths
has_digest_auth
has_myconf_or_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
untrack_acct_id
verify_new_username
convert_addon_fetch_conversion_details

```
C2NQYw51bCBjbmMuMQ4wDAYD\nVQQIDAVUZxhczEQMA4GALUEBwwHSG91  
c3RvbjaEfw0xMza4MTQxNjIzMDhaFw0x\nNDA4MTQxNjIzMDhaMIGMRUw  
EwYDVQDDAxleGFTcGx1MS5jb20xCzAJBgNVBAYT\nAlVTMSgwJgYJKoZI  
hvcNAQkBFhlsYXV5ZW55ZS5zaW1kbkBJcGFuZ  
WwubmVOMRQw\nnEgYDVQQKDAtjUGFuZ  
WwgSW5jLjEOMAwGA1UECAwFVGV4YXNMAEBAO  
BgNVBACMB0hv\nnDN0b24wggeiMA0GCSqGSIb3DQEBAQUAA4IBD  
wAwggEKAoIBAQDju6olzI  
rQXTI1\nnYR5EEMAnDBGy1G+IcF09F5oJECqyTuF  
nwakHC59VToO63huEJW4RxaDLks1rlvK0  
ngCsRxyHXP7\nmHdmDmXSm\nOtherXA+\n/iFBW8YZWBBz3DbRgsiyrX9JQJHkq58NLL  
ncnSA40vWLoOHCs2jg\n/otRiXv2CI0+XKfNR6g7FiYJwWVMEbXexGh  
Tmju4MHOoX3\nni89XfNi3GFARRczNidetsLsYyHLnMDoV4s  
daarMVx\noJnkNRpPD\nEmwmk\ncdnyHZ\nn95i5S7aJ3CD  
qjcwBtq8mjQrYt6SB+KF50HY5zfMpDJNyO  
TenZ8QAqM5LHKGFcn\nnEXCE1bwTagMBAAGj  
UDBOMB0GAlUdDgQWBBR67\n/HowIfAZre2ibyF587wcJzGtjAf\nnBgNVHSMEGDAWgBR67\n/hOWIfAZre2ibyF587wcJzGtjAMBgNVHRM  
EBTADAQH\n/MA0G\nnCSqGSIb3DQEBAQUAA4IBAQAaSmPEuZVRio  
BqN4536pTkjpbezUrL3S3SD3ETuC\nnosbrCjXDLVejf7aWtpIKhL\n/NOLcIvbjnJcW7DwocPEVpktCq1OFUTb5V3  
Cy3Qc6n\nnyxrWSrZtbWZEEzyERYfYEhNR5JTVLXJTVNdOoq  
l1Ty2oqRDMF\n/VQc9u8Iy46Syi3\nngfZLQAVVj9v9BwAS9yKXsxf5TZjNyl22  
C9OIR3gJhTYNUSu9jqUYbJ0LTKT16Pg\nnb9tBvR3YIEH4Cp+PtxgCRxCP6wSUKLPV  
Q+KM+FxUbszt+G8KIM1I80Wgls\n/EEQ6\nnugr04bhdMRLGgLMypqkNOXCom3R6Zt0k  
h+FQ\n/vTMzfdT\nn-----END  
CERTIFICATE-----  
"cabundle_id": null,  
"cabundle": null,  
"certificate_id":  
"example_com_e353a_5bc13_1408033388_9a1d40  
aff655f98fed7206e5af466065"  
,"key":  
"-----BEGIN RSA PRIVATE  
KEY-----  
\nMIIIEowIBAAKCAQEA41OqJcyK0F0yJWEeRBD  
AJwwRstRviHBdPReaIxAqsk7hZ8Gp\nnBwufVU6Dut4bhCVuECWgyrJa5byjoArEc  
chlz+\n/5h3Zg510pvzk4XkVwPv4hQVv\nnGGVgQc9w20YLIsq1\n/SUCSR5KufDSy3J0gODr1i6DhwrNoxv6L  
UY179gInPlynzUe\nnoC+xYmCcF1TBG13sRoU5o7uDBzqF94v  
PV3zYtxhQEUXMzYnXrbC7GMhy5za6FeLH  
\nWmqzFcf6CZ5DUaTw\nxJsJpP3HZ8h2feYuUu2isdwg\n/6o3MabavJo0K2Lekgfihed\nnB2Oc3zKQyTcjk3p2fEAKjOSxyhnpwpx  
FwhNW8EwIDAQABAoIBAC1MJ5RenK6GU461  
\nOnWvrMpbEk\n/DGvJiCYI56MHh39A1\n/a5SHZ9ExpwWCB09XFhJgRqrgC3bucURk  
AWr\nnLmnddzXQAYoUeppJgsAflnADU71fuBax  
jYCb+sFCV6ep3mAxanA15r2xJozEmwx1  
\nIyfnKbDFD3piQbWlXoUs\n/DQ9qhtJ1TcL8kiu\n/b9t0n2hEMwHQVdTyX7teWOGBSSn\nn8154mM1U0Co4EUUVg8jS1y7+LL5Jw86  
W1b0XsQhHAKA3++Bv7mNDOKVPAR\n/kkpk2X\nnynHTY5R5M74hETmvpqpoD8azOCL2gd+7  
Y1pzXDqnytjs05YsRy9BVin7bmPG8SHf  
\nnk9cxnGkCgYEA\n/UtL5fP2GqEoOB54Nnkum0oCRIGI3y+be  
R3AM\n/3Z9et1eCWDsxGv\nnP5PWU+Bkje+NxLcFXspy83DP50G0kcX  
WB7w7hRBsxXTayo92ouq59ebFv1zo\n/\n/dX\nngtcvdTceOhq3vocusqdMCKmcQv5oCZMT  
j402OEDvEiXh8hkj\n/u7mZO5UCgYEA5cFa\nncZusoeacvdc2Bb2cR1WbMM5S8yzPML  
alsYhuG9KuemSMpveUvGnBnZfhHkZzCUk  
f\nniDb6URnZ8mKfN+iJrRcu60iK1Put5  
\n/B2ufwrg1th8U7TBWO3CvTS+oZFLmW59  
fjy\nnQorf5n8wWlraXREbf4eG\n/8KoD2YdDfsE6S2x7wcCgYBfPEU69Weu  
DK9FNsNwnsLg\nnITICA5ac3rcNhuuIn\n/wkjFeg8BeUzYD0pw4f6wCUBuJgur2EQX  
93hYX0HHGSPsvJ\nnFqz6ufheiFJbrTQ+OPFmNcwbAE2jyvr  
Jo6aNwNjTuvLYNMzUroqfCzszUGFOUk6  
\n/uDXf8da0MDUHXAJKk+CPQKBgQDk  
JWpgYgu9ATkoMmrMrIphM5rVjixEmX  
xvKF2E\nnu0tLiZwEoZAhxLwLhKKTUjxrWa3KUB  
+6t3poWqqsHy\n/L7G4iLPvgyX2htpLX+GYRs\nnDwJOG  
BH0Ayf8tBxxZUeTyn0sI4vTuw8mEK1h  
P2+OaYuY\n/Bmo07ZMhslH8Uht5Ua\nnz2tfrQKBgE  
qz133drotPqWdnDirlrVklLVogBHA9VX  
qA3AxczOoJoJk92P7\n/nRfb\nnziQjdFMMnAQgdLajiz2uhr5H6rZMUT  
tYtb6U7zsqLcGsk2WxwPS30lGSLwz2x  
ZW8\nnRfP50juACvuE779rJQCLNbnuyCpkBZV  
\nfm\n/8GypDWZrKbafUmpL\nn-----END  
RSA PRIVATE KEY-----"
```

• S
o
m
e
f
u
n
c
t
i
o
n
s
a
n
d
p
a
r
a
m
e
t
e
r
s
m
a
y
r
e
t
h
a
t
y
o
u
a
u
t
h
e
n
t
i
c
a
t
e
a
s
t
h
e
r
o
t
u
s
e
r.

twofactorauth
_enable_policy

twofactorauth
_generate_tfa_config

twofactorauth
_get_issuer

twofactorauth
_get_user_config

twofactorauth
_policy_status

twofactorauth
_remove_user_config

twofactorauth
_set_issuer

twofactorauth
_set_tfa_config

unlink_user_authn_provider

validate_logintoken

backup_config_get

backup_config_set

backup_date_list

backup_destination_add

backup_destination_delete

backup_destination_get

backup_destination_list

backup_destination_set

backup_destination_validate

backup_get_transport_status

backup_list_transported

backup_set_list

backup_set_list_combined

backup_skip_users_all

```

5af466065
    </certificate_id>
    <key>
      -----BEGIN
      RSA PRIVATE KEY-----
      MIIIEowIBAAKCAQEA41OqJcyK0F0yJWEeRBDAJwwRstRviHBdPReaIxAqsk
      7hZ8Gp
      BwufVU6Dut4bhCVuEcWgyyrJa5byjoArEcchlz+
      /5h3Zg5l0pvzk4XkVwPv4hQVv
      GGVgQc9w20YLIsq1
      /SUCSR5KufDSy3J0gODrli6DhwrNoxv6LUYl79giNPlynzUe
      oC+xYmCcFlTBG13sRoU5o7uDBzqF94vPV3zYtxhQEUXMzYnXrbC7GMhy5z
      A6FeLH
      WmqzFcf6CZ5DUaTw/xJsJpP3HZ8h2feYuUu2iSdwg
      /6o3MabavJo0K2Lekgfihed
      B20c3zKQyTcjk3p2fEAKjOSxyhwnpXfwhNW8EwIDAQABAoIBAC1MJ5RenK
      6GU461
      OnWvrMpbEk/DGvJiCYI56MHh39A1
      /a5SHZ9ExpwWCBO9XFhJqRqrgC3bucURkAWr
      LmnddzXQAYoUeppJgsAflnADU71fuBaxjYCb+sFCV6ep3mAxanA15r2xJo
      zEmwx1
      IyfnKbdFD3piQbWlxoUs/DQ9qhtJ1TcL8kiu
      /b9t0n2hEMwHQVdTyX7teW0gBSSn
      8154mMlU0Co4EUvg8jSly7+LL5Jw86Wlb0XsQhHAKA3++Bv7mNDOKVPAR
      /kkpk2X
      ynHTY5R5M74hETmvpquoD8azOCL2gd+7Y1pzXDqnytjs05YsRy9Bvin7bm
      PG8SHf
      k9cxnGkCgYEA/UtL5fP2GqEoOB54NnkuM0oCRIGI3y+beR3AM
      /3Z9et1eCWDsxGv
      P5PWU+Bkje+NxLcFXspy83DP50G0kcXWB7w7hRBSxxTayo92ouq59ebFv1
      zo//dX
      gtcvdTceOhq3vocuqdMckmcQv5oCZMTj4020EDvEiXh8hkj
      /u7mZO5UCgYEA5cFa
      cZusoeacvdc2Bb2cR1WbMM5S8yzPmlalsYhuG9KuemSMpveUvGnBnZfhHk
      ZzCUkf
      iDb6URnZ8mKfN+iJrRcu60iK1Put5
      /B2ufwrg1th8U7TBW03CvTS+oZFLmW59fjy
      Qorf5n8wWlrAXrEbf4eG
      /8KoD2YdDfsE6S2x7wcCgYBFpEU69WeuDK9FNsNwnsLg
      ITIca5ac3rcNhuuIn
      /wkjFeg8BeUzYD0pw4fw6uCBuJgur2EQX93hYX0HHGsPsvJ
      Fqz6ufheifJbrTQ+OPFmNcwbAE2jyvvrJo6aNwNjTuvLYNMZUroqffCzzsU
      GFOUk6
      /uDXf8da0MDUHxAJkK+CPQKBgQDkJWpgYgu9ATkoMmrMrIphM5rVjixEmX
      xvKF2E
      u0tLiZwEoZAhxLwHlKTUjxrWa3KUB+6t3poWqqshy
      /L7G4iLPvgyX2htpLX+GYRs
      DwJOGBH0Ayf8tBXxZUeTyn0sI4vTuw8mEK1hP2+OaYuY
      /Bmo07ZMhslH8Uht5Ua
      z2tfRQKBgEqz133drotPqWdnDIrlrVklLVOgBHA9VXqA3Axcz0oJoJk92P
      7/nRfb
      ziQjdFMMnAQgdLajiz2uhr5H6rZMuttYtb6U7zsqLcGSk2WxwPS3OlGSLw
      z2xZW8
      Rfp50juACvUE779rJQCLNbnuyCpkBZV/fM/8dGypDWZrKbafUmpL -----
      END RSA
      PRIVATE KEY-----
    </key>
  </components>
</data>
<metadata>
  <version>1</version>
  <reason>OK</reason>
  <result>1</result>
  <command>fetch_vhost_ssl_components</command>
</metadata>
</result>

```

- [WHM API 1 Functions - is_sni_supported](#) — This function checks whether the server supports SNI (Server Name Indication).
- [WHM API 1 Sections - Security](#) — Security functions allow you to manage system security services.
- [WHM API 1 Functions - authorizesshkey](#) — This function authorizes a key to access the server via SSH.
- [WHM API 1 Functions - check_remote_ssh_connection](#) — This function tests an SSH connection to another server.
- [WHM API 1 Functions - convertopenssh_oputty](#) — This function converts an OpenSSH private key to a PuTTY key.

backup_skip_users_all_status

backup_user_list

convert_and_migrate_from_legacy_config

get_users_with_backup_metadata

list_cparchive_files

start_background_pkgacct

toggle_user_backup_state

participate_in_analytics

cphulk_status

create_cphulk_record

delete_cphulk_record

disable_cphulk

enable_cphulk

flush_cphulk_login_history

flush_cphulk_login_history_for_ips

get_countries_with_known_ip_ranges

get_cphulk_brutes

get_cphulk_excessive_brutes

get_cphulk_failed_logins

get_cphulk_user_brutes

load_cphulk_config

read_cphulk_records

save_cphulk_config

set_cphulk_config_key

background_mysql_upgrade_status



Note:

Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

Parameters

This function does not accept parameters.

Returns

Return	Type	Description	Possible values	Example
components	hash	A hash of the certificate information.	This hash includes the servername, key_id, certificate, cabundle_id, cabundle, certificate_id, and key returns.	
servernames	string	The domain or domains that the certificate covers. The function returns this value in the components hash.	A valid domain name.	example.com
key_id	string	The ID of the certificate's key. The function returns this value in the components hash.	A valid string.	e353a_5bc13_7ff85c8ae9750fbec0fbf7b30c1e0134

<p>current_mysql_version</p> <p>installable_mysql_versions</p> <p>latest_available_mysql_version</p> <p>list_database_users</p> <p>list_databases</p> <p>list_mysql_databases_and_users</p> <p>remote_mysql_create_profile</p> <p>remote_mysql_create_profile_via_ssh</p> <p>remote_mysql_delete_profile</p> <p>remote_mysql_initiate_profile_activation</p> <p>remote_mysql_monitor_profile_activation</p> <p>remote_mysql_read_profile</p> <p>remote_mysql_read_profiles</p> <p>remote_mysql_update_profile</p> <p>remote_mysql_validate_profile</p> <p>rename_mysql_database</p> <p>rename_mysql_user</p> <p>rename_postgresql_database</p> <p>rename_postgresql_user</p> <p>set_local_mysql_root_password</p> <p>set_mysql_password</p> <p>set_postgresql_password</p>	<p>current_mysql_version</p> <p>installable_mysql_versions</p> <p>latest_available_mysql_version</p> <p>list_database_users</p> <p>list_databases</p> <p>list_mysql_databases_and_users</p> <p>remote_mysql_create_profile</p> <p>remote_mysql_create_profile_via_ssh</p> <p>remote_mysql_delete_profile</p> <p>remote_mysql_initiate_profile_activation</p> <p>remote_mysql_monitor_profile_activation</p> <p>remote_mysql_read_profile</p> <p>remote_mysql_read_profiles</p> <p>remote_mysql_update_profile</p> <p>remote_mysql_validate_profile</p> <p>rename_mysql_database</p> <p>rename_mysql_user</p> <p>rename_postgresql_database</p> <p>rename_postgresql_user</p> <p>set_local_mysql_root_password</p> <p>set_mysql_password</p> <p>set_postgresql_password</p>	<p><i>string</i></p> <p>The certificate's text.</p> <p>The function returns this value in the components hash.</p>	<p>A valid certificate in Base64 PEM format.</p>	<pre> -----BEGIN CERTIFICATE----- MIIEEzCCAvuGAwIBAgIJALF /jFpw6p1bMA0GCSqGSIb3DQEBBQUAMI GfMRyWpAYD VQQDEw10ZXN0c21tb24uY29tMRYwFAY DVQQLEw1Eb2NlbWVudGF0aW9uMQswCQ YD VQQGEwJVUzEoMCYGCsGSIb3DQEJARY ZbGF1cmVUe2Uuc21tb25AY3BhbmVSLm 51 dDEUMBIGAlUEChMLY1BhbmVSIEluYy4 xDjAMBgNVBAgTBVR1eGFzMRAdG9YDVQ QH EwdIb3VzdG9uMB4XDTEzMDUxNzE2MTM wN1oXDTE0MDUxNzE2MTMwN1owZ8xZ8x fj AU BgNVBAMTDXRlc3RzaW1vbi5jb20xZjA UBGNVBAStDURvY3VtZW50YXRpb24xZz AJ BgNVBAYTAlVTMSgwJgYJKoZIhvcNAQk BFhlsYXVyZW5jZS5zaW1vbkBjcGFuZW wu bmV0MRQwEgYDVQQKEwtjUGFuZWwgSW5 jLjEOMAwGA1UECBMFVGV4YXN0aW90 NV BAcTB0hvdXN0b24wggEiMA0GCSqGSIb 3DQEBAQUAA4IBDwAwggEKAoIBAQDR00 AP N5XtjDqkEyJ6ctfYqUtt9yUXyRUCETF jW6opNLsmZSheF6L2aZka6461hj02CF y1 kzsNSxysN66tY+WzcTmvgPisJdQFpFv jroJZgDjYRV0QqokKdRy /5BU0+tHXoYpj 9JQQLbvEWxiGR3R80sL1ma4AfSE6Gv8 M /PULTadan51eHaikXqjOXdPJQKuWP3g 9 FnIuf38WRyWzGrre88qsZrpsMrADX5d otHWgqAf7Tap6xfA4CUAgQo9tldariu Vi Bz+sRJ /Sjgxnhw1HYWGttBuBzFhMpdHpPnTJ7 DIFMd/FN5gG/tah30SapWpo35Ux 3BpJcdUjtazy82K5AgMBAAGjUDBOMB0 GAlUdDgQWBBAQ1v7 /tALOYb7zAXbYG2+9 AMI3xjAfBgNVHSMEGDAWgBQA1v7 /tALOYb7zAXbYG2+9AMI3xjAMBGNVHR MBBTAD AQH /MA0GCSqGSIb3DQEBBQUAA4IBAQCxzp e71Hc7Es0dqIN7bhIFYIIgcr6wxM6a a9d+QG+QPH0x0KAqV8EgUbyZysvyxEF0 bPxW3ZAr1Is1wk80PMuU3bToFFVbFFI Ir HRNfKLGvxiMXnZA1c6L4N01owvXHgZx TTUXtDFLXyrcwrLsvUErEV7rbiZuxqf Pw caRtXn4uc+t6HYuW7yWesBauCwnJNiK bjN /F+uCTurN3QMAeWf3ZJtsfkAgk8dyq R /83a3kDtSPrpt+jX+qdkjKEpRtQ5Qpm6 XT2gCOQPgnfiUtOCH419pp922P /AAGc+ ZUhYoWcRWKw /y6gI7Ru++9+8+wkadL9EbKMZxhVwD5 qVm4Z1WK2a -----END CERTIFICATE-----%0 </pre>
<p>rename_mysql_database</p> <p>rename_mysql_user</p> <p>rename_postgresql_database</p>	<p>rename_mysql_database</p> <p>rename_mysql_user</p> <p>rename_postgresql_database</p>	<p><i>string</i></p> <p>The ID of the certificate's CA bundle.</p> <p>The function returns this value in the components hash.</p>	<p>A valid string or null.</p>	<p>null</p>
<p>rename_postgresql_user</p> <p>set_local_mysql_root_password</p> <p>set_mysql_password</p> <p>set_postgresql_password</p>	<p>rename_postgresql_user</p> <p>set_local_mysql_root_password</p> <p>set_mysql_password</p> <p>set_postgresql_password</p>	<p><i>string</i></p> <p>The certificate's CA bundle.</p> <p>The function returns this value in the components hash.</p>	<p>A valid CA bundle or null.</p>	<p>null</p>

start_background_mysql_upgrade
 adddns
 addzonerecord
 addzonerecord (Reverse DNS)
 create_parked_domain_for_user
 dumpzone
 editzonerecord
 get_nameserver_config
 getzonerecord
 has_local_authority
 killdns
 listmxs
 listzones
 lookupnsip
 lookupnsips
 removezonerecord
 resetzone
 resolvedomainname
 savemxs
 setresolvers
 update_nameservers_config
 ea4_get_currently_installed_packages
 ea4_get_ea_pkgs_state
 ea4_list_profiles
 ea4_metainfo
 ea4_migration
 ea4_pre_migrate_check
 ea4_recommendations
 ea4_save_profile
 ea4_tomcat85_add

certificate_id	string	The certificate's ID. The function returns this value in the components hash.	A valid string.	example_com_e353a_5bc13_1408033388_9a1d40aff655f98fed7206e5af466065
key	string	The certificate's key. The function returns this value in the components hash.	A valid private key in Base64 PEM format.	ssh-rsa AAAAB3NzaC1yc2EAAAABIwAAAIEAomhpdCKB+gPO5TaxKWqvWa7dGsaSnKkrDRtb4S6DQQM2EcW2Xevp1HGYZr5YK3h2S GQqhkeFG44xv\ /eJCIai8FCHV3ulWlzzt4W6akTHWET 1q6b1\ /aUq36OvMdsBCiZ5UkhI0+ZAEpCQWdU pBQFHxaxZuypaJbLlITmAs\k+x8=

ea4_tomcat8
5_list

ea4_tomcat8
5_rem

cpgreylist_is_
server_netblo
ck_trusted

cpgreylist_list
_entries_for_
common_mai
l_provider

cpgreylist_lo
ad_common_
mail_provide
r_s_config

cpgreylist_sa
ve_common_
mail_provide
r_s_config

cpgreylist_st
atus

cpgreylist_tru
st_entries_for
_common_m
ail_provider

cpgreylist_un
trust_entries_
for_common_
_mail_provid
er

create_cpgre
ylist_trusted_
host

delete_cpgre
ylist_trusted_
host

disable_cpgr
eylist

enable_cpgr
eylist

load_cpgreyli
st_config

read_cpgreyli
st_deferred_
entries

read_cpgreyli
st_trusted_ho
st

save_cpgreyli
st_config

batch

cpanel

create_integr
ation_group

create_integr
ation_link

get_integratio
n_link_user_
config

list_integratio
n_groups

list_integratio
n_links

remove_integ
ration_group

remove_integ
ration_link

update_integ
ration_link_to
ken

addips

delip

get_public_ip

get_shared_ip

ipv6_disable_
_account

ipv6_enable_
account

ipv6_range_a
dd

ipv6_range_e
dit

ipv6_range_li
st

ipv6_range_r
emove

ipv6_range_u
sage

listips

nat_checkip

nat_set_publi
c_ip

setsiteip

disable_dkim

disable_mail_
_sni

emailtrack_s
earch

emailtrack_st
ats

emailtrack_u
ser_stats

enable_dkim

enable_mail_
sni

ensure_dkim_
_keys_exist

exim_configuration_check

expunge_mailbox_messages

expunge_messages_for_mailbox_guid

fetch_dkim_private_keys

fetch_mail_queue

generate_mobileconfig

get_mailbox_status

get_mailbox_status_list

get_unique_recipient_count_per_sender_for_user

get_unique_sender_recipient_count_per_user

get_user_email_forward_destination

hold_outgoing_email

install_dkim_private_keys

install_spf_records

is_sni_supported

list_pops_for

mail_sni_status

rebuild_mail_sni_config

release_outgoing_email

save_spamd_config

set_user_email_forward_destination

suspend_outgoing_email

unsuspend_outgoing_email

validate_current_installed_exim_config

validate_curr
ent_dkims

validate_curr
ent_ptr

validate_curr
ent_spfs

validate_exi
m_configurati
on_syntax

disable_mark
et_provider

enable_mark
et_provider

get_adjusted
_market_pro
viders_produ
cts

get_market_
providers_co
mmission_co
nfig

get_market_
providers_list

get_market_
providers_pr
oduct_metad
ata

get_market_
providers_pr
oducts

set_market_p
roduct_attri
bute

set_market_p
rovider_com
mission_id

modsec_add
_rule

modsec_add
_vendor

modsec_ass
emble_config
_text

modsec_batc
h_settings

modsec_che
ck_rule

modsec_clon
e_rule

modsec_depl
oy_all_rule_c
hanges

modsec_depl
oy_rule_chan
ges

modsec_depl
oy_settings_
changes

modsec_disable_rule

modsec_disable_vendor

modsec_disable_vendor_configs

modsec_disable_vendor_updates

modsec_discard_all_rule_changes

modsec_discard_rule_changes

modsec_edit_rule

modsec_enable_vendor

modsec_enable_vendor_configs

modsec_enable_vendor_updates

modsec_get_config_text

modsec_get_configs

modsec_get_configs_with_changes_pending

modsec_get_log

modsec_get_rules

modsec_get_settings

modsec_get_vendors

modsec_is_installed

modsec_make_config_active

modsec_make_config_inactive

modsec_preview_vendor

modsec_remove_rule

modsec_remove_setting

modsec_remove_vendor

modsec_report_rule

modsec_set_config_text

modsec_set_setting

modsec_undisable_rule

modsec_update_vendor

_getpkgextensionform

add_override_features_for_user

addpkg

addpkgext

changepackage

create_featurelist

delete_featurelist

delpkgext

editpkg

get_available_applications

get_available_featurelists

get_feature_metadata

get_feature_names

get_featurelist_data

get_featurelists

get_users_features_settings

getfeaturelist

getpkginfo

killpkg

listpkgs

manage_features

matchpkgs

read_featurelist

remove_override_features_for_user

update_feature_relist

verify_user_has_feature

convert_all_domains_to_fpm

get_fpm_count_and_utilization

is_conversion_in_progress

php_get_defaults_to_fpm

php_get_handlers

php_get_impacted_domains

php_get_installed_versions

php_get_old_fpm_flag

php_get_system_default_version

php_get_hosts_by_version

php_get_host_versions

php_ini_get_content

php_ini_get_directives

php_ini_set_content

php_ini_set_directives

php_fpm_config_get

php_fpm_config_set

php_set_defaults_to_fpm

php_set_handler

php_set_old_fpm_flag

php_set_session_save_path

php_set_sys
tem_default_v
ersion

php_set_vho
st_versions

acctcounts

get_public_c
ontact

getresellerips

listacfs

listresellers

resellerstats

saveacflist

set_public_c
ontact

setacfs

setresellerips

setresellerlim
its

setresellerma
inip

setresellerna
meservers

setresellerpa
ckagelimit

setupreseller

suspendresel
ler

terminateres
eller

unsetupresell
er

unsuspendre
seller

delete_rpm_v
ersion

edit_rpm_ver
sion

get_rpm_ver
sion_data

install_rpm_p
lugin

list_rpms

package_ma
nager_fixcac
he

package_ma
nager_get_b
uild_log

package_ma
nager_get_p
ackage_info

package_ma
nager_is_per
forming_actio
ns

package_ma
nager_list_pa
ckages

package_ma
nager_resolv
e_actions

package_ma
nager_submit
_actions

package_ma
nager_upgra
de

uninstall_rpm
_plugin

delete_hook

edit_hook

list_hooks

reorder_hooks

accesshash

authorizessh
key

check_remot
e_ssh_conne
ction

convertopens
shtoputty

deletesshkey

fetch_securit
y_advice

generatesshk
eypair

importsshkey

listsshkeys

add_configcl
usterserver

configurebac
kgroundproc
esskiller

configureserv
ice

cors_proxy_g
et

create_user_
session

delete_config
clusterserver

enable_monit
or_all_enable
d_services

get_all_contact_importances

get_application_list

get_application_contact_event_importance

get_application_contact_importance

get_available_profiles

get_current_profile

get_password_strength

get_remote_access_hash

get_service_config

get_service_config_key

get_tcp4_sockets

get_tcp6_sockets

get_tweaksetting

get_udp4_sockets

get_udp6_sockets

get_update_availability

get_users_links

getdiskusage

gethostname

is_role_enabled

list_configclusterservers

loadavg

nvget

nvset

personalization_get

personalization_set

purchase_a_l
icense

reboot

remove_in_p
rogress_exim
_config_edit

restartservice

restore_conf
g_from_file

restore_conf
g_from_uplo
ad

run_cpkeyclt

send_test_po
sturl

send_test_pu
shbullet_note

servicestatus

set_applicati
on_contact_e
vent_importa
nce

set_applicati
on_contact_i
mportance

set_primary_
servername

set_service_
config_key

set_tweakset
ting

sethostname

setminimump
asswordstren
gths

start_profile_
activation

system_need
s_reboot

systemloada
vg

update_conf
gclusterserver

update_conta
ct_email

verify_aim_a
ccess

verify_icq_ac
cess

verify_oscar_
access

verify_posturl
_access

verify_pushb
ullet_access

delete_ssl_v
host

disable_auto
ssl

fetch_service
_ssl_compon
ents

fetch_ssl_cer
tificates_for_f
qdns

fetch_ssl_vh
osts

fetch_vhost_
ssl_compone
nts

fetchcrtinfo

fetchsslinfo

generatessl

get_autossl_
check_sched
ule

get_autossl_
log

get_autossl_
ogs_catalog

get_autossl_
metadata

get_autossl_
pending_que
ue

get_autossl_
pending_que
ue_for_doma
in

get_autossl_
pending_que
ue_for_user

get_autossl_
problems_for
_domain

get_autossl_
problems_for
_user

get_autossl_
providers

get_best_ssl
domain_for_s
ervice

install_servic
e_ssl_certific
ate

installssl

listcrts

rebuildinstall
edssldb

rebuilduserss
ldb

reset_autossl
_provider

reset_service
_ssl_certificate

set_autossl_
metadata

set_autossl_
metadata_key

set_autossl_
provider

start_autossl
_check_for_a
ll_users

start_autossl
_check_for_o
ne_user

generate_cp
anel_plugin

list_styles

load_style

remove_logo

remove_style

save_style

set_default

ticket_create
_stub_ticket

ticket_get_su
pport_agree
ment

ticket_get_su
pport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revoke

ticket_ssh_te
st

ticket_ssh_te
st_start

ticket_update
_service_agr
eement_appr
oval

ticket_validat
e_oauth2_co
de

ticket_whiteli
st_check

ticket_whiteli
st_setup

ticket_whiteli
st_unsetup

abort_transfe
r_session

analyze_tran
sfer_session
_remote

available_tra
nsfer_modules

create_remot
e_root_transf
er_session

create_remot
e_user_trans
fer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transfe
r_session_log

get_transfer_
session_state

pause_transf
er_session

remote_basic
_credential_c
heck

retrieve_tran
sfer_session
_remote_ana
lysis

start_transfer
_session

transfer_mod
ule_schema

validate_syst
em_user

accept_eula

get_available
_tiers

get_current_l
ts_expiration
_status

get_lts_wexpi
re

getlongterms
upport

installed_ver
sions

set_cpanel_u
pdates

set_tier

update_upda
teconf

version