

cPanel API 2 Functions - SSL::fetchcabundle

Guide to cPanel API 2

[Return Data](#)

[Filter and Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Calls from the WHM API](#)

[cPanel Tags \(deprecated\)](#)

AddonDomain:: [addaddondomain](#)

AddonDomain:: [deladdondomain](#)

AddonDomain:: [listaddondomains](#)

Backups:: [listfullbackups](#)

Bandwidth:: [addhttpbandwidth](#)

Bandwidth:: [getbandwidth](#)

Bandwidth:: [gethourlyaveragebandwidth](#)

BoxTrapper:: [accountmanagelist](#)

Branding:: [addbrandingobj](#)

Branding:: [applist](#)

Branding:: [brandingeditor](#)

Branding:: [createpkg](#)

Branding:: [cssmerge](#)

Branding:: [delbrandingobj](#)

Branding:: [delpkg](#)

Branding:: [gensprites](#)

Branding:: [getbrandingpkg](#)

Branding:: [getbrandingpkgstatus](#)

Branding:: [getdefaultbrandingpkg](#)

Branding:: [installbrandingpkgs](#)

Branding:: [installimages](#)

Branding:: [killimgs](#)

Description

This function retrieves a certificate's Certificate Authority (CA) bundle.



Warning:

We **strongly** recommend that you use the following [UAPI](#) function instead of this function:

- [SSL::get_cabundle](#) — This function retrieves a certificate's CA bundle and hostname.



Note:

Due to the limited field length of HTTP GET method calls, you **must** use the HTTP POST method. For this reason, you **cannot** use the WHM API method to call this function.



Important:

In cPanel & WHM version 84 and later, when you disable the `CalendarContact`, `MailReceive`, `WebDisk`, `Webmail`, **and** `WebServer` roles, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

Function information

Branding:: [listmtypes](#)

Branding:: [listobjecttypes](#)

Branding:: [preloadconf](#)

Branding:: [resetall](#)

Branding:: [resetcss](#)

Branding:: [resethtml](#)

Branding:: [resolve_file](#)

Branding:: [resolvelocalcss](#)

Branding:: [setbrandingpkgstatus](#)

Branding:: [showpkgs](#)

Branding:: [spritelist](#)

CSVImport:: [columnchoices](#)

CSVImport:: [configimport](#)

CSVImport:: [data](#)

CSVImport:: [fetchimportdata](#)

CSVImport:: [isenabled](#)

CSVImport:: [loaddata](#)

CSVImport:: [processdata](#)

CSVImport:: [sendcontact](#)

CSVImport:: [uploadimport](#)

Contactus:: [isenabled](#)

Contactus:: [sendcontact](#)

Cron:: [add_line](#)

Cron:: [edit_line](#)

Cron:: [fetchcron](#)

Cron:: [get_email](#)

Cron:: [listcron](#)

Cron:: [remove_line](#)

Cron:: [set_email](#)

CustInfo:: [contactemails](#)

CustInfo:: [contactprefs](#)

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.

// Retrieve the account's CA bundles.
$install_ssl = $cpanel->api2(
    'SSL', 'fetchcabundle',
    array(
        'crt' => '-----BEGIN CERTIFICATE-----
MIIDcTCCAlmgAwIBAgIFAU+BNVgwdQYJKoZIhvcNAQEFBQAwUTESMBAGA1
UEAwJQ
c2lza28udGxkMQswCQYDVQQGEwJVUzEPMA0GA1UECgwY1BhbmVsMQswCQ
YDVQIQI
DAJUWDEQMA4GA1UEBwwHSG9lc3RvbjaEfw0xNDEwMDYyMjI2MTlaFw0xNT
EwMDYy
MjI2MTlaMFEwEjEjAQBgNVBAMMCXNpc2tvlNRSZDELMAkGA1UEBhMCVVMx
ANBgNV
BAoMBmNQYW51bDELMkGA1UECAwCVFgxEDAOBgNVBAcMB0hvdXN0b24wgw
EiMA0G
CSqGSIb3DQEBAAQAAIBDwAwggEKAoIBAQc9zx6zGiHdmWA0dKtoXmJiWX
pZ9E3P
Xx3YHsjFEWw7e5pH0vZ+jVMzDmm5nsJ7RXrAkZ01IvpIvLvoQfiJOWVvk
D+o9fW
voK1tWJS72FSgPju+58mA2ieBuc87A790Pzuv1P3NR3zFLAJUR99zkHR1f
pri/da
M3PBW0ET48FWkyU1kOeZaU1F67
/+wrEiNgg+t1qhKOCAB61PdNVkLaSGHimksuC
+Czk8Kq9nuS0E0TCndtjjEYJ455FUcaCfcz1Tb8xkB
/F90Re74yTzD+v1k0tFMG6
PLj/aJIwWqW0qmQ8wX3NRxkGz5kV01wrVJarKQ5EYQ3
/mgvit0v6dAgMBAAGj
UDBOMB0GA1UdDgQWBRRw+wKBo34+bgexjAa3EMDsgSCd7zAfBgNVHSMEGD
AwgBRw
+wKBo34+bgexjAa3EMDsgSCd7zAMBgNVHRMERTADAQH
/MA0GCSqGSIb3DQEBBQUA
A4IBAQRXRI553opzKM2rM8Qe81cw524WK6hgy2EwrZHp78N7rU7/6DQ
/I3hv3Wh
cDDIO04I2/Xhe88MLBaLoM367Ya+vy7CaLr14aLi
/SfQszMA0ALBvMao+Fis0iVw
FYq
/NLgSXw+fgnpFskt8v8iQZ+4Kaal8U8e9sVgu8m0Rg07rzymleRiIKpsKd
1rh
/SD7LbSN7M7TRL3QqF7ltw9sQhAAsQcRaBBF21pdWrqhiGZ+Eioo3hhgWN
avH2ag
qz78ddHwrFpHFwrEeUk10fppB76MYIce7xIy/4oQNdg6fOq41
/FrajBv+WkzDVpa
Km6r7YmwfLN/YMBHXSr58oOGP9W
-----END CERTIFICATE-----',
    )
);
```

Note: For more information, read our [Guide to the LiveAPI System](#).

Module: SSL
API Version: [cPanel API 2](#)
Available in: cPanel 11+
Methods: POST

Note: The HTTP GET method has a limited field length that does not accommodate this function's input parameters. You must use HTTP POST.

Required Parameters: crt
Return Format: JSON, XML

Notes:

- XML or call this
- cPanel [deprec](#) XML or

Legacy Equivalents:

- SSL::getcabundle

About this module

CustInfo: [displaycontactinfo](#)

CustInfo: [savecontactinfo](#)

DBmap: [status](#)

DBmap: [version](#)

DenyIp: [listdenyips](#)

DiskCounter: [diskcounter](#)

DiskUsage: [buildcache](#)

DiskUsage: [clearcache](#)

DiskUsage: [fetch_raw_disk_usage](#)

DiskUsage: [fetchdiskusage](#)

DiskUsage: [fetchdiskusagewithextras](#)

DKIMUI: [available](#)

DKIMUI: [getrecords](#)

DKIMUI: [install](#)

DKIMUI: [installed](#)

DKIMUI: [uninstall](#)

DnsLookup: [name2ip](#)

DomainLookup: [contactbaseddomains](#)

DomainLookup: [getbaseddomains](#)

DomainLookup: [getdocroot](#)

DomainLookup: [getdocroots](#)

DomainLookup: [getmaindomain](#)

Email: [accountname](#)

Email: [adddomainforward](#)

Email: [addforward](#)

Email: [addmx](#)

Email: [addpop](#)

Email: [browseboxes](#)

Email: [changemx](#)

Email: [checkmaindiscard](#)

Email: [clearpopcache](#)

Email: [deletefilter](#)

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to
cPanel - only do this once.

# Retrieve the account's CA bundles.
my $install_ssl = $cpliveapi->api2(
    'SSL', 'fetchcabundle',
    {
        'cert' => '-----BEGIN CERTIFICATE-----
MIIDcTCCAlmgAwIBAgIFAU+BNVgwDQYJKoZIhvcNAQEFBQAwUTESMBAGAl
UEAwWJ
c2lza28udGxkMQswCQYDVQQGEwJVUzEPMA0GA1UECgwY1BhbmVsMQswCQ
YDVQQI
DAJUWDEQMA4GA1UEBwwHSG9lc3Rvb3JhZjEwNDEwMDYyMjI2MTlaFw0xNT
EwMDYy
MjI2MTlaMFEwEjEjAQBgNVBAMMCXNpc2tVlnRsZDELMAkGA1UEBhMCVVMx
DzAN
ANBgNV
BAoMBmNQYW51bDELMkGA1UECAwCVFgXEDAOBgNVBACMB0hvdXN0b24wgg
EiMAOG
CSqGSIb3DQEBAQUAA4IBDwAwggEKAoIBAQC9zx6zGiHdmWA0dKtoXmJiW
XpZ9E3P
Xx3YHs jFEW7e5pH0vZ+ jVMzDmm5nsJ7RXrAkZ01IvpIpVLvoQfiJOWV
kD+o9fW
voK1tWJS72FSgPju+58mA2ieBuc87A790Pzuv1P3NR3zFLAJUR99zkHR1f
pri/da
M3PBW08ET48FWkyU1kOeZaU1F67
/+wrEiNgg+tlqhKOCAB61PdNVkLaSGHimksu
C+Czk8Kq9nuS0E0TCnDtjjEyJ455FUcaCfcz1Tb8xk
B/F90Re74yTzD+v1k0tFMG6
PLj/a jIwWqw0qmQ8wX3NRxkGz5kV01wrVJarKQ5EYQ3
/mgvit0v6dAgMBAAGj
UDBOMB0GA1UdDgQWBBrw+wKBo34+bgexjAa3EMDsgScd7zAfBgNVHSMEGD
AWgBRw
+wKBo34+bgexjAa3EMDsgScd7zAMBgNVHRMEBTADAQH
/MA0GCSqGSIb3DQEBBQUA
A4IBAQCXRxiS53opzKM2rM8Qe8lcw524WK6hgy2EwrZHp78N7rU7/6DQ
/I3hv3Wh
cDDIO04I2/Xhe88MLBaLoM367Ya+vy7CaLr14aLi
/SfQszMA0ALBvMao+Fis0iVw
FYq
/NLgSXw+fgnpFskt8v8iQZ+4Kaal8U8e9sVgu8m0RgO7rzymleRiIKpsKd
1rh
/SD7LbSN7M7TRL3QqF7ltw9sQhAAsQcRaBBF21pdWrqhiGZ+Eioo3hhgW
N
avH2ag
qz78ddHwrFpHFwrEeUk1OfpPb76MYIce7xIy/4oQNdg6fOq41
/FrajBv+WkzDVPa
Km6r7YmwfLN/YMBHXSr58oOGP9W
-----END CERTIFICATE-----',
    }
);
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

The SSL module manages certificates, certificate requests, and keys on your server.

About cPanel API 2

cPanel API 2 accesses and modifies data for cPanel accounts.



Notes:

Email: [delforward](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [disablefilter](#)

Email: [editquota](#)

Email: [enablefilter](#)

Email: [fetchautoresponder](#)

Email: [fetchcharmaps](#)

Email: [filteractions](#)

Email: [filterlist](#)

Email: [filtername](#)

Email: [filterrules](#)

Email: [get_archiving_configuration](#)

Email: [get_archiving_default_configuration](#)

Email: [get_archiving_types](#)

Email: [get_default_email_quota](#)

Email: [get_email_sizing](#)

Email: [get_max_email_quota](#)

Email: [getabsbrowsedir](#)

Email: [getalwaysaccept](#)

Email: [getdiskusage](#)

Email: [getmxcheck](#)

Email: [has_delegated_mailman_lists](#)

Email: [list_system_filter_info](#)

Email: [listaliasbackups](#)

Email: [listautoresponders](#)

Email: [listdefaultaddresses](#)

Email: [listdomainforwards](#)

Email: [listfilterbackups](#)

Email: [listfilters](#)

Email: [listforwards](#)



Warnings:

- In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We **strongly** recommend that you **only** use the [Live API](#) system to call the cPanel APIs. Examples are **only** present in order to help developers move from the old cPanel tag system to our [Live API](#).
- cPanel API 2 calls that use cPanel tags vary in code syntax and in their output.
- For more information, read our [Deprecated cPanel Tag Usage](#) documentation.

```
cpapi2 --user=username SSL fetchcabundle crt=-----BEGIN
CERTIFICATE-----
MIIDcTCCAlmgAwIBAgIFAU+BNVgwDQYJKoZIhvcNAQEFBQAwUTESMBAGA1
UEAwJc2lza28udGxkMQswCQYDVQQGEwJVUzEPMA0GA1UECgwGY1BhbmVs
MQswCQYDVQQIDAJUWDEQMA4GA1UEBwwHSG91c3Rvb3RvbjAeFw0xNDEwMDYyMj
I2MTlaFw0xNTEwMDYyMjI2MTlaMFExEjAQBgNVBAMMCXNpc2tVLnRszDEL
MAkGA1UEBhMCVVMxZDZANBGNVBAoMBmNQYW51bDELMkA1UECAwCVFgxED
AOBgNVBACMB0hvdXN0b24wggEiMA0GCSqGSIb3DQEBAQUAA4IBDwAwggEK
AoIBAQC9zx6zGiHdmWA0dKtoXmJiWXPz9E3PXx3YHsjFEFW7e5pH0vZ+ jV
MzDmm5nsJ7RXrAkZ01IvpIpVLvoQfiJOWVvkD+o9fWvoK1tWJS72FSgPju
+58mA2ieBuc87A790Pzuv1P3NR3zFLAJUR99zkHR1fpr
/dam3PBW08ET48FWkyU1kOeZaU1F67
/+wrEiNgg+t1qhKOCAB61PdNVkLaSGHimksuC+Czk8Kq9nuS0E0TCnDtjj
EyJ455FUcaCfcz1Tb8xkE/F90Re74yTzD+v1k0tFMG6PLj
/aJiWqW00qmQ8wX3NRxkWGz5kV01wrVJarKQ5EYQ3
/mgvit0v6dAgMBAAGjUDBOMB0GA1UdDgQWBBrw+wKBo34+bgexjAa3EMDs
gSCd7zAfBgNVHSMEGDAWgBRw+wKBo34+bgexjAa3EMDsgSCd7zAMBGNVHR
MEBTADAQH
/MA0GCSqGSIb3DQEBAQUAA4IBAQRXIs53opzKM2rM8Qe81cw524WK6hq
y2EwrZHp78N7rU7/6DQ/I3hv3WhcDDIO04I2
/Xhe88MLBaLoM367Ya+vy7CaLr14aLi/SfQsZMA0ALBvMao+Fis0iVwFYq
/NLgSXw+fgnpFskt8v8iQZ+4Kaal8U8e9sVgu8m0Rg07rzymleRiIKpsKd
1rh
/SD7LbsN7M7TRL3QqF71tw9sQhAAsQcRaBBF21pdWrqhiGZ+Eioo3hhgwN
avH2agqz78ddHwrFpHfwrEeUk1OfpPb76MYIce7xIy/4oQNdq6fOq41
/FrajBv+WkzDVPaK6r7YmwfLN/YMZBHXSR58oOGP9W-----END
CERTIFICATE-----
```



Notes:

- You **must** [URI-encode](#) values.
- `username` represents your account-level username.
- You **must** run the `--user=username` command.
- For more information and additional output options, read our [Guide to cPanel API 2](#) documentation or run the `cpapi2 --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapi2` command:

```
/usr/local/cpanel/bin/cpapi2
```

• These functions may require a feature list. To view the available features at the WHM's [Feature Matrix](#) interface. • Unless you ca

- Email: [listlists](#)
- Email: [listmaildomains](#)
- Email: [listmx](#)
- Email: [listmxs](#)
- Email: [listpops](#)
- Email: [listpopssingle](#)
- Email: [listpopswithdisk](#)
- Email: [listpopswithimage](#)
- Email: [loadfilter](#)
- Email: [passwdpop](#)
- Email: [reorderfilters](#)
- Email: [set_archiving_configuration](#)
- Email: [set_archiving_default_configuration](#)
- Email: [set_email_sizing](#)
- Email: [setalwaysaccept](#)
- Email: [setdefaultaddress](#)
- Email: [setmxcheck](#)
- Email: [storefilter](#)
- Email: [tracefilter](#)
- EmailTrack: [search](#)
- EmailTrack: [stats](#)
- EmailTrack: [trace](#)
- Encoding: [get_encodings](#)
- Encoding: [guess_file](#)
- Encoding: [guess_file_opts](#)
- Fileman: [autocomplete_dir](#)
- Fileman: [fileop](#)
- Fileman: [getabsdir](#)
- Fileman: [getdir](#)
- Fileman: [getdiractions](#)
- Fileman: [getdiskinfo](#)
- Fileman: [getedittype](#)
- Fileman: [getfileactions](#)

```
{
  "cpanelresult": {
    "apiversion": 2,
    "func": "fetchcabundle",
    "data": [
      {
        "domain": "example.com",
        "bundle": "example.com",
        "cab": "Sorry, this certificate is self-signed."
      }
    ],
    "event": {
      "result": 1
    },
    "module": "SSL"
  }
}
```

 **Note:**

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

Parameter	Type	Description	Possible values	Example
<code>cert</code>	<i>string</i>	Required The certificate data.	The certificate file contents, in Unix or Windows format. <div style="border: 1px solid red; padding: 5px; margin: 5px 0;"> <p> Important:</p> <ul style="list-style-type: none"> This data always begins with <code>-----BEGIN CERTIFICATE---</code> and ends with <code>-----END CERTIFICATE-----</code>. You must preserve the data's newlines (<code>\n</code> in Unix format, <code>\r\n</code> in Windows format). </div>	<pre>-----BEGIN CERTIFICATE--- -- MIIDcTCCAlmgAw IBAgIFAU+BNVgw DQYJKoZIhvcNAQ EFBQAwUTESMBAG ALUEAwJ c2lza28udGxkMQ swCQYDVQQGEwJV UzEPMA0GA1UECg wGY1BhbmVsMQsw CQYDVQQI DAJFUWVDEQMA4GA1 UEBwHSG91c3Rv bjAeFw0xNDEwMD YyMjI2MTlaFw0x NTEwMDYy MjI2MTlaMFEwEj AQBgNVBAMMCKXp c2tvLnRsZDELMA kGALUEBhMjVVMx DzANBgNV BAoMBmNQYW51bD ELMAkGALUECAwC VFgxEDA0BgNVBA cMB0hvdxN0b24w ggEiMA0G CSqGSIb3DQEBAAQ UAA4IBDwAwggEK AoIBAQC9zx6zGi HdmWA0dKtoXmJi WXpZ9E3P Xx3YHsjFEWw7e5 pH0vZ+jVMzDmm5 nsJ7RXrAkZO1Iv pIpVLvoQfiJOWV vkD+o9EW voKltWJS72FSgP ju+58mA2ieBuc8 7A790Pzuv1P3NR 3zFLAJUR99zkHR lfpri/da M3PBW08ET48FWk yU1kOeZaU1F67 /+wREiNgg+t1qh</pre>

This API violates the WHM API, you must use the appropriate cPanel reports (200 or 208). You can also call some functions via cPanel's Webmail portal

Fileman:: [getpath](#)

Fileman:: [listfiles](#)

Fileman:: [mkdir](#)

Fileman:: [mkfile](#)

Fileman:: [savefile](#)

Fileman:: [search](#)

Fileman:: [statfiles](#)

Fileman:: [uploadfiles](#)

Fileman:: [viewfile](#)

ForcePassword:: [get_force_password_flags](#)

ForcePassword:: [update_force_password_flags](#)

Frontpage:: [fpenabled](#)

Frontpage:: [list](#)

FSTest:: [dirisempty](#)

Ftp:: [addftp](#)

Ftp:: [delftp](#)

Ftp:: [listftp](#)

Ftp:: [listftpsessions](#)

Ftp:: [listftpwithdisk](#)

Ftp:: [passwd](#)

Ftp:: [setquota](#)

Gpg:: [listgpgkeys](#)

Gpg:: [listsecretgpgkeys](#)

Gpg:: [number_of_private_keys](#)

Gpg:: [number_of_public_keys](#)

Htaccess:: [listuser](#)

Htaccess:: [listusers](#)

HttpUtils:: [getdirindices](#)

ImageManager:: [thumbnail](#)

LangMods:: [getarchname](#)

LangMods:: [getkey](#)

LangMods:: [getprefix](#)

LangMods:: [install](#)

LangMods:: [langlist](#)

LangMods:: [listavailable](#)

```

KOCAB61PdNVkLa
SGHimksuC
+Czk8Kq9nuS0E0
TCnDtjjEyJ455F
UcaCfcz1Tb8xB
/F90Re74yTzD+v
lk0tFMG6
PLj
/aJiWwqW0qmQ8
wX3NRxkKgGz5kV
O1wrVJarKQ5EYQ
3
/mgvit0v6dAgMB
AAGj
UDBOMB0GAL1UdDg
QWBBRw+wKBo34+
bgexjAa3EMDsgS
Cd7zAfBgNVHSME
GDAWgBRw
+wKBo34+bgexjA
a3EMDsgSCd7zAM
BgNVHRMBETADAQ
H
/MA0GCSqGSIB3D
QEBBQUA
A4IBAQRXRIIs53
opzKM2rM8Qe8lc
w524WK6hgy2Ewr
ZHp78N7rU7/6DQ
/I3hv3Wh
cDDIO04I2
/Xhe88MLBaLoM3
67Ya+vy7CaLr14
aLi
/SfQszMA0ALBvM
ao+Pis0iVw
FYq
/NLgSXw+fgnpFs
kt8v8iQz+4Kaal
8U8e9sVgu8m0Rg
O7rzymleRiIKps
Kd1rh
/SD7LbSN7M7TRL
3QqP71tw9sQhAA
sQcRaBBF21pdWr
qhiGZ+Eioo3hhg
wNavH2ag
qz78ddHwrFpHFw
rEeUk1OfpPb76M
YIce7xIy
/4oQNdg6f0q41
/FrajBv+WkzDVPa

Km6r7YmwfLN
/YMZBHXSR58oOG
P9W
-----END
CERTIFICATE-----

```

```

ts
(2
0
95
0
r
2
0
96
).

```

Find a function

Related functions

- [cPanel API 2 Modules - SSL](#) — The SSL module manages certificates, certificate requests, and keys on your server.
- [cPanel API 2 Functions - SSL::fetchbundle](#) — This function retrieves a certificate's Certificate Authority (CA) bundle.
- [cPanel API 2 Functions - SSL::fetchinfo](#) — This function retrieves a domain's SSL certificate, private key, CA bundle, owner, and IP address.
- [cPanel API 2 Functions - SSL::genctr](#) — This function generates a self-signed certificate.
- [cPanel API 2 Functions - SSL::genscr](#) — This function generates a Certificate Signing Request (CSR).

Returns

Return	Type	Description	Possible values	Example
domain	<i>string</i>	The certificate's hostname.	A valid hostname.	example.com
bundle	<i>string</i>	The signing authority that issued the CA bundle.	The signing authority's hostname.	example.com

Note:
Self-signed certificates return the account's primary domain.

LangMods:: [list_installed](#)

LangMods:: [magic_status](#)

LangMods:: [pre_run](#)

LangMods:: [search](#)

LangMods:: [setup](#)

LangMods:: [uninstall](#)

LangMods:: [update](#)

LeechProtect:: [setup](#)

Locale:: [get_encoding](#)

Locale:: [get_html_dir_attr](#)

Locale:: [get_locale_name](#)

Locale:: [get_user_locale](#)

Locale:: [get_user_locale_name](#)

Locale:: [numf](#)

Logaholic:: [adduser](#)

Logaholic:: [adduser_profile](#)

Logaholic:: [deleteuser](#)

Logaholic:: [deleteuser_profile](#)

Logaholic:: [edituser](#)

Logaholic:: [fetchuser](#)

Logaholic:: [listuser_profiles](#)

Logaholic:: [logaholic_link](#)

Logaholic:: [process_stats](#)

LVEInfo:: [getUsage](#)

Mime:: [list_hotlinks](#)

Mime:: [listhandlers](#)

Mime:: [listmime](#)



Mime:: [listredirects](#)

Mime:: [redirectname](#)

Mime:: [redirecturlname](#)

MySQLFE:: [authorize_host](#)

MySQLFE:: [changed_buserpassword](#)

cab	<i>string</i>	The CA bundle data.	<p>The contents of the CA bundle's file in the <code>/usr/local/cpanel/whostmgr/cabundles/</code> directory.</p> <p>This data always begins with -----BEGIN CERTIFICATE----- and ends with -----END CERTIFICATE-----.</p> <div data-bbox="730 630 1036 823" style="border: 1px solid #f0e68c; padding: 5px; margin: 10px 0;"> <p> Note:</p> <p>Self-signed certificates return the following string:</p> <p>Sorry, this certificate is self-signed.</p> </div>	<pre>-----BEGIN CERTIFICATE ----- MIIB+jCCAWM CAGGjMA0GCS qGSIB3DQEBB AUAMEUxCzAJ BgNVBAYTAlV TMRgwFgYD VQQKEw9HVEU gQ29ycG9yYX Rpb24xHDAaB gNVBAMTE0dU RSBDeWJlc1R ydXN0IFJv b3QwHhcNOTY wMjIzZjMjMwMT AwWhcNMDYwM jIzZjM1OTAw WjBFMQswCQY DVQQGEwJV UzEYMBYGA1U EChMPR1RFIE NvcnBvcnF0a W9uMRwwGgYD VQQDExNHVEU gQ3liZlZl cnVzdCBSb29 OMIGfMA0GCS qGSIB3DQEBA QUAA4GNADCB iQKBgQC45k+ 625h8cXyV RLfTD0bZZOW TwUK0x7pJjT UteueLveUFM VnGsS8KDPuf pz+iCWaEVh4 3KRuH6X4M yppqFpX /1FZSj1aJGg thoTNE3FQZo r734sLPwKfW VWgkWYXcKIi XUT0wqx731l t/5 1KiOQswkwB6 RJ0qlbQaAYz nEol44AwIDA QABMA0GCSqG SIB3DQEBBAU AA4GBABKz dcZfHeFhVYA A1IFLezEPI2 PnPfMD+fQ2q LvZ46WXTeor KeDWanOB5sC Jo9Pfx4KWl IjeaY8JIIILT bcuPI9t18vr GvU9oUtCG4l tWW4 /5ODFlitppK +ULdjG+BqXH /9Apy bW1EDp3zdHS o1TRJ6V6e6b R64eVaH4Qwn NOfpSXY -----END CERTIFICATE -----</pre>
reason	<i>string</i>	<p>A reason for failure.</p> <div data-bbox="587 1486 711 1902" style="border: 1px solid #f0e68c; padding: 5px; margin: 10px 0;"> <p> Note:</p> <p>This function only returns a reason value if there was an error.</p> </div>	<p>A string that describes the error.</p>	<p>This is an error message.</p>

MysqlFE:: createdb

MysqlFE:: createdb
user

MysqlFE:: dbuserexi
sts

MysqlFE:: deauthori
zehost

MysqlFE:: deletedb

MysqlFE:: deletedb
user

MysqlFE:: getalldb
sinfo

MysqlFE:: getalldb
usersanddbs

MysqlFE:: getdbuse
rprivileges

MysqlFE:: getdbuse
rs

MysqlFE:: gethosts

MysqlFE:: getmysql
privileges

MysqlFE:: getmysql
serverprivileges

MysqlFE:: has_myc
nf_for_cpuser

MysqlFE:: listdbs

MysqlFE:: listdbsba
ckup

MysqlFE:: listhosts

MysqlFE:: listusers

MysqlFE:: listusers
info

MysqlFE:: revokedb
userprivileges

MysqlFE:: setdbuse
rprivileges

MysqlFE:: userdbpri
vs

MysqlOptimizer:: fet
ch_slow_queries

Net:: dnszone

Net:: traceroute

News:: does_news_
exist

News:: does_news_
type_exist

News:: get_news

NVData:: get

NVData:: set

NVData:: setall

result	<i>Boolean</i>	Whether the function succeeded.	<ul style="list-style-type: none">• 1 — The function succeeded.• 0 — The function failed.	1
--------	----------------	---------------------------------	--	---

Park:: [listaddondomains](#)

Park:: [listparkeddomains](#)

Park:: [park](#)

Park:: [unpark](#)

Passwd:: [change_password](#)

Passwd:: [set_digest_auth](#)

PasswdStrength:: [appstrengths](#)

PasswdStrength:: [get_password_strength](#)

PasswdStrength:: [get_required_strength](#)

PHPINI:: [getalloptions](#)

PHPINI:: [getoptions](#)

Postgres:: [listdbs](#)

Postgres:: [listusers](#)

Postgres:: [listusersindb](#)

Postgres:: [userexists](#)

Rand:: [getranddata](#)

Resellers:: [get_sub_accounts](#)

RoR:: [addapp](#)

RoR:: [changeapp](#)

RoR:: [importrails](#)

RoR:: [listapps](#)

RoR:: [listrewrites](#)

RoR:: [needsimport](#)

RoR:: [removeapp](#)

RoR:: [removerewrite](#)

RoR:: [restartapp](#)

RoR:: [setuprewrite](#)

RoR:: [softrestartapp](#)

RoR:: [startapp](#)

RoR:: [stopapp](#)

SetLang:: [setlocale](#)

SourceIPCheck:: [addip](#)

SourceIPCheck:: [deleteip](#)

SourceIPCheck:: [getaccount](#)

SourceIPCheck:: list
ips

SourceIPCheck:: loadsecquestions

SourceIPCheck:: resetsecquestions

SourceIPCheck:: samplequestions

SourceIPCheck:: savesecquestions

SPFUI:: available

SPFUI:: count_settings

SPFUI:: entries_complete

SPFUI:: get_raw_record

SPFUI:: getmainserverip

SPFUI:: install

SPFUI:: installed

SPFUI:: list_settings

SPFUI:: load_current_values

SPFUI:: uninstall

SSH:: authkey

SSH:: converttoppk

SSH:: delkey

SSH:: fetchkey

SSH:: genkey

SSH:: genkey_legacy

SSH:: importkey

SSH:: listkeys

SSL:: fetchcabundle

SSL:: fetchinfo

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcname

SSL:: installssl

SSL:: listcrts

SSL:: listcsrs

SSL:: listkeys

SSL:: listsslitems

SSL:: uploadcrt

SSL:: [uploadkey](#)

SSLInfo:: [fetchinfo](#)

StatCache:: [clearcache](#)

Stats:: [getmonthlybandwidth](#)

Stats:: [getmonthlydomainbandwidth](#)

Stats:: [getthismonthsbwusage](#)

Stats:: [lastapachehits](#)

Stats:: [lastvisitors](#)

Stats:: [listanalog](#)

Stats:: [listawstats](#)

Stats:: [listlastvisitors](#)

Stats:: [listrawlogs](#)

Stats:: [listurchin](#)

Stats:: [listwebalizer](#)

StatsBar:: [getrowcounter](#)

StatsBar:: [rowcounter](#)

StatsBar:: [setrowcounter](#)

StatsBar:: [stat](#)

SubDomain:: [addsubdomain](#)

SubDomain:: [changedocroot](#)

SubDomain:: [delsubdomain](#)

SubDomain:: [getreservedsubdomains](#)

SubDomain:: [listsubdomains](#)

SubDomain:: [validregex](#)

Themes:: [apply_new_theme](#)

Themes:: [does_panel_theme_exist](#)

Themes:: [get_available_themes](#)

Themes:: [get_themes_list](#)

Themes:: [restore_saved_theme](#)

UI:: [dynamicincludelist](#)

UI:: [includelist](#)

UI:: [listform](#)

UI:: [paginate](#)

UI:: [paginate_list](#)

UserHttpUtils:: [getdirindices](#)

WebDisk:: [addwebdisk](#)

WebDisk:: [delwebdisk](#)

WebDisk:: [hasdigest](#)

WebDisk:: [listwebdisks](#)

WebDisk:: [passwordebdisk](#)

WebDisk:: [set_digest_auth](#)

WebDisk:: [set_home_dir](#)

WebDisk:: [set_perms](#)

WebDisk:: [setstatus](#)

WebmailApps:: [listwebmailapps](#)

ZoneEdit:: [add_zone_record](#)

ZoneEdit:: [edit_zone_record](#)

ZoneEdit:: [fetch_cpanel_generated_domains](#)

ZoneEdit:: [fetchzone](#)

ZoneEdit:: [fetchzone_records](#)

ZoneEdit:: [fetchzones](#)

ZoneEdit:: [get_zone_record](#)

ZoneEdit:: [remove_zone_record](#)

ZoneEdit:: [resetzone](#)