

cPanel API 2 Functions - CSVImport::columnchoices

Guide to cPanel API 2

[Return Data](#)

[Filter and Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Calls from the WHM API](#)

[cPanel Tags \(deprecated\)](#)

AddonDomain:: [add addondomain](#)

AddonDomain:: [dela ddondomain](#)

AddonDomain:: [lista ddondomains](#)

Backups:: [listfullbackups](#)

Bandwidth:: [addhttp bandwidth](#)

Bandwidth:: [getbwdata](#)

Bandwidth:: [gethourlyaveragebwoveryear](#)

BoxTrapper:: [accountmanagelist](#)

Branding:: [addbrandingobj](#)

Branding:: [applist](#)

Branding:: [brandingeditor](#)

Branding:: [createpkg](#)

Branding:: [cssmerge](#)

Branding:: [delbrandingobj](#)

Branding:: [delpkg](#)

Branding:: [gensprites](#)

Branding:: [getbrandingpkg](#)

Branding:: [getbrandingpkgstatus](#)

Branding:: [getdefaultbrandingpkg](#)

Branding:: [installbrandingpkgs](#)

Branding:: [installimages](#)

Description

This function is deprecated and does not return useful output.



Warning:

We **strongly** recommend that you use [UAPI](#) instead of cPanel API 2. However, no equivalent UAPI function exists.

Examples

```
https://hostname.example.com:2087/cpsess#####/json-api/cpanel?cpanel_jsonapi_user=user&cpanel_jsonapi_apiversion=2&cpanel_jsonapi_module=CSVImport&cpanel_jsonapi_func=columnchoices
```



Note:

For more information, read our [Calls from the WHM API](#) documentation.

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.

// Call the function.
$call_function = $cpanel->api2(
    'CSVImport', 'columnchoices'
);
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

Function information

Module:

CSVImport

API Version:

(none)

Available in:

cPanel 11+

Methods:

GET, POST

Required Parameters:

(none)

Return Format:

JSON, XML



Notes:

- [XML or call this](#)
- [cPanel deprecated XML or](#)

Legacy Equivalents:

(none)

About this module

The CSVImport module is deprecated.

About cPanel API 2

cPanel API 2 accesses and modifies data for cPanel accounts.



Notes:

Branding:: [killimgs](#)

Branding:: [listimgtypes](#)

Branding:: [listobjecttypes](#)

Branding:: [preloadconf](#)

Branding:: [resetall](#)

Branding:: [resetcss](#)

Branding:: [resethtml](#)

Branding:: [resolvefile](#)

Branding:: [resolvelocalcss](#)

Branding:: [savelocalcss](#)

Branding:: [setbrandingpkgstatus](#)

Branding:: [showpkgs](#)

Branding:: [spritelist](#)

CSVImport:: [columnchoices](#)

CSVImport:: [configimport](#)

CSVImport:: [data](#)

CSVImport:: [fetchimportdata](#)

CSVImport:: [isenabled](#)

CSVImport:: [loaddata](#)

CSVImport:: [processdata](#)

CSVImport:: [sendcontact](#)

CSVImport:: [uploadimport](#)

Contactus:: [isenabled](#)

Contactus:: [sendcontact](#)

Cron:: [add_line](#)

Cron:: [edit_line](#)

Cron:: [fetchcron](#)

Cron:: [get_email](#)

Cron:: [listcron](#)

Cron:: [remove_line](#)

Cron:: [set_email](#)

CustInfo:: [contactemails](#)

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to
cPanel - only do this once.

# Call the function.
my $call_function = $cpliveapi->api2(
    'CSVImport', 'columnchoices',
);
```



Note:

For more information, read our [Guide to the LiveAPI System](#).



Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

cPanel API 2 calls that use cPanel tags vary widely in code syntax and in their output. For more information, read our [Deprecated cPanel Tag Usage](#) documentation. Examples are **only** present in order to help developers move from the old cPanel tag system to our [LiveAPI](#).

```
cpapi2 --user=username CSVImport columnchoices
```



Notes:

- You **must** [URI-encode](#) values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 2](#) documentation or run the `cpapi2 --help` command.
- We introduced this functionality in cPanel & WHM version 56.

```
{
  "cpanelresult": {
    "apiversion": 2,
    "func": "columnchoices",
    "data": [

    ],
    "event": {
      "result": 1
    },
    "module": "CSVImport"
  }
}
```



Note:

Use cPanel's [API Shell](#) interface (`cPanel >> Home >> Advanced >> API Shell`) to directly test cPanel API calls.

• These functions may require a feature list. To view the available features lists on a cPanel server, view WHM's [Feature Manager](#) interface. • Unless you ca

CustInfo:: [contactprefs](#)

CustInfo:: [displaycontactinfo](#)

CustInfo:: [savecontactinfo](#)

DBmap:: [status](#)

DBmap:: [version](#)

Denylp:: [listdenyips](#)

DiskCounter:: [disk_counter](#)

DiskUsage:: [buildcache](#)

DiskUsage:: [clearcache](#)

DiskUsage:: [fetch_raw_disk_usage](#)

DiskUsage:: [fetchdiskusage](#)

DiskUsage:: [fetchdiskusagewithextras](#)

DKIMUI:: [available](#)

DKIMUI:: [getrecords](#)

DKIMUI:: [install](#)

DKIMUI:: [installed](#)

DKIMUI:: [uninstall](#)

DnsLookup:: [name2ip](#)

DomainLookup:: [countbaseddomains](#)

DomainLookup:: [getbaseddomains](#)

DomainLookup:: [getdocroot](#)

DomainLookup:: [getdocroots](#)

DomainLookup:: [getmaindomain](#)

Email:: [accountname](#)

Email:: [adddomainforward](#)

Email:: [addforward](#)

Email:: [addmx](#)

Email:: [addpop](#)

Email:: [browseboxes](#)

Email:: [changemx](#)

Email:: [checkmaindiscard](#)

Parameters

This function does not accept parameters.

Returns

Return	Type	Description	Possible values	Example
result	<i>Boolean</i>	Whether the function succeeded.	<ul style="list-style-type: none">1 — The function succeeded.0 — The function failed.	1

ll
th
s
A
P
I
v
i
a
t
h
e
W
H
M
A
P
I
,
y
o
u
m
u
s
t
u
s
e
t
h
e
a
p
p
r
o
p
r
i
a
t
e
c
P
a
n
e
l
p
o
r
t
s
(
2
0
0
8
2
o
r
2
0
0
8
3
).
Y
o
u
c
a
n
a
l
s
o
c
a
l
l
s
o
m
e
f
u
n
c
t
i
o
n
s
v
i
a
c
P
a
n
e
l
s
W
e
b
m
a
i
l
p
o
r

Email: [clearpopcache](#)

Email: [deletefilter](#)

Email: [delforward](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [disablefilter](#)

Email: [editquota](#)

Email: [enablefilter](#)

Email: [fetchautoresponder](#)

Email: [fetchcharmaps](#)

Email: [filteractions](#)

Email: [filterlist](#)

Email: [filtername](#)

Email: [filterrules](#)

Email: [get_archiving_configuration](#)

Email: [get_archiving_default_configuration](#)

Email: [get_archiving_types](#)

Email: [get_default_email_quota](#)

Email: [get_email_signing](#)

Email: [get_max_email_quota](#)

Email: [getabsbrowse_dir](#)

Email: [getalwaysaccept](#)

Email: [getdiskusage](#)

Email: [getmxcheck](#)

Email: [has_delegated_mailman_lists](#)

Email: [list_system_filter_info](#)

Email: [listaliasbackups](#)

Email: [listautoresponders](#)

Email: [listdefaultaddresses](#)

Email: [listdomainforwards](#)

Email: [listfilterbackups](#)

```
ts  
(2  
0  
95  
o  
r  
2  
0  
96  
).
```

Find a function

Related functions

- [cPanel API 2 Functions - FSTest::dirisempty](#) — This function checks whether a directory is empty.
- [cPanel API 2 Functions - Encoding::guess_file_opts](#) — This function retrieves a file's encoding and a list of all cPanel-supported character encodings.
- [cPanel API 2 Functions - Encoding::guess_file](#) — This function attempts to retrieve a file's character encoding.
- [cPanel API 2 Functions - Encoding::get_encodings](#) — This function retrieves a list of available file character encodings.
- [cPanel API 2 Functions - DiskCounter::disk_counter](#) — This function lists files on your server as a nested directory tree.

Email:: [listfilters](#)

Email:: [listforwards](#)

Email:: [listlists](#)

Email:: [listmaildomains](#)

Email:: [listmx](#)

Email:: [listmxs](#)

Email:: [listpops](#)

Email:: [listpopssingle](#)

Email:: [listpopswithdisk](#)

Email:: [listpopswithimage](#)

Email:: [loadfilter](#)

Email:: [passwdpop](#)

Email:: [reorderfilters](#)

Email:: [set_archiving_configuration](#)

Email:: [set_archiving_default_configuration](#)

Email:: [set_email_signing](#)

Email:: [setalwaysaccept](#)

Email:: [setdefaultaddress](#)

Email:: [setmxcheck](#)

Email:: [storefilter](#)

Email:: [tracefilter](#)

EmailTrack:: [search](#)

EmailTrack:: [stats](#)

EmailTrack:: [trace](#)

Encoding:: [get_encodings](#)

Encoding:: [guess_file](#)

Encoding:: [guess_file_opts](#)

Fileman:: [autocomplete_dir](#)

Fileman:: [fileop](#)

Fileman:: [getabsdir](#)

Fileman:: [getdir](#)

Fileman:: [getdiractions](#)

Fileman:: [getdiskinfo](#)

Fileman:: [getedittype](#)

Fileman:: [getfileactions](#)

Fileman:: [getpath](#)

Fileman:: [listfiles](#)

Fileman:: [mkdir](#)

Fileman:: [mkfile](#)

Fileman:: [savefile](#)

Fileman:: [search](#)

Fileman:: [statfiles](#)

Fileman:: [uploadfiles](#)

Fileman:: [viewfile](#)

ForcePassword:: [get_force_password_flags](#)

ForcePassword:: [update_force_password_flags](#)

Frontpage:: [fpenabled](#)

Frontpage:: [list](#)

FSTest:: [dirisempty](#)

Ftp:: [addftp](#)

Ftp:: [delftp](#)

Ftp:: [listftp](#)

Ftp:: [listftpsessions](#)

Ftp:: [listftpwithdisk](#)

Ftp:: [passwd](#)

Ftp:: [setquota](#)

Gpg:: [listgpgkeys](#)

Gpg:: [listsecretgpgkeys](#)

Gpg:: [number_of_private_keys](#)

Gpg:: [number_of_public_keys](#)

Htaccess:: [listuser](#)

Htaccess:: [listusers](#)

HttpUtils:: [getdirindices](#)

ImageManager:: [thumbnail](#)

LangMods:: [getarchname](#)

LangMods:: [getkey](#)

LangMods:: [getprefix](#)

LangMods:: [install](#)

LangMods:: [langlist](#)

LangMods:: [list_available](#)

LangMods:: [list_installed](#)

LangMods:: [magic_status](#)

LangMods:: [pre_run](#)

LangMods:: [search](#)

LangMods:: [setup](#)

LangMods:: [uninstall](#)

LangMods:: [update](#)

LeechProtect:: [setup](#)

Locale:: [get_encoding](#)

Locale:: [get_html_dir_attr](#)

Locale:: [get_locale_name](#)

Locale:: [get_user_locale](#)

Locale:: [get_user_locale_name](#)

Locale:: [numf](#)

Logaholic:: [adduser](#)

Logaholic:: [adduser_profile](#)

Logaholic:: [deleteuser](#)

Logaholic:: [deleteuserprofile](#)

Logaholic:: [edituser](#)

Logaholic:: [fetchuser](#)

Logaholic:: [listuserprofiles](#)

Logaholic:: [logaholic_link](#)

Logaholic:: [process_stats](#)

LVEInfo:: [getUsage](#)

Mime:: [list_hotlinks](#)

Mime:: [listhandlers](#)

Mime:: [listmime](#)

Mime:: [listredirects](#)

Mime:: [redirectname](#)

Mime:: [redirecturlname](#)

MysqlFE:: [authorize_host](#)

MysqlFE:: [changed
buserpassword](#)

MysqlFE:: [createdb](#)

MysqlFE:: [createdb
user](#)

MysqlFE:: [dbuserexi
sts](#)

MysqlFE:: [deauthori
zehost](#)

MysqlFE:: [deletedb](#)

MysqlFE:: [deletedb
user](#)

MysqlFE:: [getalldb
info](#)

MysqlFE:: [getalldb
usersanddbs](#)

MysqlFE:: [getdbuse
rprivileges](#)

MysqlFE:: [getdbuse
rs](#)

MysqlFE:: [gethosts](#)

MysqlFE:: [getmysql
privileges](#)

MysqlFE:: [getmysql
serverprivileges](#)

MysqlFE:: [has_myc
nf_for_cpuser](#)

MysqlFE:: [listdbs](#)

MysqlFE:: [listdbsba
ckup](#)

MysqlFE:: [listhosts](#)

MysqlFE:: [listusers](#)

MysqlFE:: [listusers
ndb](#)

MysqlFE:: [revokedb
userprivileges](#)

MysqlFE:: [setdbuse
rprivileges](#)

MysqlFE:: [userdbpri
vs](#)

MysqlOptimizer:: [fet
ch_slow_queries](#)

Net:: [dnszone](#)

Net:: [traceroute](#)

News:: [does_news_
exist](#)

News:: [does_news_
type_exist](#)

News:: [get_news](#)

NVData:: [get](#)

NVData:: [set](#)

NVData:: [setall](#)

Park:: [listaddondomains](#)

Park:: [listparkedomains](#)

Park:: [park](#)

Park:: [unpark](#)

Passwd:: [change_password](#)

Passwd:: [set_digest_auth](#)

PasswdStrength:: [appstrengths](#)

PasswdStrength:: [get_password_strength](#)

PasswdStrength:: [get_required_strength](#)

PHPINI:: [getaloptions](#)

PHPINI:: [getoptions](#)

Postgres:: [listdbs](#)

Postgres:: [listusers](#)

Postgres:: [listusersinndb](#)

Postgres:: [userexists](#)

Rand:: [getranddata](#)

Resellers:: [get_sub_accounts](#)

RoR:: [addapp](#)

RoR:: [changeapp](#)

RoR:: [importrails](#)

RoR:: [listapps](#)

RoR:: [listrewrites](#)

RoR:: [needsimport](#)

RoR:: [removeapp](#)

RoR:: [removerewrite](#)

RoR:: [restartapp](#)

RoR:: [setuprewrite](#)

RoR:: [softrestartapp](#)

RoR:: [startapp](#)

RoR:: [stopapp](#)

SetLang:: [setlocale](#)

SourceIPCheck:: [addip](#)

SourceIPCheck:: de
lip

SourceIPCheck:: ge
taccount

SourceIPCheck:: list
ips

SourceIPCheck:: lo
adsecquestions

SourceIPCheck:: re
setsecquestions

SourceIPCheck:: sa
mplequestions

SourceIPCheck:: sa
vesecquestions

SPFUI:: available

SPFUI:: count_setti
ngs

SPFUI:: entries_co
mplete

SPFUI:: get_raw_re
cord

SPFUI:: getmainser
verip

SPFUI:: install

SPFUI:: installed

SPFUI:: list_settings

SPFUI:: load_curren
t_values

SPFUI:: uninstall

SSH:: authkey

SSH:: converttoppk

SSH:: delkey

SSH:: fetchkey

SSH:: genkey

SSH:: genkey_legacy

SSH:: importkey

SSH:: listkeys

SSL:: fetchcabundle

SSL:: fetchinfo

SSL:: gencrt

SSL:: genscr

SSL:: genkey

SSL:: getcname

SSL:: installssl

SSL:: listcrts

SSL:: listcsrs

SSL:: listkeys
SSL:: listsslitems
SSL:: uploadcrt
SSL:: uploadkey
SSLInfo:: fetchinfo
StatCache:: clearcache
Stats:: getmonthlybandwidth
Stats:: getmonthlydomainbandwidth
Stats:: getthismonthsbwusage
Stats:: lastapachehits
Stats:: lastvisitors
Stats:: listanalog
Stats:: listawstats
Stats:: listlastvisitors
Stats:: listrawlogs
Stats:: listurchin
Stats:: listwebalizer
StatsBar:: getrowcounter
StatsBar:: rowcounter
StatsBar:: setrowcounter
StatsBar:: stat
SubDomain:: addsubdomain
SubDomain:: changedocroot
SubDomain:: delsubdomain
SubDomain:: getreservedsubdomains
SubDomain:: listsubdomains
SubDomain:: validategex
Themes:: apply_new_theme
Themes:: does_panel_theme_exist
Themes:: get_available_themes
Themes:: get_themes_list

Themes:: [restore_saved_theme](#)

UI:: [dynamicincludelist](#)

UI:: [includelist](#)

UI:: [listform](#)

UI:: [paginate](#)

UI:: [paginate_list](#)

UserHttpUtils:: [getdirindices](#)

WebDisk:: [addwebdisk](#)

WebDisk:: [delwebdisk](#)

WebDisk:: [hasdigest](#)

WebDisk:: [listwebdisks](#)

WebDisk:: [passwordebdisk](#)

WebDisk:: [set_digest_auth](#)

WebDisk:: [set_home_dir](#)

WebDisk:: [set_perms](#)

WebDisk:: [setstatus](#)

WebmailApps:: [listwebmailapps](#)

ZoneEdit:: [add_zone_record](#)

ZoneEdit:: [edit_zone_record](#)

ZoneEdit:: [fetch_cpanel_generated_domains](#)

ZoneEdit:: [fetchzone](#)

ZoneEdit:: [fetchzone_records](#)

ZoneEdit:: [fetchzones](#)

ZoneEdit:: [get_zone_record](#)

ZoneEdit:: [remove_zone_record](#)

ZoneEdit:: [resetzone](#)