

cPanel API 1 Functions - Stats::errlog

Guide to cPanel API 1

Return Data

cPanel Tags
(deprecated)

Bandwidth:
displaybandwidth

er

Bandwidth:
displaybandwidth

Bandwidth:
displaybandwidth

Bandwidth:
displaybandwidth

▼ BoxTrapper

BoxTrapper:
change_status

BoxTrapper:
clean_config_file_list

BoxTrapper:
edit_message

BoxTrapper:
fetch_config_file

BoxTrapper:
get_box_conf_dir

BoxTrapper:
list_messages

BoxTrapper:
log_controls

BoxTrapper:
message_action

BoxTrapper:
multi_message_action

BoxTrapper:
reset_message

BoxTrapper:
save_config_file

BoxTrapper:
save_conf

BoxTrapper:
show_automwhitelist

BoxTrapper:
show_emails

BoxTrapper:
show_from_name

BoxTrapper:
show_log

Description

This function displays the last few entries from the domain's error log.

Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

Examples

Bandwidth

▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
$get_errlog =  
$cpanel->apil('Stats'  
, 'errlog', array('exam  
ple.com')); // Call  
the function.
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

▼ LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.  
my $get_errlog =  
$cpliveapi->apil('Sta  
ts', 'errlog', ['exampl  
e.com']); # Call the  
function.
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

Function information

About this module

The Stats module retrieves statistics and bandwidth information for the domain.

About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.

- BoxTrapper:: show message
- BoxTrapper:: show queue
- BoxTrapper:: show queuesearch
- BoxTrapper:: show queuetime
- BoxTrapper:: status
- BoxTrapper:: statusbutton
- Branding: file
 - Branding: image
 - Branding: killing
 - Branding: setbrandingpkg
 - Branding: setmyacctspkg
 - Branding: setupdirs
 - Branding: tempsetbrandingpkg
- Cgi: backuplink
 - Cgi: displayurchin
 - Cgi: phpmyadminlink
- Chkserverd: getximport
 - Chkserverd: getximportssl
- ClamScanner: bars
- cPAddons: mainpg
- Cron: crontabperms
- CustInfo: getemail
- Denylp: adddenyip
 - Denylp: deldenyip
 - Denylp: listdenyips

▼ cPanel Tag System (deprecated)

Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel
Module="Stats::errlog
($FORM('domain'))">
```

▼ Command Line

```
cpapil
--user=username Stats
errlog example.com
```

Notes:

- You **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local
/cpanel/bin/whmapil
```

▼ Output (plaintext)

The output contains the last few entries of the error logs.

Parameters

Parameter	Type	Description	Possible Values	Example
domain	<i>string</i>	Required The domain name.	A valid domain name.	example.com

Warning:
cPanel API deprecated. We **strongly** recommend cPanel API or UAPI instead.

Notes:

- The
- Fe
- int
- Ur
- mu
- us
- 20
- or
- 20
-)
- `
- 20
- or
- 20
-)

Find a function

Stat
s mo
dule
retrieves
statistics
and band
width infor
mation for
the dom
ain.

▼ DiskUsage

DiskUsage::showmanager

▼ Email

Email::addautoresponder

Email::addforward

Email::addfilter

Email::addlist

Email::addmx

Email::addpop

Email::addspam

Email::addspambox

Email::addspamfilter

Email::changemx

Email::checkfastmail

Email::checkpipewd

Email::clearspambox

Email::delautoresponder

Email::deldforward

Email::delfilter

Email::dellist

Email::delmx

Email::delpop

Email::delspam

Email::delspambobox

Email::disable_spam_autodelete

Email::editquota

Email::enable_spam_autodelete

Email::getaging

Email::getarsbody

Email::getarscharset

Email::getarsfrom

Email::getarshtml

Email::getarsinterval

Returns

The output contains the last few entries of the error logs.

- cPanel API 1 Functions - Stats::analyze - This function displays the domain's Analytics.
- cPanel API 1 Functions - Stats::awsstats - This function retrieves the relative URL path to a domain's AWS stats data.

Email:: getarsstart
Email:: getarsstop
Email:: getarssubject
Email:: getmailserver
Email:: getmailserveruser
Email:: getpopquota
Email:: has_spam_as_acl
Email:: has_spam_autodelete
Email:: listmaildomains
Email:: listmaildomainsopt
Email:: listmaildomainsoptndef
Email:: mainacctdiskused
Email:: passwdlist
Email:: passwdpop
Email:: setmxaccept
Email:: spamboxstatus
Email:: spamstatus
Email:: tracefilter

▼ Fileman

Fileman:: changeperm
Fileman:: delfile
Fileman:: dofileop
Fileman:: emptytrash
Fileman:: extractfile
Fileman:: fileimg
Fileman:: fmmkdir
Fileman:: fmmkfile
Fileman:: fmpushfile
Fileman:: fmrename
Fileman:: fmsavefile
Fileman:: fmsaveht

- cPanel API 1 Functions - Stats::bwbar — This function retrieves a graphical bar that indicates bandwidth usage for the account's domains.
- cPanel API 1 Functions - Stats::errlog — This function displays the last few entries from the domain's error log.

mfile

Fileman:: fullbacku
p

Fileman:: getfile

Fileman:: htmlediv
r

Fileman:: killdir

Fileman:: listfiles

Fileman:: listfullba
ckups

Fileman:: listtempl
ates

Fileman:: restoreaf

Fileman:: restored
b

Fileman:: restorefil
e

Fileman:: restorefil
es

Fileman:: savehtml
file

Fileman:: showper
m

Fileman:: uploadfil
es

Fileman:: viewfile

▼ Frontpage

FrontPage:: addfp

FrontPage:: delfp

FrontPage:: fpstat
us

▼ Ftp

Ftp:: addftp

Ftp:: delftp

Ftp:: ftpquota

Ftp:: ftpservernam
e

Ftp:: ftpstatslogin

Ftp:: get_anonftp

Ftp:: get_anonftpin

Ftp:: get_welcome
msg

Ftp:: getftpquota

Ftp:: kill_ftp_sessi
on

Ftp:: listftpstatsurl

Ftp:: passwdfp

Ftp:: set_anonftp

Ftp:: set_anonftpin

Ftp:: set_welcome
msg

▼ Gpg

Gpg:: deletekey

Gpg:: exportkey

Gpg:: exportsecret
key

Gpg:: genkey

Gpg:: importkeys

▼ Htaccess

Htaccess:: checkpr
otected

Htaccess:: del_use
r

Htaccess:: getinde
x

Htaccess:: htdirls

Htaccess:: number
_of_users

Htaccess:: phpsele
ctable

Htaccess:: resnam
e

Htaccess:: set_pas
s

Htaccess:: set_pro
tect

Htaccess:: setinde
x

Htaccess:: setphpr
eference

Htaccess:: showus
ers

▼ ImageManager

ImageManager:: c
onvert

ImageManager:: di
mensions

ImageManager:: h
dimension

ImageManager:: s
cale

ImageManager:: th
umbnail

ImageManager:: w
dimension

▼ LastLogin

LastLogin:: lastlogi
n

▼ LeechProtect

LeechProtect:: disable

LeechProtect:: enable

LeechProtect:: setup

LeechProtect:: showpasswdfile

LeechProtect:: status

▼ LogManager

LogManager:: listdownloads

LogManager:: save settings

LogManager:: show settings

▼ MagicRevision

MagicRevision:: uri

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: del_handler

Mime:: del_hotlink

Mime:: del_mime

Mime:: del_redirect

Mime:: linkallownull

Mime:: linkenable

Mime:: linkexts

Mime:: linkrurl

Mime:: linkurls

▼ Mysql

Mysql:: adddb

Mysql:: addhost

Mysql:: adduser

Mysql:: adduserdb

Mysql:: checkdb

Mysql:: deldb

Mysql:: delhost

Mysql:: deluser

Mysql:: deluserdb

Mysql:: gethost
Mysql:: initcache
Mysql:: listdbs
Mysql:: listdbsopt
Mysql:: listusers
Mysql:: listusersopt
Mysql:: number_of
_dbs
Mysql:: number_of
_users
Mysql:: repairdb
Mysql:: routines
Mysql:: updatepriv
s

▼ Net

Net:: dnslookup
Net:: dnszone
Net:: sethastracero
ute

▼ News

News:: displaynew
s

▼ NVData

NVData:: set

▼ OptimizeWS

OptimizeWS:: load
optimizesettings
OptimizeWS:: load
optimizesettings (b
ytes)
OptimizeWS:: opti
mizews

▼ Park

Park:: disabledir
ect
Park:: getredirectu
rl
Park:: park
Park:: setredirectur
l
Park:: unpark

▼ Postgres

Postgres:: adddb
Postgres:: adduser
Postgres:: adduser
db
Postgres:: deldb
Postgres:: deluser

Postgres:: deluser
db

Postgres:: initcach
e

Postgres:: listdbso
pt

Postgres:: listusers
opt

Postgres:: number
_of_dbs

Postgres:: number
_of_users

▼ ProxyUtils

ProxyUtils:: proxya
ddress

▼ Resellers

Resellers:: accoun
tlistopt

Resellers:: themeli
stopt

▼ Serverinfo

Serverinfo:: servic
estatus

▼ SetLang

SetLang:: listlangs
opt

SetLang:: setlang

▼ SpamAssassin

SpamAssassin:: co
nfig

SpamAssassin:: sa
veconfig

▼ SSH

SSH:: getport

▼ SSL

SSL:: delete

SSL:: deletectr

SSL:: deletecsr

SSL:: deletekey

SSL:: genctr

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedsta
tus

SSL:: uploadcrt

SSL:: uploadkey

▼ StatManager

StatManager:: doF
orm

StatManager:: upd
ateUserConfig

▼ Stats

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandw
idth

Stats:: webalizer

Stats:: webalizerftp

▼ SubDomain

SubDomain:: adds
ubdomain

SubDomain:: cplist
subdomains

SubDomain:: disab
lesubrd

SubDomain:: listsu
bdomainsop

SubDomain:: setsu
burl

▼ UI

UI:: confirm

UI:: redirect

UI:: showresult