

UAPI Functions - Email::list_pops_with_disk

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup::
fullbackup
p_to_ftp

Backup:: fullbacku
p_to_homedir

Backup:: fullbacku
p_to_scp_with_key

Backup:: fullbacku
p_to_scp_with_pa
ssword

Backup:: list_back
ups

Bandwidth

Bandwidth:: get_e
nabled_protocols

Bandwidth:: get_re
tention_periods

Bandwidth:: query

Batch

Batch:: strict

Brand

Brand:: read

Branding

Branding:: file

Branding:: get_app
lications

Branding:: get_app
lication_informati
on

Branding:: get_ava
ilable_applications

Branding:: get_info
rmation_for_applic
ations

Description

This function lists the cPanel account's email accounts with disk information.

Important:

In cPanel & WHM version 76 and later, when you disable the `MailReceive` role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess##  
▼ #####/execute/Email/list_pops_with_disk  
?domain=example.com&maxaccounts=500&no_val  
idate=1&get_restrictions=1&regex=%2F%5E%5B  
a-z0-9_-%5D%7B6%2C18%  
7D%24%2F&email=user&i  
nfinitylang=0
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

Function information

About this module

The Email module modifies cPanel email account settings.

About UAPI

- DAV:: is_horde_enabled
- DCV
 - DCV:: check_domains_via_dns
 - DCV:: check_domains_via_http
 - DCV:: ensure_domains_can_pass_dcv
 - DomainInfo
 - DomainInfo:: domains_data
 - DomainInfo:: list_domains
 - DomainInfo:: main_domain_builtin_subdomain_aliases
 - DomainInfo:: single_domain_data
- DNS
 - DNS:: ensure_domains_reside_only_locally
 - DNS:: has_local_authority
- DNSSEC
 - DNSSEC:: disable_dnssec
 - DNSSEC:: enable_dnssec
 - DNSSEC:: fetch_dns_records
 - DNSSEC:: set_nsec3
 - DNSSEC:: unset_nsec3
- Email
 - Email:: account_name
 - Email:: add_auto_responder
 - Email:: add_domain_forwarder
 - Email:: add_forwarder
 - Email:: add_list
 - Email:: add_mailman_delegates
 - Email:: add_mx
 - Email:: add_pop
 - Email:: add_spam_filter

LiveAPI Perl Module

```

my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# List email accounts
and disk information
with a username
between 8-16
characters.
my $emails =
$cpliveapi->uapi(
    'Email',
    'list_pops_with_disk'
    {
        'domain'
=> 'example.com',
        'maxaccounts'
=> '500',
        'no_validate'
=> '1',
        'get_restrictions'
=> '1',
        'regex'
=>
'/^[a-z0-9_-]{6,18}$/
',
        'email'
=>
'user@example.com',

'infinitylang' =>
'0'
    }
);

```

Note:
For more information, read our [Guide to the LiveAPI System](#).

- UAPI Functions - Email::account_name
 - This function returns an email account's username or address.
- UAPI Functions - Email::add_auto_responder
 - This function creates an auto responder for an email account.

Email: browse_mailbox
Email: change_mx
Email: check_fastmail
Email: check_pipe_forwarder
Email: delete_auto_responder
Email: delete_domain_forwarder
Email: delete_filter
Email: delete_forwarder
Email: delete_held_messages
Email: delete_list
Email: delete_mx
Email: delete_pop
Email: disable_filter
Email: disable_mailbox_autocreate
Email: disable_spam_assassin
Email: disable_spam_autodelete
Email: disable_spam_box
Email: dispatch_client_settings
Email: edit_pop_quota
Email: enable_filter
Email: enable_mailbox_autocreate
Email: enable_spam_assassin
Email: enable_spam_box
Email: fetch_charmaps
Email: fts_rescan_mailbox
Email: generate_mailman_opt
Email: get_auto_responder
Email: get_chase

▼ cPanel Template Toolkit

```
<!-- Get a hash of email accounts, then display the email only. -->
[% data =
  execute('Email',
    'list_pops_with_disk',
    { 'domain' =>
      'example.com',
      'maxaccounts' =>
      '500', 'no_validate'
    => '1',
      'get_restrictions' =>
      '1', 'regex' =>
      '/^[a-z0-9_-]{6,18}$/',
      'email' =>
      'user@example.com',
      'infinitylang' => '0'
    } ) %]
[% FOREACH q =
  data.email %]
  <p>
    [% q %]
  </p>
[% END %]

<!-- Get only the email addresses. -->
[% execute('Email',
  'list_pops_with_disk',
  { 'domain' =>
    'example.com',
    'maxaccounts' =>
    '500', 'no_validate'
  => '1',
    'get_restrictions' =>
    '1', 'regex' =>
    '/^[a-z0-9_-]{6,18}$/',
    'email' =>
    'user@example.com',
    'infinitylang' => '0'
  } ).data.email %]
```

Note:

For more information, read our [Guide to Template Toolkit](#) documentation.

- UAPI Functions - Email::add_domain_forwarder — This function creates a domain-level forwarder.
- UAPI Functions - Email::add_forwarder — This function creates an email forwarder.

ts

Email: get_client_settings

Email: get_default_email_quota

Email: get_default_email_quota_mib

Email: get_disk_usage

Email: get_filter

Email: get_held_message_count

Email: get_mailbox_autocreate

Email: get_mailman_delegates

Email: get_main_account_disk_usage

Email: get_main_account_disk_usage_bytes

Email: get_max_email_quota

Email: get_max_email_quota_mib

Email: get_pop_quota

Email: get_spam_settings

Email: get_webmail_settings

Email: has_delegated_mailman_lists

Email: has_plaint_authentication

Email: hold_outgoing

Email: is_integer

Email: list_autoresponders

Email: list_default_address

Email: list_domain_forwarders

Email: list_filters

Email: list_filters_backups

Email: list_forwarders

Email: list_forward

Command Line

```
uapi --user=username
Email
list_pops_with_disk
domain=example.com
maxaccounts=500
no_validate=1
get_restrictions=1
regex=/^[a-z0-9_-]{6,18}$/
email=user%40example.com
infinitylang=0
```

Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/
uapi
```

Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "metadata": {
    "transformed": 1
  },
  "data": [
    {
      "_diskquota": 0,
      "_diskused": "483",

      "diskquota": "unlimited",

```

ers_backups
Email: list_lists
Email: list_mail_domains
Email: list_mx
Email: list_pops
Email: list_pops_with_disk
Email: list_system_filter_info
Email: passwd_list
Email: passwd_pop
Email: release_outgoing
Email: remove_mailman_delegates
Email: reorder_filters
Email: set_always_accept
Email: set_default_address
Email: set_list_privacy_options
Email: stats_db_status
Email: store_filter
Email: suspend_incoming
Email: suspend_login
Email: suspend_outgoing
Email: trace_filter
Email: unsuspend_incoming
Email: unsuspend_login
Email: unsuspend_outgoing
Email: verify_password
▼ EmailAuth
EmailAuth: disable_dkim
EmailAuth: enable_dkim
EmailAuth: ensure_dkim_keys_exist

```
"diskused":0,  
"diskusedpercent":0,  
"diskusedpercent20":0,  
,  
"diskusedpercent_float":0,  
"domain":"example.com",  
"email":"user@example.com",  
  "has_suspended":0,  
  "hold_outgoing":0,  
"humandiskquota":"1GB",  
"humandiskused":"None",  
"login":"user@example.com",  
"mtime":1415894498,  
"suspended_incoming":0,  
"suspended_login":0,  
"suspend_outgoing":0,  
"txtdiskquota":"1024.00",  
"user":"user",  
  },  
  {  
"_diskquota":0,  
"_diskused":0,  
"diskquota":"unlimited",  
"diskused":0,  
"diskusedpercent":0,
```

EmailAuth:: fetch_
dkim_private_keys

EmailAuth:: install
_dkim_private_key
s

EmailAuth:: install
_spf_records

EmailAuth:: validat
e_current_dkims

EmailAuth:: validat
e_current_ptrs

EmailAuth:: validat
e_current_spfs

ExternalAuthenticat
ion

ExternalAuthenticat
ion:: add_auth_li
nk

ExternalAuthenticat
ion:: configured_
modules

ExternalAuthenticat
ion:: get_authn_lin
ks

ExternalAuthenticat
ion:: has_external
_auth_modules_co
nfigured

ExternalAuthenticat
ion:: remove_auth
n_link

Features

Features:: has_fea
ture

Features:: list_feat
ures

Fileman

Fileman:: autocom
pletedir

Fileman:: empty_tr
ash

Fileman:: get_file_
content

Fileman:: get_file_i
nformation

Fileman:: list_files

Fileman:: save_file
_content

Fileman:: transcod
e

Fileman:: upload_fi
les

Ftp

Ftp:: add_ftp

```
"diskusedpercent20":0  
,  
"diskusedpercent_floa  
t":0,  
"domain":"example.com  
",  
"email":"mailacct@exa  
mple.com",  
  "has_suspended":0,  
  "hold_outgoing":0,  
"humandiskquota":"Non  
e",  
"humandiskused":"None  
",  
"login":"mailacct@exa  
mple.com",  
"mtime":1415894498,  
"suspended_incoming":  
0,  
"suspended_login":0,  
"suspend_outgoing":0,  
"txtdiskquota":"unlim  
ited",  
"user":"mailacct"
```

Ftp::allows_anonymous_ftp

Ftp::allows_anonymous_ftp_incoming

Ftp::delete_ftp

Ftp::ftp_exists

Ftp::get_ftp_daemon_info

Ftp::get_port

Ftp::get_quota

Ftp::get_welcome_message

Ftp::kill_session

Ftp::list_ftp

Ftp::list_ftp_with_disk

Ftp::list_sessions

Ftp::passwd

Ftp::server_name

Ftp::set_anonymous_ftp

Ftp::set_anonymous_ftp_incoming

Ftp::set_homedir

Ftp::set_quota

Ftp::set_welcome_message

Integration

Integration::fetch_url

KnownHosts

KnownHosts::create

KnownHosts::delete

KnownHosts::update

KnownHosts::verify

LangPHP

LangPHP::php_get_domain_handler

LangPHP::php_get_impacted_domains

LangPHP::php_get_installed_versions

LangPHP::php_get

```
}  
]  
}
```

Note:

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

| Parameter | Type | Description | Possible values | Example |
|-----------|--------|---|---------------------------------------|-------------|
| domain | string | A domain name to filter the results by. If you do not use this parameter, the function returns all of the cPanel account's email addresses. | A valid domain on the cPanel account. | example.com |

| | | | | |
|--|----------------------------|---|---|-------------|
| <p>t_system_default_version</p> <p>LangPHP:: php_get_vhost_versions</p> <p>LangPHP:: php_ini_get_user_basic_directives</p> <p>LangPHP:: php_ini_get_user_content</p> <p>LangPHP:: php_ini_get_user_paths</p> <p>LangPHP:: php_ini_set_user_basic_directives</p> <p>LangPHP:: php_ini_set_user_content</p> <p>LangPHP:: php_set_vhost_versions</p> <p>▼ LastLogin</p> <p>LastLogin:: get_last_or_current_logged_in_ip</p> <p>▼ Locale</p> <p>Locale:: get_attributes</p> <p>▼ Mailboxes</p> <p>Mailboxes:: expunge_mailbox_messages</p> <p>Mailboxes:: expunge_messages_for_mailbox_guid</p> <p>Mailboxes:: get_mailbox_status</p> <p>Mailboxes:: has_utf8_mailbox_names</p> <p>Mailboxes:: set_utf8_mailbox_names</p> <p>▼ Market</p> <p>Market:: cancel_pending_ssl_certificate</p> <p>Market:: create_shopping_cart</p> <p>Market:: get_all_products</p> <p>Market:: get_certificate_status_details</p> <p>Market:: get_login_url</p> <p>Market:: get_pending_ssl_certificates</p> <p>Market:: get_provi</p> | <p>email</p> <p>string</p> | <p>The cPanel user account to query.</p> <p>If you do not use this parameter, the function returns the email addresses for all cPanel accounts that the user owns.</p> | <p>A valid cPanel account that the user owns.</p> | <p>user</p> |
|--|----------------------------|---|---|-------------|

Note :
 To retrieve information for a single email address, add the domain in parameter. For example, email=user&domain=example.com will return information for the email address user@example.com.

der_specific_dcv_constraints

Market:: get_providers_list

Market:: get_ssl_certificate_if_available

Market:: process_ssl_pending_queue

Market:: request_ssl_certificates

Market:: set_status_of_pending_queue_items

Market:: set_url_after_checkout

Market:: validate_login_token

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: delete_handler

Mime:: delete_hotlink

Mime:: delete_mime

Mime:: delete_redirect

Mime:: list_handlers

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirects

Mime:: redirect_info

▼ ModSecurity

ModSecurity:: disable_all_domains

ModSecurity:: disable_domains

ModSecurity:: enable_all_domains

ModSecurity:: enable_domains

ModSecurity:: has_modsecurity_inst

| | | | | |
|-------------------------|-----------------------|---|---|-------------------------|
| <p>get_restrictions</p> | <p><i>Boolean</i></p> | <p>Whether to return the hold and suspend restriction status for each of the email addresses.</p> <p>This parameter defaults to 0.</p> <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>Note : We introduced this parameter in cPanel & WHM version 70.</p> </div> | <ul style="list-style-type: none"> • 1 — Display the restrictions status. • 0 — Do not display the restrictions status. | <p>0</p> |
| <p>infinityimg</p> | <p><i>string</i></p> | <p>An image to display for email addresses with an unlimited quota.</p> <p>If you specify an infinityimg value, the function returns HTML code to display that image as the diskquota parameter's value.</p> | <p>The path to an image file.</p> | <p>images/myimg.jpg</p> |

- alled
- ModSecurity:: list_domains
- ▼ Mysql
 - Mysql:: add_host
 - Mysql:: add_host_note
 - Mysql:: check_database
 - Mysql:: create_database
 - Mysql:: create_user
 - Mysql:: delete_database
 - Mysql:: delete_host
 - Mysql:: delete_user
 - Mysql:: get_host_notes
 - Mysql:: get_privileges_on_database
 - Mysql:: get_restrictions
 - Mysql:: get_server_information
 - Mysql:: locate_server
 - Mysql:: rename_database
 - Mysql:: rename_user
 - Mysql:: repair_database
 - Mysql:: revoke_access_to_database
 - Mysql:: set_password
 - Mysql:: set_privileges_on_database
- ▼ Notifications
 - Notifications:: get_notifications_count
- ▼ NVData
 - NVData:: get
 - NVData:: set
- ▼ Parser
 - Parser:: firstfile_relative_uri
- ▼ PassengerApps

| | | | | |
|--------------|----------------|--|---|-----|
| infinitylang | <i>Boolean</i> | <p>Whether to return the character for email addresses with an unlimited quota.</p> <p>This parameter defaults to 0.</p> <div style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p>Note : If you specify 1 for this parameter and the infinitylang parameter, the function ignores this parameter and returns HTML code for unlimited disk quota values.</p> </div> | <ul style="list-style-type: none"> • 1 — Return the character for unlimited disk quota values. • 0 — Return the string unlimited for unlimited disk quota values. | 0 |
| maxaccounts | <i>integer</i> | <p>The maximum number of email addresses to return.</p> <p>If you do not use this parameter, the function returns an unlimited number of email addresses.</p> | A positive value. | 500 |

PassengerApps:: disable_application
 PassengerApps:: edit_application
 PassengerApps:: enable_application
 PassengerApps:: list_applications
 PassengerApps:: register_application
 PassengerApps:: unregister_application
PasswdStrength
 PasswdStrength:: get_required_strength
Personalization
 Personalization:: set
 Personalization:: get
Postgresql
 Postgresql:: create_database
 Postgresql:: create_user
 Postgresql:: delete_database
 Postgresql:: get_restrictions
 Postgresql:: grant_all_privileges
 Postgresql:: rename_database
 Postgresql:: rename_user
 Postgresql:: rename_user_no_password
 Postgresql:: revoke_all_privileges
 Postgresql:: set_password
Pushbullet
 Pushbullet:: send_test_message
Quota
 Quota:: get_quota_info
Resellers
 Resellers:: list_accounts

| | | | | |
|-------------|----------------|--|--|--------------------------------------|
| no_disk | <i>Boolean</i> | <p>Whether to skip the collection of disk usage information.</p> <p>This parameter defaults to 0.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p>Note : We introduced this parameter in cPanel & WHM version 54.</p> </div> | <ul style="list-style-type: none"> 1 — Do not collect. 0 — Collect. | 0 |
| no_validate | <i>Boolean</i> | <p>Whether to skip email database validation.</p> <p>This parameter defaults to 0.</p> | <ul style="list-style-type: none"> 1 — Skip validation. 0 — Perform the validation. | 0 |
| regex | <i>string</i> | <p>A Perl Compatible Regular Expression (PCRE) that filters the results.</p> <p>This parameter defaults to an empty string.</p> | <p>A valid PCRE.</p> <p>For example, <code> /^[a-z0-9_-]{6,18}\$/ </code> matches the local portion of an email address, if it contains between six and 18 characters.</p> | <code> /^[a-z0-9_-]{6,18}\$/ </code> |

Returns

| Return | Type | Description | Possible values | Example |
|--------|------|-------------|-----------------|---------|
|--------|------|-------------|-----------------|---------|

- ResourceUsage
 - ResourceUsage:: get_usages
- Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- Session
 - Session:: create_temp_user
- SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- SpamAssassin
 - SpamAssassin:: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- SSH
 - SSH:: get_port
- SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key
 - SSL:: delete_ssl
 - SSL:: disable_mail_sni
 - SSL:: enable_mail_sni
 - SSL:: fetch_best_for_domain

| | | | | |
|-------------------------|------------------------|--|--|-----------|
| | <i>array of hashes</i> | An unnamed hash of data for each email address. | Each hash includes the <code>_diskquota</code> , <code>_diskused</code> , <code>diskquota</code> , <code>diskused</code> , <code>diskusedpercent</code> , <code>diskusedpercent20</code> , <code>diskusedpercent_float</code> , <code>domain</code> , <code>email</code> , <code>has_suspended</code> , <code>hold_outgoing</code> , <code>humandiskquota</code> , <code>humandiskused</code> , <code>login</code> , <code>mtime</code> , <code>suspended_incoming</code> , <code>suspended_login</code> , <code>suspended_outgoing</code> , and <code>user_returns</code> . | |
| <code>_diskquota</code> | <i>integer</i> | The disk quota. The function returns this value in each email address's hash. | <ul style="list-style-type: none"> • A positive value that represents the disk quota, in bytes. • 0 — The account possesses an unlimited disk quota. | 0 |
| <code>_diskused</code> | <i>integer</i> | The disk space that the email account uses. The function returns this value in each email address's hash. | <ul style="list-style-type: none"> • A positive value that represents the used disk space, in bytes. • 0 — The account possesses an unlimited disk quota. | 483 |
| <code>diskquota</code> | <i>string</i> | The email account's disk quota. The function returns this value in each email address's hash. | <ul style="list-style-type: none"> • A positive value that represents the email address's quota, in Megabytes (MB). • unlimited, , or HTML code to display an infinity image — The email account has an unlimited quota. | unlimited |

N
o
t
:
T

SSL:: fetch_cert_in
fo

SSL:: fetch_certific
ates_for_fqdns

SSL:: fetch_key_a
nd_cabundle_for_
certificate

SSL:: find_certifica
tes_for_key

SSL:: find_csrs_for
_key

SSL:: generate_ce
rt

SSL:: generate_cs
r

SSL:: generate_ke
y

SSL:: get_autossl_
excluded_domains

SSL:: get_autossl_
pending_queue

SSL:: get_autossl_
problems

SSL:: get_cabundl
e

SSL:: get_cn_nam
e

SSL:: install_ssl

SSL:: installed_ho
st

SSL:: installed_ho
sts

SSL:: is_autossl_c
heck_in_progress

SSL:: is_mail_sni_
supported

SSL:: is_sni_supp
orted

SSL:: list_certs

SSL:: list_csrs

SSL:: list_keys

SSL:: list_ssl_item
s

SSL:: mail_sni_sta
tus

SSL:: rebuild_mail
_sni_config

SSL:: rebuildssldb

SSL:: remove_aut
ossl_excluded_do
mains

h
e
i
n
f
i
n
i
t
y
i
m
g
a
n
d
i
n
f
i
n
i
t
y
l
a
n
g
p
a
r
a
m
e
t
e
r
s
d
e
t
e
r
m
i
n
e
t
h
e
u
n
l
i
m
i
t
e
d
v
a
l
u
e
f
o
r
t
h
i
s
r
e
t
u
r
n
.

SSL:: set_autossl_excluded_domains

SSL:: set_cert_friendly_name

SSL:: set_csrfriendly_name

SSL:: set_key_friendly_name

SSL:: set_primary_ssl

SSL:: set_ssl_share

SSL:: show_cert

SSL:: show_csr

SSL:: show_key

SSL:: start_autossl_check

SSL:: upload_cert

SSL:: upload_key

▼ StatsBar

StatsBar:: get_stats

▼ Styles

Styles:: current

Styles:: list

Styles:: set_default

Styles:: update

▼ SubDomain

SubDomain:: addsubdomain

▼ Themes

Themes:: get_theme_base

Themes:: list

Themes:: update

▼ TwoFactorAuth

TwoFactorAuth:: generate_user_configuration

TwoFactorAuth:: get_user_configuration

TwoFactorAuth:: remove_user_configuration

TwoFactorAuth:: set_user_configuration

▼ UserManager

UserManager:: check_account_conflic

| | | | | |
|----------------------|----------------|--|--|---|
| | | | | |
| diskused | integer | <p>The disk space that the email account uses.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none"> A positive floating-point value that represents the used disk space, in Megabytes (MB). 0 — The account possesses an unlimited disk quota. | 0 |
| diskusedpercent | integer | <p>The percentage of disk space that the email account uses.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none"> A positive value. 0 — The account has an unlimited disk quota. | 0 |
| diskusedpercent20 | integer | <p>The percentage of disk space that the email account uses.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none"> A positive value. 0 — The account possesses an unlimited disk quota. | 0 |
| diskusedpercentfloat | floating-point | <p>The floating-point value from which the function derives the diskusedpercent return.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none"> A floating-point value. <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Note: We introduced this return in cPanel & WHM version 70.</p> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Note: The diskusedpercent function</p> </div> | 0 |

ts

UserManager:: create_user

UserManager:: delete_user

UserManager:: dismiss_user

UserManager:: edit_user

UserManager:: list_users

UserManager:: lookup_service_account

UserManager:: lookup_user

UserManager:: merge_service_account

UserManager:: unlink_service_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete_user

WebDisk:: set_home_dir

WebDisk:: set_password

WebDisk:: set_permissions

▼ WebmailApps

m
b
e
r
c
a
n
c
o
n
t
a
i
n
s
c
i
e
n
t
i
f
i
c
n
o
t
a
t
i
o
n
v
a
l
u
e
s
.
F
o
r
e
x
a
m
p
l
e
,
1
.
2
0
4
9
4
3
6
5
6
9
2
1
3
9
e
-
0

WebmailApps:: list
webmailapps

WebVhosts

WebVhost:: list_domains

WebVhost:: list_ssl_capable_domains

WordPressBackup

WordPressBackup:: any_running

WordPressBackup:: cancel

WordPressBackup:: cleanup

WordPressBackup:: get_available_backups

WordPressBackup:: is_running

WordPressBackup:: start

WordPressInstanceManager

WordPressInstanceManager:: cancel_scan

WordPressInstanceManager:: cleanup_scan

WordPressInstanceManager:: change_admin_password

WordPressInstanceManager:: configure_autoupdate

WordPressInstanceManager:: get_api_version

WordPressInstanceManager:: get_instance_by_id

WordPressInstanceManager:: get_instances

WordPressInstanceManager:: get_latest_wordpress_version_from_wordpress_org

WordPressInstanceManager:: get_scan_results

WordPressInstanceManager:: is_installable_addon_available

| | | | | |
|---------------|---------|---|--|------------------|
| | | | <div style="border: 1px solid black; padding: 2px; display: inline-block;">5</div> <ul style="list-style-type: none"> 0 — Unlimited or disabled disk quota. | |
| domain | string | <p>The email account's domain.</p> <p>The function returns this value in each email address's hash.</p> | <p>The email account's domain.</p> <p>For example, example.com if the email address is user@example.com.</p> | example.com |
| email | string | <p>The email address, or the string Main Account.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none"> A valid email address. Main Account | user@example.com |
| has_suspended | Boolean | <p>Whether the email account possesses one of the following suspension parameters:</p> <ul style="list-style-type: none"> suspended_login suspended_incoming suspended_outgoing hold_outgoing <p>The function returns this value in each email address's hash.</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Note : We introduced this return in cPanel & WHM version 70.</p> </div> | <ul style="list-style-type: none"> 1 — The email account has a suspension. 0 — The email account does not have a suspension. | 0 |

WordPressInstanceManager::start_scan

WordPressRestore

WordPressRestore::any_running

WordPressRestore::cleanup

WordPressRestore::start

| | | | | |
|------------------|----------------|--|--|------------------|
| hold_outgoing | <i>Boolean</i> | <p>Whether the email account's outgoing email is held in Exim's queue.</p> <p>The function returns this value in each email address's hash.</p> <div style="border: 1px solid black; padding: 5px; margin: 10px 0;"><p>Note : We introduced this return in cPanel & WHM version 70.</p></div> | <ul style="list-style-type: none">• 1 — Outgoing email is held in Exim's queue.• 0 — Outgoing email is not held in Exim's queue. | 0 |
| human_disk_quota | <i>string</i> | <p>The disk quota, in human-readable format.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none">• The disk quota and the unit of measure.• None — The account possesses an unlimited disk quota. | None |
| human_disk_usage | <i>string</i> | <p>The disk space that the email account uses, in human-readable format.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none">• The disk space that the email account uses, a non-breaking space (<code>\u00a0</code>), and the unit of measure.• None — The account possesses an unlimited disk quota. | 483 bytes |
| login | <i>string</i> | <p>The email address, or the main account username.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none">• A valid email address.• The username for the main account. | user@example.com |

| | | | | |
|--------------------|----------------|---|---|------------|
| mtime | <i>integer</i> | <p>The email account's last modification time, in Unix time.</p> <p>The function returns this value in each email address's hash.</p> | A time, in the Unix time format. | 1415894498 |
| suspended_incoming | <i>Boolean</i> | <p>Whether the email account's incoming email is suspended.</p> <p>The function returns this value in each email address's hash.</p> <div data-bbox="734 653 870 1060" style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>Note : We introduced this return in cPanel & WHM version 54.</p> </div> | <ul style="list-style-type: none"> • 1 — Incoming email is suspended. • 0 — Incoming email is not suspended. | 0 |
| suspended_login | <i>Boolean</i> | <p>Whether the user's ability to log in to, send mail from, and read their email account is suspended.</p> <p>The function returns this value in each email address's hash.</p> <div data-bbox="734 1413 870 1820" style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>Note : We introduced this return in cPanel & WHM version 54.</p> </div> | <ul style="list-style-type: none"> • 1 — Logins are suspended. • 0 — Logins are not suspended. | 0 |

| | | | | |
|--------------------|----------------|---|---|-----------|
| suspended_outgoing | <i>Boolean</i> | <p>Whether the email account's outgoing email is suspended.</p> <p>This function returns this value in each email address's hash.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p>Note : We introduced this return in cPanel & WHM version 70.</p> </div> | <ul style="list-style-type: none"> • 1 — Outgoing email is suspended. • 0 — Outgoing email is not suspended. | 0 |
| txtdiskquota | <i>string</i> | <p>The email account's disk quota.</p> <p>The function returns this value in each email address's hash.</p> | <ul style="list-style-type: none"> • A positive value that represents the email address's quota, in Megabytes (MB). • unlimited — The email account has an unlimited quota. | unlimited |
| user | <i>string</i> | <p>The email account username.</p> <p>The function returns this value in each email address's hash.</p> | <p>The email account's username.</p> <p>For example, <code>user</code> if the email address is <code>user@example.com</code>.</p> | user |