

# UAPI Functions - SSL::get\_cabundle

## Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup  
Backup::  
fullbackup

p\_to\_ftp

Backup:: fullbacku  
p\_to\_homedir

Backup:: fullbacku  
p\_to\_scp\_with\_key

Backup:: fullbacku  
p\_to\_scp\_with\_pa  
ssword

Backup:: list\_back  
ups

### Bandwidth

Bandwidth:: get\_e  
nabled\_protocols

Bandwidth:: get\_re  
tention\_periods

Bandwidth:: query

### Batch

Batch:: strict

### Brand

Brand:: read

### Branding

Branding:: file

Branding:: get\_app  
lications

Branding:: get\_app  
lication\_informatio  
n

Branding:: get\_ava  
ilable\_applications

Branding:: get\_info

## Description

This function retrieves a certificate's CA bundle and hostname.

## Examples

### ▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/SSL/get_cabundle?cert=---  
--BEGIN  
CERTIFICATE-----\r\nM  
IIDcTCCAImgAwIBAgIFAU  
+BNVgwDQYJKoZIhvcNAQE  
FBQAwUTESMBAGA1UEAwJ  
\r\n\nc2lza28udGxkMQswC  
QYDVQQGEwJVUzEPMA0GA1  
UECgwGY1BhbmVsMQswCQY  
DVQQI\r\n\ndAJUWDEQMA4G  
A1UEBwwHSG91c3RvbjaeF  
w0xNDEwMDYy\r\n\mji2MTlaFw  
0xNTEwMDYy\r\n\mji2MTl  
aMFExEjAQBgNVBAMMCXNp  
c2tvLnRsZDELMAkGA1UEB  
hMCMVxZzANBgNV\r\n\BA  
oMBmNQYW51bDELMAkGA1U  
ECAwCVFgxEADAObgNVBACM  
B0hvdXN0b24wggeiMAOG\  
\r\n\ncSsqGSIB3DQEBQUAA4  
IBDwAwggEKAoIBAQC9zx6  
zGiHdmWA0dKtoXmJiWXpZ  
9E3P\r\n\nXx3YHsjFEWW7e  
5pH0vZ+jVMzDmm5nsJ7RX  
rAkZO1IvpIpVLvoQfiJOW  
VvkD+o9fW\r\n\nvoK1tWJS  
72FSgPju+58mA2ieBuc87  
A790Pzuv1P3NR3zFLAjUR  
99zkHR1fpri/da\r\n\nM3P  
BWO8ET48FWkyU1kOeZaU1  
F67/+wrEiNgg+t1qhKOCA  
B61PdNVkLaSGHimksuC\r\n\n+Czk8Kq9nuS0E0TCnDt  
jjEyJ455FUcaCfcz1Tb8x  
kB/F90Re74yTzD+v1k0tF  
MG6\r\n\nPLj/ajIwWqw00q  
mQ8wX3NRxkWgGz5kVO1wr  
VJarKQ5EYQ3/mgvit0v6d  
AgMBAAGj\r\n\nUDBOMBGA
```

## Func tion infor mati on

## About this mod ule

The SSL module manages certificates, certificate requests, and keys on your server.

## About the UAPI

information\_for\_applications

Branding:: image

Branding:: include

Branding:: spritelist

CacheBuster

CacheBuster:: read

CacheBuster:: update

Chkserverd

Chkserverd:: get\_external\_ports

Chkserverd:: get\_external\_ports\_ssl

Chrome

Chrome:: get\_domain

Contactus

Contactus:: is\_enabled

cPAddons

cPAddons:: get\_available\_addons

cPAddons:: get\_instance\_settings

cPAddons:: list\_addon\_instances

cPGreyList

cPGreyList:: disable\_all\_domains

cPGreyList:: disable\_domains

cPGreyList:: enable\_all\_domains

cPGreyList:: enable\_domains

cPGreyList:: has\_greylisting\_enabled

cPGreyList:: list\_domains

DAV

DAV:: disable\_shared\_global\_addressbook

DAV:: enable\_shared\_global\_addressbook

DAV:: get\_calendar\_contacts\_config

DAV:: has\_shared\_global\_addressbook

```
1UdDgQWBBRw+wKBo34+bg  
exjAa3EMDsgSCd7zAfBgN  
VHSMEGDAWgBRw\r\n+wKB  
o34+bgexjAa3EMDsgSCd7  
zAMBgNVHRMEBTADAQH/MA  
0GCSqGS1b3DQEEBBQUA\r\n  
nA4IBAQCHRXIs53opzKM2  
rM8Qe81cw524WK6hqy2EW  
rZHp78N7rU7/6DQ/I3hv3  
Wh\r\nncDDIO04I2/Xhe88  
MLBaLoM367Ya+vy7CaLr1  
4aLi/SfQszMA0ALBvMao+  
Fis0iVw\r\nnFYq/NLgSXw  
+fgnpFskt8v8iQZ+4Kaal  
8U8e9sVgu8m0RgO7rzym1  
eRiIKpsKd1rh\r\nn/SD7L  
bSN7M7TRL3QqF71tw9sQh  
AAsQcRaBBF21pdWrqhiGZ  
+Eioo3hhgwNavH2ag\r\nn  
qz78ddHwrFpHFwrEeUk10  
fpPb76MYIce7xIy/4oQNd  
g6fOq41/FrajBv+WkzDVP
```

UAPI accesses and modifies data for cPanel accounts.

Notes:

- This function uses 20 or 20).
- This function uses 20 or 20).

Find a function

SSL: install\_ssl function.

DAV:: is\_dav\_service\_enabled

DAV:: is\_horde\_enabled

#### ▼ DCV

DCV:: check\_domains\_via\_dns

DCV:: check\_domains\_via\_http

DCV:: ensure\_domains\_can\_pass\_dcv

#### ▼ DomainInfo

DomainInfo:: domains\_data

DomainInfo:: list\_domains

DomainInfo:: main\_domain\_builtin\_subdomain\_aliases

DomainInfo:: single\_domain\_data

#### ▼ DNS

DNS:: ensure\_domains\_reside\_only\_locally

DNS:: has\_local\_authority

#### ▼ DNSSEC

DNSSEC:: disable\_dnssec

DNSSEC:: enable\_dnssec

DNSSEC:: fetch\_dns\_records

DNSSEC:: set\_nsec3

DNSSEC:: unset\_nsec3

#### ▼ Email

Email:: account\_name

Email:: add\_auto\_responder

Email:: add\_domain\_forwarder

Email:: add\_forwarder

Email:: add\_list

Email:: add\_mailman\_delegates

Email:: add\_mx

Email:: add\_pop

```
a\r\nKm6r7YmwfLN/YMZB
HXSR58oOGP9W\r\n-----
END CERTIFICATE-----
```

#### Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI documentation](#).

#### ▼ LiveAPI PHP Class

```
$cpanel = new
CPANEL(); // Connect
to cPanel - only do
this once.

// Retrieve CA bundle
and hostname from
certificate.
$SSL_get_cabundle =
$cpanel->uapi(
    'SSL',
    'get_cabundle',
    array(
        'cert'
    ) => '-----BEGIN
CERTIFICATE-----
MIIDcTCCAImgAwIBAgIFA
U+BNVgwDQYJKoZIhvcNAQ
EFBQAwwUTESMBAGA1UEAww
J
c2lza28udGxkMQswCQYDV
QQGEwJVUzEPMA0GA1UECg
wGY1BhbmVsmQswCQYDVQQ
I
DAJUWDEQMA4GA1UEBwwHS
G91c3RvbjaeFw0xNDEwMD
YyMjI2MTlaFw0xNTEwMDY
y
MjI2MTlaMFExejaQBgNVB
AMMCMXNpc2tvLnRsdELMA
kGA1UEBhmCVVMxDzANBgN
V
BAoMBmNQYW5lbDELMAkGA
1UECAwCVFgxEDAObgNVBA
cMBOhvdXN0b24wggeiMAO
G
CSqGSIb3DQEBAQUAA4IBD
wAwggEKAoIBAQC9zx6zGi
```

- UAPI Modules - Market — The Market module manages connections to cPanel Market providers.

- UAPI Functions - Market::cancel\_pending\_ssl\_certificate — This function cancels an order and removes the polling for a pending certificate.

Email:: add\_spam\_filter  
Email:: browse\_mailbox  
Email:: change\_mx  
Email:: check\_fast\_mail  
Email:: check\_pipe\_forwarder  
Email:: delete\_auto\_responder  
Email:: delete\_do\_main\_forwarder  
Email:: delete\_filter  
Email:: delete\_forwarder  
Email:: delete\_held\_messages  
Email:: delete\_list  
Email:: delete\_mx  
Email:: delete\_pop  
Email:: disable\_filter  
Email:: disable\_mailbox\_autocreate  
Email:: disable\_spam\_assassin  
Email:: disable\_spam\_autodelete  
Email:: disable\_spam\_box  
Email:: dispatch\_client\_settings  
Email:: edit\_pop\_quota  
Email:: enable\_filter  
Email:: enable\_mailbox\_autocreate  
Email:: enable\_spam\_assassin  
Email:: enable\_spam\_box  
Email:: fetch\_charmaps  
Email:: fts\_rescan\_mailbox  
Email:: generate\_mailman\_otp  
Email:: get\_auto\_r

HdmWA0dKtoXmJiWXpZ9E3  
P  
Xx3YHsjFEWW7e5pH0vZ+j  
VMzDmm5nsJ7RXrAkZO1Iv  
pIpVLvoQfiJOWVvkD+o9f  
W  
voK1tWJS72FSgPju+58mA  
2ieBuc87A790Pzuv1P3NR  
3zFLAjUR99zkHR1fpri/d  
a  
M3PBWO8ET48FWkyU1kOeZ  
aU1F67/+wrEiNgg+tlqhK  
OCAB61PdNVkLaSGHimksu  
C  
+Czk8Kq9nuS0E0TCnDtjj  
EyJ455FUcaCfcz1Tb8xkB  
/F9ORe74yTzD+v1k0tFMG  
6  
PLj/ajIwWqwO0qmQ8wX3N  
RxkWgGz5kVO1wrVJarKQ5  
EYQ3/mgvit0v6dAgMBAAG  
j  
UDBOMB0GA1UdDgQWBRRw+  
wKBo34+bgexjAa3EMDsgS  
Cd7zAfBgNVHSMEGDAWgBR  
w  
+wKBo34+bgexjAa3EMDsg  
SCd7zAMBgnVHRMEBTADAQ  
H/MA0GCSqGS1b3DQEBBQU  
A  
A4IBAQCHRXIs53opzKM2r  
M8Qe8lcw524WK6hgy2EW  
ZHp78N7rU7/6DQ/I3hv3W  
h  
cDDIO04I2/Xhe88MLBaLo  
M367Ya+vy7CaLr14aLi/S  
fQszMA0ALBvMao+Fis0iV  
w  
FYq/NLgSXw+fgnpFskt8v  
8iQZ+4Kaal8U8e9sVgu8m  
ORgO7rzymleRiIKpsKdlr  
h  
/SD7LbSN7M7TRL3QqF71t  
w9sQhAAsQcRaBBF21pdWr  
qhiGZ+Eioo3hhgwnavH2a  
g  
qz78ddHwrFpHFwrEeUk10  
fpPb76MYIce7xIy/4oQNd  
g6fOq41/FrajBv+WkzDVP  
a  
Km6r7YmwfLN/YMZBHXSRS5  
8oOGP9W  
-----END

- UAPI Functions - Market:create\_shopcart - This function creates a shopping cart with which the system sends an order to the cPanel Store.
- UAPI Functions - Market:get\_all\_products - This function lists all products available through enabled cPanel Market providers.

esponder  
Email: get\_charts  
Email: get\_client\_settings  
Email: get\_default\_email\_quota  
Email: get\_default\_email\_quota\_mib  
Email: get\_disk\_usage  
Email: get\_filter  
Email: get\_held\_message\_count  
Email: get\_mailbox\_autocreate  
Email: get\_mailman\_delegates  
Email: get\_main\_account\_disk\_usage  
Email: get\_main\_account\_disk\_usage\_bytes  
Email: get\_max\_email\_quota  
Email: get\_max\_email\_quota\_mib  
Email: get\_pop\_quota  
Email: get\_spam\_settings  
Email: get\_webmail\_settings  
Email: has\_delegated\_mailman\_lists  
Email: has\_plaintext\_authentication  
Email: hold\_outgoing  
Email: is\_integer  
Email: list\_auto\_responders  
Email: list\_default\_address  
Email: list\_domain\_forwarders  
Email: list\_filters  
Email: list\_filters\_backups  
Email: list\_forward

```
CERTIFICATE-----',  
)  
);
```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

#### LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.  
  
# Retrieve CA bundle  
and hostname from  
certificate.  
my $SSL_get_cabundle  
= $cpliveapi->uapi(  
    'SSL',  
    'get_cabundle', {  
        'cert'  
    }  
=> '-----BEGIN  
CERTIFICATE-----  
MIIDcTCCAlmgAwIBAgIFA  
U+BNVgwDQYJKoZIhvcNAQ  
EFBQAwUTESMBAGA1UEAw  
J  
c2lza28udGxkMQswCQYDV  
QQGEwJVUzEPMA0GA1UECg  
wGY1BhbmVsmQswCQYDVQQ  
I  
DAJUWDEQMA4GA1UEBwwHS  
G91c3RvbjaeFw0xNDEwMD  
YyMjI2MTlaFw0xNTEwMDY  
Y  
MjI2MTlaMFExEjAQBgNVB  
AMMCXNpc2tvLnRsZDELMA  
kGA1UEBhmCVVMxDzANBgN  
V  
BAoMBmNQYW5lbDELMAkGA  
1UECAwCVFgxEDA0BgNVBA  
cMB0hvdxN0b24wggEiMA0  
G  
CSqGSIB3DQEBAQUAA4IBD  
wAwggEKAoIBAQC9zx6zGi  
HdmWA0dKtoXmJiWXPz9E3
```

ers

Email: list\_forward\_ers\_backups

Email: list\_lists

Email: list\_mail\_domains

Email: list\_mx

Email: list\_pops

Email: list\_pops\_with\_disk

Email: list\_system\_filter\_info

Email: passwd\_list

Email: passwd\_pop

Email: release\_outgoing

Email: remove\_mailman\_delegates

Email: reorder\_filters

Email: set\_always\_accept

Email: set\_default\_address

Email: set\_list\_privacy\_options

Email: stats\_db\_status

Email: store\_filter

Email: suspend\_incoming

Email: suspend\_login

Email: suspend\_outgoing

Email: trace\_filter

Email: unsuspend\_incoming

Email: unsuspend\_login

Email: unsuspend\_outgoing

Email: verify\_password

▼ EmailAuth

EmailAuth: disable\_dkim

EmailAuth: enable\_dkim

P

Xx3YHsjFEWW7e5pH0vZ+j  
VMzDmm5nsJ7RXrAkZO1Iv  
pIpVLvoQfiJOWVvkD+o9f  
W

voK1tWJS72FSgPju+58mA  
2ieBuc87A790Pzuv1P3NR  
3zFLAjUR99zkHR1fpri/d  
a

M3PBW08ET48FWkyU1kOeZ  
aU1F67/+wrEiNgg+t1qhK  
OCAB61PdNVkLaSGHimksu  
C

+Czk8Kq9nuS0E0TCnDtjj  
EyJ455FUcaCfcz1Tb8xkB  
/F9ORe74yTzD+v1k0tFMG  
6

PLj/ajIwWqw00qmQ8wX3N  
RxkWgGz5kVO1wrVJarKQ5  
EYQ3/mgvit0v6dAgMBAAG  
j

UDBOMB0GA1UdDgQWBRRw+  
wKBo34+bgexjAa3EMDsgS  
Cd7zAfBgNVHSMEGDAWgBR  
w

+wKBo34+bgexjAa3EMDsg  
SCd7zAMBgNVHRMEBTADAQ  
H/MA0GCSqGS1b3DQEBBQU  
A

A4IBAQRXIs53opzKM2r  
M8Qe81cw524WK6hgy2EW  
rZHp78N7rU7/6DQ/I3hv3W  
h

cDDIO04I2/Xhe88MLBaLo  
M367Ya+vy7CaLr14aLi/S  
fQszMA0ALBvMao+Fis0iV  
w

FYq/NLgSXw+fgnpFskt8v  
8iQZ+4Kaa18U8e9sVgu8m  
0Rg07rzym1eRiIKpsKdlr  
h

/SD7LbSN7M7TRL3QqF7lt  
w9sQhAAsQcRaBBF21pdWr  
qhiGZ+Eioo3hhgwnavH2a  
g

qz78ddHwrFpHFwrEeUk10  
fpPb76MYIce7xIy/4oQNd  
g6fOq41/FrajBv+WkzDVP  
a

Km6r7YmwfLN/YMZBHXSRS  
8oOGP9W

-----END

EmailAuth:: ensure  
\_dkim\_keys\_exist

EmailAuth:: fetch\_  
dkim\_private\_keys

EmailAuth:: install  
\_dkim\_private\_key  
s

EmailAuth:: install  
\_spf\_records

EmailAuth:: validat  
e\_current\_dkims

EmailAuth:: validat  
e\_current\_ptrs

EmailAuth:: validat  
e\_current\_spfs

#### ExternalAuthenticat ion

ExternalAuthentic  
ation:: add\_authn\_li  
nk

ExternalAuthentic  
ation:: configured\_  
modules

ExternalAuthentic  
ation:: get\_authn\_lin  
ks

ExternalAuthentic  
ation:: has\_external  
\_auth\_modules\_co  
nfigured

ExternalAuthentic  
ation:: remove\_auth  
n\_link

#### Features

Features:: has\_fea  
ture

Features:: list\_feat  
ures

#### Fileman

Fileman:: autocom  
pletedir

Fileman:: empty\_tr  
ash

Fileman:: get\_file\_  
content

Fileman:: get\_file\_i  
nformation

Fileman:: list\_files

Fileman:: save\_file  
\_content

Fileman:: transcod  
e

Fileman:: upload\_fi  
les

```
CERTIFICATE-----',  
    }  
);
```

#### Note:

For more information, read our [Guide to the LiveAPI System](#).

#### ▼ cPanel Template Toolkit

```
<!-- Retrieve CA  
bundle and hostname  
from certificate. -->  
[% data = execute(  
    'SSL',  
    'get_cabundle', {  
        cert => '-----BEGIN  
CERTIFICATE-----  
MIIDcTCCA1mgAwIBAgIFA  
U+BNVgwDQYJKoZIhvcNAQ  
EFBQAwwUTESMBAGA1UEAww  
J  
c2lza28udGxkMQswCQYDV  
QQGEwJVUzEPMA0GA1UECg  
wGY1BhbmVsmQswCQYDVQQ  
I  
DAJUWDEQMA4GA1UEBwwHS  
G91c3RvbG91bnR0eWwMDY  
YyMjI2MTlaFw0xNTEwMDY  
Y  
MjI2MTlaMFExEjAQBGNVB  
AMMCXNpc2tvLnR0eWwMDY  
kGA1UEBhMCMVVMxZANBgN  
V  
BAoMBmNQYW5lbDElMAkGA  
1UECAwCVFgxEDEwBGNVBA  
cMB0hvdxN0b24wgGEiMA0  
G  
CSqGSIB3DQEBAQUAA4IBD  
wAwggEKAoIBAQc9zx6zGi  
HdmWA0dKtoXmJiWxpZ9E3  
P  
Xx3YHsjFEWW7e5pH0vZ+j  
VMzDmm5nsJ7RXrAkZO1Iv  
pIpVLvoQfiJOWVvkD+o9f  
W  
voK1tWJS72FSgPju+58mA  
2ieBuc87A790Pzuv1P3NR  
3zFLAjUR99zkHR1fpri/d
```

<ul style="list-style-type: none"> <li>▼ Ftp <ul style="list-style-type: none"> <li>Ftp:: add_ftp</li> <li>Ftp:: allows_anonymous_ftp</li> <li>Ftp:: allows_anonymous_ftp_incoming</li> <li>Ftp:: delete_ftp</li> <li>Ftp:: ftp_exists</li> <li>Ftp:: get_ftp_daemon_info</li> <li>Ftp:: get_port</li> <li>Ftp:: get_quota</li> <li>Ftp:: get_welcome_message</li> <li>Ftp:: kill_session</li> <li>Ftp:: list_ftp</li> <li>Ftp:: list_ftp_with_disk</li> <li>Ftp:: list_sessions</li> <li>Ftp:: passwd</li> <li>Ftp:: server_name</li> <li>Ftp:: set_anonymous_ftp</li> <li>Ftp:: set_anonymous_ftp_incoming</li> <li>Ftp:: set_homedir</li> <li>Ftp:: set_quota</li> <li>Ftp:: set_welcome_message</li> </ul> </li> <li>▼ Integration <ul style="list-style-type: none"> <li>Integration:: fetch_url</li> </ul> </li> <li>▼ KnownHosts <ul style="list-style-type: none"> <li>KnownHosts:: create</li> <li>KnownHosts:: delete</li> <li>KnownHosts:: update</li> <li>KnownHosts:: verify</li> </ul> </li> <li>▼ LangPHP <ul style="list-style-type: none"> <li>LangPHP:: php_get_domain_handler</li> <li>LangPHP:: php_get_impacted_domains</li> <li>LangPHP:: php_get_installed_version</li> </ul> </li> </ul>	<pre> a M3PBW08ET48FWkyU1kOeZ aU1F67/+wrEiNgg+t1qhK OCAB61PdNVkLaSGHimksu C +Czk8Kq9nuS0E0TCnDtjj EyJ455FUcaCfcz1Tb8xkB /F9ORe74yTzD+v1k0tFMG 6 PLj/ajIwWqw00qmQ8wX3N RxxWgGz5kVO1wrVJarKQ5 EYQ3/mgvit0v6dAgMBAAG j UDBOMB0GA1UdDgQWBBRw+ wKBo34+bgexjAa3EMDsgS Cd7zAfBgNVHSMEGDAWgBR w +wKBo34+bgexjAa3EMDsg SCd7zAMBgNVHRMEBTADAQ H/MA0GCSqGS Ib3DQEBBQU A A4IBAQRXIs53opzKM2r M8Qe8lcw524WK6hgy2EWr ZHp78N7rU7/6DQ/I3hv3W h cDDIO04I2/Xhe88MLBaLo M367Ya+vy7CaLr14aLi/S fQszMA0ALBvMao+Fis0iV w FYq/NLgSXw+fgnpFskt8v 8iQZ+4Kaal8U8e9sVgu8m 0Rg07rzymleRiIKpsKdlr h /SD7LbSN7M7TRL3QqF71t w9sQhAAsQcRaBBF21pdWr qhiGZ+Eioo3hhgwNavH2a g qz78ddHwrFpHFwrEeUk10 fpPb76MYIce7xIy/4oQNd g6fOq4l/FrajBv+WkzDVP a Km6r7YmwfLN/YMZBHXSr5 8oOGP9W -----END CERTIFICATE-----' } ); %] [% FOREACH q = data %] &lt;p&gt; </pre>
--	---



s

LangPHP:: php\_get\_system\_default\_version

LangPHP:: php\_get\_vhost\_versions

LangPHP:: php\_ini\_get\_user\_basic\_directives

LangPHP:: php\_ini\_get\_user\_content

LangPHP:: php\_ini\_get\_user\_paths

LangPHP:: php\_ini\_set\_user\_basic\_directives

LangPHP:: php\_ini\_set\_user\_content

LangPHP:: php\_set\_vhost\_versions

#### ▼ LastLogin

LastLogin:: get\_last\_or\_current\_logged\_in\_ip

#### ▼ Locale

Locale:: get\_attributes

#### ▼ Mailboxes

Mailboxes:: expunge\_mailbox\_messages

Mailboxes:: expunge\_messages\_for\_mailbox\_guid

Mailboxes:: get\_mailbox\_status

Mailboxes:: has\_unflagged\_mailbox\_names

Mailboxes:: set\_unflagged\_mailbox\_names

#### ▼ Market

Market:: cancel\_pending\_ssl\_certificate

Market:: create\_shopping\_cart

Market:: get\_all\_products

Market:: get\_certificate\_status\_details

Market:: get\_login\_url

Market:: get\_pending\_ssl\_certificates

```
[ % q % ]
</p>
[ % END % ]
```

#### Note:

For more information, read our [Guide to Template Toolkit documentation](#).

#### ▼ Command Line

```
uapi --user=username
SSL get_cabundle
cert=-----BEGIN
CERTIFICATE-----\r\nMIIDcTCCA1mgAwIBAgIFAU
+BNVgwDQYJKoZIhvcNAQE
FBQAwwTESMBAGA1UEAwJ
\r\nnc2lza28udGxkMQswC
QYDVQQGEwJVUzEPMA0GA1
UECgwGY1BhbmVsmQswCQY
DVQQI\r\nDAJUWDEQMA4G
A1UEBwwHSG91c3RvbGJh
w0xNDEwMDYyMjI2MTlaFw
0xNTEwMDYy\r\nMjI2MT
aMFExEjAQBgnVBAMMCXNp
c2tvLnR5ZDELMAkGA1UE
hMCVVMxDzANBgNV\r\nBA
oMBmNQYW51bDELMAkGA1U
ECAwCVFgxEDAObgNVBAcM
B0hvdXN0b24wggeiMA0G
\r\nCSqGSIB3DQEBAQUAA4
IBDwAwggEKAoIBAQC9zx6
zGiHdmWA0dKtoXmjiWxpZ
9E3P\r\nXx3YHsjFEWW7e
5pH0vZ+jVmzDmm5nsJ7RX
rAkZO1IvpIplVvoQfijOW
VvkD+o9fW\r\nvoK1tWJS
72FSgPju+58mA2ieBuc87
A790Pzuv1P3NR3zFLAjUR
99zkHR1fpri/da\r\nM3P
BWO8ET48FWkyU1kOeZaU1
F67/+wrEiNgg+t1qhKOCA
B61PdNVkLaSGHimksu\r\n
+n+Czk8Kq9nuS0E0TCnDt
jjEyJ455FUcaCfcz1Tb8x
kB/F90Re74yTzD+v1k0tF
MG6\r\nPLj/ajIwWqw00q
mQ8wX3NRxkWGz5kVO1wr
VJarKQ5EYQ3/mgvit0v6d
```

Market:: get\_provider\_specific\_dcw\_constraints

Market:: get\_providers\_list

Market:: get\_ssl\_certificate\_if\_available

Market:: process\_ssl\_pending\_queue

Market:: request\_ssl\_certificates

Market:: set\_status\_of\_pending\_queue\_items

Market:: set\_url\_after\_checkout

Market:: validate\_login\_token

#### ▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: delete\_handler

Mime:: delete\_hotlink

Mime:: delete\_mime

Mime:: delete\_redirect

Mime:: list\_handlers

Mime:: list\_hotlinks

Mime:: list\_mime

Mime:: list\_redirects

Mime:: redirect\_info

#### ▼ ModSecurity

ModSecurity:: disable\_all\_domains

ModSecurity:: disable\_domains

ModSecurity:: enable\_all\_domains

ModSecurity:: enable\_domains

AgMBAAGj\r\nUDBOMB0GA1UdDgQWBRRw+wKBo34+bgexjAa3EMDsgSCd7zAfBgNVHSMEGDAWgBRw\r\n+n+wKBo34+bgexjAa3EMDsgSCd7zAMBgNVHRMEBTADAQH/MA0GCSqGSIb3DQEBAQUA\r\nnA4IBAQCHRXIs53opzKM2rM8Qe8lcw524WK6hqy2EWrZHp78N7rU7/6DQ/I3hv3Wh\r\n\r\nncDDIO04I2/Xhe88MLBaLoM367Ya+vy7CaLr14aLi/SfQszMA0ALBvMao+Fis0iVw\r\n\r\nnFYq/NLgSXw+fgnpFskt8v8iQZ+4Kaal8U8e9sVgu8m0RgO7rzym1eRiIKpsKd1rh\r\n\r\nn/SD7LbSN7M7TRL3QqF7ltw9sQhAAsQcRaBBF21pdWrqhiGZ+Eioo3hhgwNavH2ag\r\n\r\nnqz78ddHwrFpHFwrEeUk10fpPb76MYIce7xIy/4oQNdg6fOq4l/FrajBv+WkzDVP

```
ModSecurity:: has
_modsecurity_inst
alled
```

```
ModSecurity:: list_
domains
```

▼ Mysql

```
Mysql:: add_host
```

```
Mysql:: add_host_
note
```

```
Mysql :: check_dat
abase
```

```
Mysql:: create_dat
abase
```

```
Mysql:: create_use
r
```

```
Mysql:: delete_dat
abase
```

```
Mysql:: delete_hos
t
```

```
Mysql:: delete_use
r
```

```
Mysql:: get_host_n
otes
```

```
Mysql:: get_privile
ges_on_database
```

```
Mysql:: get_restrict
ions
```

```
Mysql:: get_server
_information
```

```
Mysql:: locate_ser
ver
```

```
Mysql:: rename_d
atabase
```

```
Mysql:: rename_us
er
```

```
Mysql:: repair_dat
abase
```

```
Mysql:: revoke_ac
cess_to_database
```

```
Mysql:: set_passw
ord
```

```
Mysql:: set_privile
ges_on_database
```

▼ Notifications

```
Notifications:: get_
notifications_count
```

▼ NVData

```
NVData:: get
```

```
NVData:: set
```

▼ Parser

```
Parser:: firstfile_rel
ative_uri
```

```
a\r\nKm6r7YmwfLN/YMzB
HXSR58oOGP9W\r\n-----
END CERTIFICATE-----
```

**Notes:**

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

▼ Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "data": {
    "domain":
    "example.com",
    "bundle":
    "VeriSign Trial
    Secure Server CA -
    G2",
    "cab":
    "-----BEGIN
    CERTIFICATE-----
    MIIB+jCCAWMCAgGjMA0GC
    SqGSIB3DQEBBAUAMEUxCz
    AJBgNVBAYTAlVTMRgwFgY
    D
    VQQKEw9HVEUgQ29ycG9yY
    XRpb24xHDAaBgNVBAMTE0
    dURSBDeWJlc1RydXN0IFJ
    v
    b3QwHhcNOTYwMjIzMjMwM
    TAwWhcNMDYwMjIzMjM1OT
    AwWjBFMQswCQYDVQQGEWJ
    V
```


- PassengerApps:: disable\_application
  - PassengerApps:: edit\_application
  - PassengerApps:: enable\_application
  - PassengerApps:: list\_applications
  - PassengerApps:: register\_application
  - PassengerApps:: unregister\_application
- PasswdStrength:: get\_required\_strength
- Personalization::set
  - Personalization::get
- Postgresql:: create\_database
  - Postgresql:: create\_user
  - Postgresql:: delete\_database
  - Postgresql:: get\_restrictions
  - Postgresql:: grant\_all\_privileges
  - Postgresql:: rename\_database
  - Postgresql:: rename\_user
  - Postgresql:: rename\_user\_no\_password
  - Postgresql:: revoke\_all\_privileges
  - Postgresql:: set\_password
- Pushbullet:: send\_test\_message
- Quota:: get\_quota\_info
- Resellers:: list\_acc

```

UzEYMBYGA1UEChMPR1RFI
ENvcnBvcmlF0aW9uMRwwGg
YDVQDEExNHVEUgQ3liZXJ
U
cnVzdCBSb290MIGfMA0GC
SgGS1b3DQEBAQUAA4GNAD
CBiQKBgQC45k+625h8cXy
v
RLfTD0bZZOWTwUKOx7pJj
TUteueLveUFMVnGsS8KDP
ufpz+iCwaEVh43KRuH6X4
M
ypqfpX/1FZSjlaJGthoT
NE3FQZor734sLPwKfVWwG
kWYXcKIiXUT0Wqx73llt/
5
1KiOQswkwB6RJ0qlbQaAY
znEo144AwIDAQABMA0GCS
qGS1b3DQEBBAUAA4GBABK
z
dcZfHeFhVYAA1IFLezEPI
2PnPfMD+fQ2qLvZ46WXTe
orKeDWanOB5sCJo9Px4KW
l
IjeaY8JIILTbcuPI9t18v
rGvU9oUtCG41tWW4/5ODF
litppK+ULdjG+BqXH/9Ap
y
bW1EDp3zdHSolTRJ6V6e6
bR64eVaH4QwnNOfpSXY
-----END
CERTIFICATE-----"

```

- ounts
- ▼ ResourceUsage
  - ResourceUsage:: get\_usages
- ▼ Restore
  - Restore:: directory\_listing
  - Restore:: get\_users
  - Restore:: query\_file\_info
  - Restore:: restore\_file
- ▼ Session
  - Session:: create\_temp\_user
- ▼ SiteTemplates
  - SiteTemplates:: list\_site\_templates
  - SiteTemplates:: list\_user\_settings
  - SiteTemplates:: publish
- ▼ SpamAssassin
  - SpamAssassin:: clear\_spam\_box
  - SpamAssassin:: get\_symbolic\_test\_names
  - SpamAssassin:: get\_user\_preferences
  - SpamAssassin:: update\_user\_preference
- ▼ SSH
  - SSH:: get\_port
- ▼ SSL
  - SSL:: add\_autossl\_excluded\_domains
  - SSL:: check\_shared\_cert
  - SSL:: delete\_cert
  - SSL:: delete\_csr
  - SSL:: delete\_key
  - SSL:: delete\_ssl
  - SSL:: disable\_mail\_sni
  - SSL:: enable\_mail\_sni
  - SSL:: fetch\_best\_f



## Parameters

Parameter	Type	Description	Possible values	Example
cert	string	<b>Required</b>  The certificate's text.	A valid certificate.	▼ <a href="#">Click to view...</a> <pre> -----BEGIN CERTIFICAT E----- MIIDcTCCA1 mgAwIBAgIF AU+BNVgwDQ YJKoZIhvcN AQEFBQAwUT ESMBAG1UE AwWJ c21za28udG xkMQswCQYD VQQGEwJVUz EPMA0GA1UE CgwGY1Bhbm VsMQswCQYD VQQI DAJUWDEQMA 4GA1UEBwwH SG91c3Rvbj AeFw0xNDEw MDYyMjI2MT laFw0xNTEw MDYy MjI2MTlaMF ExEjAQBgNV BAMMCXNpc2 tvLnRsZDEL MAkGA1UEBh MCVVMxZzAN BgNV BAoMBmNQYW 5lbDELMAKG A1UECAwCVF gxEDA0BgNV BAcMB0hvdx N0b24wggEi MA0G CSqGSIB3DQ EBAQUAA4IB DwAwggEKAo IBAQC9zx6z GiHdmWA0dK toXmJiWXpZ 9E3P Xx3YHs jFEW W7e5pH0vZ+ jVMzDmm5ns J7RXrAk2O1 IvpIpVLvoQ fiJOWVvkD+ o9fW voK1tWJS72 FSgPju+58m           </pre>

or\_domain  
SSL:: fetch\_cert\_in  
fo  
SSL:: fetch\_certific  
ates\_for\_fqdns  
SSL:: fetch\_key\_a  
nd\_cabundle\_for\_  
certificate  
SSL:: find\_certifica  
tes\_for\_key  
SSL:: find\_csrs\_for\_  
\_key  
SSL:: generate\_ce  
rt  
SSL:: generate\_cs  
r  
SSL:: generate\_ke  
y  
SSL:: get\_autoss\_  
excluded\_domains  
SSL:: get\_autoss\_  
pending\_queue  
SSL:: get\_autoss\_  
problems  
SSL:: get\_cabundl  
e  
SSL:: get\_cn\_nam  
e  
SSL:: install\_ssl  
SSL:: installed\_ho  
st  
SSL:: installed\_ho  
sts  
SSL:: is\_autoss\_l  
heck\_in\_progress  
SSL:: is\_mail\_sni\_  
supported  
SSL:: is\_sni\_supp  
orted  
SSL:: list\_certs  
SSL:: list\_csrs  
SSL:: list\_keys  
SSL:: list\_ssl\_item  
s  
SSL:: mail\_sni\_sta  
tus  
SSL:: rebuild\_mail  
\_sni\_config  
SSL:: rebuildssldb  
SSL:: remove\_aut  
ossl\_excluded\_do

A2ieBuc87A  
790Pzuv1P3  
NR3zFLAjUR  
99zKHR1fpr  
i/da  
M3PBWO8ET4  
8FWkyUlkOe  
ZaUlF67/+w  
rEiNgg+t1q  
hKOCAB61Pd  
NVkLaSGHim  
ksuC  
+Czk8Kq9nu  
S0E0TCnDtj  
jEyJ455FUc  
aCfcz1Tb8x  
kB/F90Re74  
yTzD+v1k0t  
FMG6  
PLj/aJiWwq  
w00qmQ8wX3  
NRxkWgGz5k  
VO1wrVJarK  
Q5EYQ3/mgv  
it0v6dAgMB  
AAGj  
UDBOMB0GA1  
UdDgQWBBRw  
+wKBo34+bg  
exjAa3EMDs  
gScd7zAfBg  
NVHSMEGDAW  
gBRw  
+wKBo34+bg  
exjAa3EMDs  
gScd7zAMBg  
NVHRMEBTAD  
AQH/MA0GCS  
qGSIB3DQEB  
BQUA  
A4IBAQCHRX  
Is53opzKM2  
rM8Qe81cw5  
24WK6hgy2E  
WrZHp78N7r  
U7/6DQ/I3h  
v3Wh  
cDDIO04I2/  
Xhe88MLBaL  
oM367Ya+vy  
7CaLr14aLi  
/SfQszMA0A  
LBvMao+Pis  
0iVw  
FYq/NLgSXw  
+fgnpFskt8  
v8iQZ+4Kaa  
18U8e9sVgu  
8m0RgO7rzy  
m1eRiIKpsK  
dlrh  
/SD7LbsN7M  
7TRL3QqF7l  
tw9sQhAAsQ  
cRaBBF21pd  
WrqhiGZ+Ei  
oo3hhgwNav  
H2ag  
qz78ddHwrF  
pHFwrEeUk1  
OfpPb76MYI  
ce7xIy/4oQ  
Ndg6fOq41/  
FrajBv+Wkz  
DVPa  
Km6r7YmwfL  
N/YMZBHXS  
R58oOGP9W

mains

SSL:: set\_autossl\_excluded\_domains

SSL:: set\_cert\_friendly\_name

SSL:: set\_csr\_friendly\_name

SSL:: set\_key\_friendly\_name

SSL:: set\_primary\_ssl

SSL:: set\_ssl\_share

SSL:: show\_cert

SSL:: show\_csr

SSL:: show\_key

SSL:: start\_autossl\_check

SSL:: upload\_cert

SSL:: upload\_key

StatsBar

StatsBar:: get\_stats

Styles

Styles:: current

Styles:: list

Styles:: set\_default

Styles:: update

SubDomain

SubDomain:: add\_subdomain

Themes

Themes:: get\_theme\_base

Themes:: list

Themes:: update

TwoFactorAuth

TwoFactorAuth:: generate\_user\_configuration

TwoFactorAuth:: get\_user\_configuration

TwoFactorAuth:: remove\_user\_configuration

TwoFactorAuth:: set\_user\_configuration

UserManager

-----END  
CERTIFICATE-----

## Returns

Return	Type	Description	Possible values	Example
domain	string	The certificate's hostname.	A valid domain name.	example.com
bundle	string	The CA bundle's tag.	A valid string.	VeriSign Trial Secure Server CA - G2
cab	string	The CA bundle's contents.	A valid CA bundle.	<a href="#">Click to view...</a> <pre>-----BEGIN CERTIFICATE ----- MIIB+jCC AWMCAGGj MA0GCSqG SIb3DQEBA BAUAMEUx CzAJBgNV BAYTAlVT MRgwFgYD VQQKEw9H VEUgQ29y cG9yYXRp b24xHDAa BgNVBAMT E0dURSBD eWJlc1Ry dXN0IFJv b3QwHhcN OTYwMjIz MjMwMTAw WhcNMDYw MjIzMTM1 OTAwWjBF MQswCQYD VQQGEwJV UzEYMBYG A1UEChMP R1RFIENv cnBvcnF0 aW9uMRww GgYDVQQD ExNHVEUg Q3liZXJ1 cnVzdCBS b290MIGf MA0GCSqG SIb3DQEBA QUAA4GN ADCBiQKB gQC45k+6 25h8cXyv RLfTD0bZ ZOWTwUKO x7pJjTUt eueLveUF MVnGsS8K DPufpz+i CWaEVh43 KRuH6X4M ypqfpX/1 FZSj1aJG gthoTNE3</pre>

UserManager:: check\_account\_conflicts

UserManager:: create\_user

UserManager:: delete\_user

UserManager:: dismiss\_user

UserManager:: edit\_user

UserManager:: list\_users

UserManager:: lookup\_service\_account

UserManager:: lookup\_user

UserManager:: merge\_service\_account

UserManager:: unlink\_service\_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete\_user

WebDisk:: set\_homedir

WebDisk:: set\_password

WebDisk:: set\_permissions

FQZor734  
sLPwKfWV  
WgkWYXcK  
IiXUT0Wq  
x7311t/5  
1KiOQswk  
wB6RJ0q1  
bQaAYznE  
o144AwID  
AQABMA0G  
CSqGSIB3  
DQEBAUA  
A4GBABKz  
dcZfHeFh  
VYAA1IFL  
ezEPI2Pn  
PMD+fQ2  
qLvZ46WX  
TeorKeDW  
anOB5sCJ  
o9Px4KW1  
IjeaY8JI  
ILTbcuPI  
9t18vrGv  
U9oUtCG4  
1tWW4/50  
DFlitppK  
+ULdjG+B  
qXH/9Apy  
bW1EDp3z  
dHSolTRJ  
6V6e6bR6  
4eVaH4Qw  
nNOfpSXY



▼ WebmailApps  
WebmailApps:: list  
webmailapps

▼ WebVhosts  
WebVhost:: list\_do  
mains

WebVhost:: list\_ssl  
\_capable\_domains

▼ WordPressBackup  
WordPressBackup  
:: any\_running

WordPressBackup  
:: cancel

WordPressBackup  
:: cleanup

WordPressBackup  
:: get\_available\_ba  
ckups

WordPressBackup  
:: is\_running

WordPressBackup  
:: start

▼ WordPressInstance  
Manager

WordPressInstanc  
eManager:: cancel  
\_scan

WordPressInstanc  
eManager:: cleanu  
p\_scan

WordPressInstanc  
eManager:: chang  
e\_admin\_passwor  
d

WordPressInstanc  
eManager:: config  
ure\_autoupdate

WordPressInstanc  
eManager:: get\_ap  
i\_version

WordPressInstanc  
eManager:: get\_in  
stance\_by\_id

WordPressInstanc  
eManager:: get\_in  
stances

WordPressInstanc  
eManager:: get\_lat  
est\_wordpress\_ver  
sion\_from\_wordpr  
ess\_org

WordPressInstanc  
eManager:: get\_sc  
an\_results

WordPressInstanc  
eManager:: is\_inst

				-----END CERTIFIC ATE-----
--	--	--	--	----------------------------------

allable\_addon\_ava  
ilable

WordPressInstanc  
eManager:: start\_s  
can

▼ WordPressRestore

WordPressRestore  
:: any\_running

WordPressRestore  
:: cleanup

WordPressRestore  
:: start