

UAPI Functions - Market::request_ssl_certificates

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup::
fullbackup

p_to_ftp

Backup:: fullbackup
p_to_homedir

Backup:: fullbackup
p_to_scp_with_key

Backup:: fullbackup
p_to_scp_with_password

Backup:: list_backups

Bandwidth

Bandwidth:: get_enabled_protocols

Bandwidth:: get_retention_periods

Bandwidth:: query

Batch

Batch:: strict

Brand

Brand:: read

Branding

Branding:: file

Branding:: get_applications

Branding:: get_application_information

Branding:: get_available_applications

Branding:: get_information_for_applications

Description

This function submits a request for a certificate order to the cPanel Market provider.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/Market/request_ssl_certificates?access_token=725431a1-d5bc-11e5-a28b-8b0e09a93f05&certificate%3D%7B%22product_id%22%3A143%2C%22subject_names%22%3A%5B%5B%22dNSName%22%2C%22example.com%22%5D%2C%5B%22dNSName%22%2C%22example.org%22%5D%5D%2C%22vhost_names%22%3A%5B%22example.com%22%5D%2C%22price%22%3A6%2C%22validity_period%22%3A%5B1%2C%22year%22%5D%7D%26certificate%3D%7B%22product_id%22%3A%22176%22%2C%22subject_names%22%3A%5B%5B%22dNSName%22%2C%22test.example.com%22%5D%5D%2C%22vhost_names%22%3A%5B%22test.example.com%22%5D%2C%22price%22%3A3%2C%22validity_period%22%3A%5B1%2C%22year%22%5D%7D%26provider%3DcPStore
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

▼ LiveAPI PHP Class

Function information

About this module

The Market module manages connections to cPanel Market providers.

Branding:: image

Branding:: include

Branding:: spritelist

▼ CacheBuster

CacheBuster:: read

CacheBuster:: update

▼ Chkservd

Chkservd:: get_exim_ports

Chkservd:: get_exim_ports_ssl

▼ Chrome

Chrome:: get_dom

▼ Contactus

Contactus:: is_enabled

▼ cPAddons

cPAddons:: get_available_addons

cPAddons:: get_instance_settings

cPAddons:: list_addon_instances

▼ cPGreyList

cPGreyList:: disable_all_domains

cPGreyList:: disable_domains

cPGreyList:: enable_all_domains

cPGreyList:: enable_domains

cPGreyList:: has_greylisting_enabled

cPGreyList:: list_domains

▼ DAV

DAV:: disable_shared_global_addressbook

DAV:: enable_shared_global_addressbook

DAV:: get_calendar_contacts_config

DAV:: has_shared_global_addressbook

DAV:: is_dav_service_enabled

```

$cpanel = new
CPANEL(); // Connect
to cPanel - only do
this once.

// Submit certificate
orders to the cPanel
Market provider.
$submit_order =
$cpanel->uapi(
    'Market',
    'request_ssl_certific
ates',
    array(

'access_token' =>
'725431a1-d5bc-11e5-a
28b-8b0e09a93f05',

'certificate' =>
'{"product_id":143,"s
ubject_names":[["dNSN
ame","example.com"],[
"dNSName","example.or
g"]], "vhost_names":["
example.com","sub.exa
mple.com"],"price":6,
"validity_period":[1,
"year"]}' ,

'certificate-0' =>
'{"product_id":"176",
"subject_names":[["dN
SName","test.example.
com"]], "vhost_names":
["test.example.com"],
"price":3,
"validity_period":[1,
"year"]}' ,

'provider' =>
'cPStore'
    )
);

```

Note:
For more information, read our [Guide to the LiveAPI System](#).

About UAPI

UAPI accesses and modifies data for cPanel accounts.

Notes:

- The `Fe`
- `int`
- `Ur`
- `mu`
- `us`
- `20`
- `or`
- `20`
- `).`
- `20`
- `or`
- `20`
- `).`

Find a function

SSL:
:ins
tall
_ssl
functi
on.

DAV:: is_horde_enabled

▼ DCV

DCV:: check_domains_via_dns

DCV:: check_domains_via_http

DCV:: ensure_domains_can_pass_dcv

▼ DomainInfo

DomainInfo:: domains_data

DomainInfo:: list_domains

DomainInfo:: main_domain_builtin_subdomain_aliases

DomainInfo:: single_domain_data

▼ DNS

DNS:: ensure_domains_reside_only_locally

DNS:: has_local_authority

▼ DNSSEC

DNSSEC:: disable_dnssec

DNSSEC:: enable_dnssec

DNSSEC:: fetch_dns_records

DNSSEC:: set_nsec3

DNSSEC:: unset_nsec3

▼ Email

Email:: account_name

Email:: add_auto_responder

Email:: add_domain_forwarder

Email:: add_forwarder

Email:: add_list

Email:: add_mailman_delegates

Email:: add_mx

Email:: add_pop

Email:: add_spam_filter

▼ LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.
```

```
# Submit certificate  
orders to the cPanel  
Market provider.  
my $submit_order =  
$cpliveapi->uapi(  
    'Market',  
    'request_ssl_certificates',  
    {  
        'access_token'  
=>  
    '725431a1-d5bc-11e5-a  
28b-8b0e09a93f05',  
        'certificate'  
=>  
    '{"product_id":143,"s  
ubject_names":[["dNSN  
ame","example.com"],[  
"dNSName","example.or  
g"]],"vhost_names":["  
example.com","sub.exa  
mple.com"],"price":6,  
"validity_period":[1,  
"year"]}' ,  
        'certificate-0' =>  
    '{"product_id":"176",  
"subject_names":[["dN  
SName","test.example.  
com"]],"vhost_names":  
["test.example.com"],  
"price":3,  
"validity_period":[1,  
"year"]}'  
        'provider' =>  
    'cPStore'  
    }  
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

- UAPI Modules - Market — The Market module manages connections to cPanel Market providers.
- UAPI Functions - Market::cancel_pending_ssl_certificate — This function cancels an order and removes the polling for a pending certificate.

Email: browse_mailbox
Email: change_mx
Email: check_fastmail
Email: check_pipe_forwarder
Email: delete_auto_responder
Email: delete_dofilter
Email: delete_filter
Email: delete_forwarder
Email: delete_held_messages
Email: delete_list
Email: delete_mx
Email: delete_pop
Email: disable_filter
Email: disable_mailbox_autocreate
Email: disable_spam_assassin
Email: disable_spam_autodelete
Email: disable_spam_box
Email: dispatch_client_settings
Email: edit_pop_quota
Email: enable_filter
Email: enable_mailbox_autocreate
Email: enable_spam_assassin
Email: enable_spam_box
Email: fetch_charmaps
Email: fts_rescan_mailbox
Email: generate_mailman_opt
Email: get_auto_responder
Email: get_chase

▼ cPanel Template Toolkit

```
<!-- Submit certificate orders to the cPanel Market provider. -->[% execute('Market', 'request_ssl_certificates', { access_token' => '725431a1-d5bc-11e5-a28b-8b0e09a93f05', certificate => '{product_id:143,price:6,subject_names:[[dNSName,"arp2wqdpts.test"]]}',provider => 'cPStore', validity_period:[1,"year"] } ) %]
```

Note:
For more information, read our [Guide to Template Toolkit](#) documentation.

- UAPI Functions - Market:create_shopping_cart — This function creates a shopping cart with which the system sends an order to the cPanel Store.
- UAPI Functions - Market:get_all_products — This function lists all products available through enabled cPanel Market providers.

ts

Email: get_client_settings

Email: get_default_email_quota

Email: get_default_email_quota_mib

Email: get_disk_usage

Email: get_filter

Email: get_held_message_count

Email: get_mailbox_autocreate

Email: get_mailman_delegates

Email: get_main_account_disk_usage

Email: get_main_account_disk_usage_bytes

Email: get_max_email_quota

Email: get_max_email_quota_mib

Email: get_pop_quota

Email: get_spam_settings

Email: get_webmail_settings

Email: has_delegated_mailman_lists

Email: has_plaintext_authentication

Email: hold_outgoing

Email: is_integer

Email: list_autoresponders

Email: list_default_address

Email: list_domain_forwarders

Email: list_filters

Email: list_filters_backups

Email: list_forwarders

Email: list_forward

Command Line

```
uapi --user=username
Market
request_ssl_certificates provider=cPStore
access_token=725431a1-d5bc-11e5-a28b-8b0e09a93f05
certificate={"product_id":143,"subject_names":[[{"dNSName","example.com"},{"dNSName","example.org"}],"vhost_names":["example.com"],"price":6,"validity_period":[1,"year"]}
certificate={"product_id":"176","subject_names":[[{"dNSName","test.example.com"}],"vhost_names":["test.example.com"],"price":3.5,"validity_period":[1,"year"]}&provider=cPStore
```

Notes:

- You **must** [URI-encode](#) values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

ers_backups

Email: list_lists

Email: list_mail_domains

Email: list_mx

Email: list_pops

Email: list_pops_with_disk

Email: list_system_filter_info

Email: passwd_list

Email: passwd_pop

Email: release_outgoing

Email: remove_mailman_delegates

Email: reorder_filters

Email: set_always_accept

Email: set_default_address

Email: set_list_privacy_options

Email: stats_db_status

Email: store_filter

Email: suspend_incoming

Email: suspend_login

Email: suspend_outgoing

Email: trace_filter

Email: unsuspend_incoming

Email: unsuspend_login

Email: unsuspend_outgoing

Email: verify_password

▼ EmailAuth

EmailAuth: disable_dkim

EmailAuth: enable_dkim

EmailAuth: ensure_dkim_keys_exist

▼ Output (JSON)


```
{
  "data": {
    "checkout_url": "http://store.example.com/howmethemoney.cgi",
    "certificates": [
      {
        "key_id": "ac90f_639fd_6c236062f0d7a4579a30e01612c4cee0",
        "order_item_id": "12345"
      },
      {
        "key_id": "ac90f_639fd_6c236062f0d7a4579a30e01612c4cee1",
        "order_item_id": "67890"
      }
    ],
    "order_id": "8675309",
    "errors": undef,
    "messages": undef,
    "metadata": {
      "status": 1
    }
  }
}
```

Note:
Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

Parameter	Type	Description	Possible values	Example
-----------	------	-------------	-----------------	---------

- EmailAuth:: fetch_dkim_private_keys
- EmailAuth:: install_dkim_private_key
- EmailAuth:: install_spf_records
- EmailAuth:: validate_current_dkims
- EmailAuth:: validate_current_ptrs
- EmailAuth:: validate_current_spfs
- ExternalAuthentication
 - ExternalAuthentication:: add_auth_link
 - ExternalAuthentication:: configured_modules
 - ExternalAuthentication:: get_auth_links
 - ExternalAuthentication:: has_external_auth_modules_configured
 - ExternalAuthentication:: remove_auth_link
- Features
 - Features:: has_feature
 - Features:: list_features
- Fileman
 - Fileman:: autocomplete_dir
 - Fileman:: empty_trash
 - Fileman:: get_file_content
 - Fileman:: get_file_information
 - Fileman:: list_files
 - Fileman:: save_file_content
 - Fileman:: transcode
 - Fileman:: upload_files
- Ftp
 - Ftp:: add_ftp

access_token	string	Required The access token for the session to the cPanel Market provider.	A valid access token.	725431a1-d5bc-11e5-a28b-8b0e09a93f05
certificate	JSON	Required A JSON-encoded string that contains the details of the certificate. Note: To request multiple certificates, duplicate or increment the parameter name. For example, to request three certificates, use the certificate parameter multiple times or use the certificate-1, certificate-2, and certificate-3 parameters.	A JSON-encoded string that contains the product_id and price parameters, the subject_names and whoist_names and validity_period arrays. It may also contain the subject array.	Click to view... 
product_id	string	Required The product's ID. The certificate string contains this parameter.	A valid string.	143
price	string	Required The price of the certificate. The certificate string contains this parameter.	A valid string that represents the price in US dollars.	6

Ftp:: allows_anonymous_ftp

Ftp:: allows_anonymous_ftp_incoming

Ftp:: delete_ftp

Ftp:: ftp_exists

Ftp:: get_ftp_daemon_info

Ftp:: get_port

Ftp:: get_quota

Ftp:: get_welcome_message

Ftp:: kill_session

Ftp:: list_ftp

Ftp:: list_ftp_with_disk

Ftp:: list_sessions

Ftp:: passwd

Ftp:: server_name

Ftp:: set_anonymous_ftp

Ftp:: set_anonymous_ftp_incoming

Ftp:: set_homedir

Ftp:: set_quota

Ftp:: set_welcome_message

▼ Integration

Integration:: fetch_url

▼ KnownHosts

KnownHosts:: create

KnownHosts:: delete

KnownHosts:: update

KnownHosts:: verify



▼ LangPHP

LangPHP:: php_get_domain_handler

LangPHP:: php_get_impacted_domains

LangPHP:: php_get_installed_versions

LangPHP:: php_get

<p>subject_names</p>	<p>array of arrays</p> <p>or</p> <p>array of hashes</p>	<p>Required</p> <p>An array that contains arrays or hashes that indicate subject names in the certificate.</p> <p>The certificate string contains this array.</p>	<p>An array of arrays or hashes of subject names.</p> <div data-bbox="889 216 1031 562" style="border: 1px solid orange; padding: 5px;"> <p>Note: We added support for the array of hashes in cPanel & WHM version 74.</p> </div>	<p>HTTP-based DCV only : ▼ Click to view...</p>  <p>DNS-based DCV or HTTP-based DCV: ▼ Click to view...</p>  <p>Where dcv_method equals dns or http for DNS-based or HTTP-based Domain Control Validation (DCV).</p> <div data-bbox="1049 779 1190 1392" style="border: 1px solid orange; padding: 5px;"> <p>Note: Custom provider modules that include DNS-based DCV requests must use the array of hashes format, not the array of arrays.</p> </div>
<p>KnownHosts:: delete</p> <p>KnownHosts:: update</p> <p>KnownHosts:: verify</p> <p>▼ LangPHP</p> <p>LangPHP:: php_get_domain_handler</p> <p>LangPHP:: php_get_impacted_domains</p> <p>LangPHP:: php_get_installed_versions</p> <p>LangPHP:: php_get</p>	<p>array</p>	<p>Required</p> <p>An unnamed array that contains a name type and a name.</p> <p>The subject_names array contains this array or hash.</p> <div data-bbox="732 1650 873 1969" style="border: 1px solid orange; padding: 5px;"> <p>Notes :</p> <ul style="list-style-type: none"> • A s o f c P a n e l & W </div>	<p>Two elements that consist of dNSName and a string.</p>	<p>"dNSName", "5wq5eymrv7.test"</p>

t_system_default_version
LangPHP:: php_get_vhost_versions
LangPHP:: php_ini_get_user_basic_directives
LangPHP:: php_ini_get_user_content
LangPHP:: php_ini_get_user_paths
LangPHP:: php_ini_set_user_basic_directives
LangPHP:: php_ini_set_user_content
LangPHP:: php_set_vhost_versions
▼ LastLogin
LastLogin:: get_last_or_current_logged_in_ip
▼ Locale
Locale:: get_attributes
▼ Mailboxes
Mailboxes:: expunge_mailbox_messages
Mailboxes:: expunge_messages_for_mailbox_guid
Mailboxes:: get_mailbox_status
Mailboxes:: has_utf8_mailbox_names
Mailboxes:: set_utf8_mailbox_names
▼ Market
Market:: cancel_pending_ssl_certificate
Market:: create_shopping_cart
Market:: get_all_products
Market:: get_certificate_status_details
Market:: get_login_url
Market:: get_pending_ssl_certificates
Market:: get_provi

H
M
v
e
r
s
i
o
n
6
0
.
t
h
i
s
f
u
n
c
t
i
o
n
n
o
l
o
n
g
e
r
a
u
t
o
m
a
t
i
c
a
l
l
y
i
n
c
l
u
d
e
s
t
h
e
c
o
r
r
e
s
p
o
n
d
i
n
g
w
w
w
.
s
u
b
d
o
m
a
i
n
f
o
r
e
a
c
h
d

der_specific_dcv_constraints

Market:: get_providers_list

Market:: get_ssl_certificate_if_available

Market:: process_ssl_pending_queue

Market:: request_ssl_certificates

Market:: set_status_of_pending_queue_items

Market:: set_url_after_checkout

Market:: validate_login_token

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: delete_handler

Mime:: delete_hotlink

Mime:: delete_mime

Mime:: delete_redirect

Mime:: list_handlers

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirects

Mime:: redirect_info

▼ ModSecurity

ModSecurity:: disable_all_domains

ModSecurity:: disable_domains

ModSecurity:: enable_all_domains

ModSecurity:: enable_domains

ModSecurity:: has_modsecurity_inst

o
m
a
i
n
t
h
a
t
y
o
u
d
e
c
l
a
r
e
i
n
t
h
i
s
p
a
r
a
m
e
t
e

- alled
- ModSecurity:: list_domains
- ▼ Mysql
 - Mysql:: add_host
 - Mysql:: add_host_note
 - Mysql :: check_database
 - Mysql:: create_database
 - Mysql:: create_user
 - Mysql:: delete_database
 - Mysql:: delete_host
 - Mysql:: delete_user
 - Mysql:: get_host_notes
 - Mysql:: get_privileges_on_database
 - Mysql:: get_restrictions
 - Mysql:: get_server_information
 - Mysql:: locate_server
 - Mysql:: rename_database
 - Mysql:: rename_user
 - Mysql:: repair_database
 - Mysql:: revoke_access_to_database
 - Mysql:: set_password
 - Mysql:: set_privileges_on_database
- ▼ Notifications
 - Notifications:: get_notifications_count
- ▼ NVData
 - NVData:: get
 - NVData:: set
- ▼ Parser
 - Parser:: firstfile_relative_uri
- ▼ PassengerApps

r
 • l
 f
 y
 o
 u
 w
 i
 s
 h
 t
 o
 o
 r
 d
 e
 r
 t
 h
 e
 w
 w
 .
 s
 u
 b
 d
 o
 m
 a
 i
 n
 f
 o
 r
 a
 d
 d
 i
 t
 i
 o
 n
 a
 l
 l
 a
 r
 r
 a
 y

- PassengerApps:: disable_application
- PassengerApps:: edit_application
- PassengerApps:: enable_application
- PassengerApps:: list_applications
- PassengerApps:: register_application
- PassengerApps:: unregister_application
- PasswdStrength:: get_required_strength
- Personalization::set
 - Personalization::get
- Postgresql:: create_database
 - Postgresql:: create_user
 - Postgresql:: delete_database
 - Postgresql:: get_restrictions
 - Postgresql:: grant_all_privileges
 - Postgresql:: rename_database
 - Postgresql:: rename_user
 - Postgresql:: rename_user_no_password
 - Postgresql:: revoke_all_privileges
 - Postgresql:: set_password
- Pushbullet:: send_test_message
- Quota:: get_quota_info
- Resellers:: list_accounts

o
r
h
a
s
h
w
i
t
h
i
n
t
h
e
s
u
b
j
e
c
t
_
n
a
m
e
s
p
a
r
a
m
e
t
e

- ResourceUsage
 - ResourceUsage:: get_usages
- Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- Session
 - Session:: create_temp_user
- SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- SpamAssassin
 - SpamAssassin:: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- SSH
 - SSH:: get_port
- SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key
 - SSL:: delete_ssl
 - SSL:: disable_mail_sni
 - SSL:: enable_mail_sni
 - SSL:: fetch_best_for_domain

validity_period	array	<p>Required</p> <p>For what period of time the certificate will remain valid.</p> <p>The certificate string contains this parameter.</p>	<p>A two-element array that consists of a number and string which represents a unit of time.</p>	[1, "year"]
vhost_names	array	<p>Required</p> <p>A list of names of web virtual hosts (vhosts) for which the system will install the certificate.</p> <p>The certificate string contains this parameter.</p>	<p>A comma-separated list of web vhosts.</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Note: An asterisk character (*) represents every web virtual host with which the certificate is compatible.</p> </div>	<p>"example.com", "sub.example.com"</p> <p>"*"</p>
provider	string	<p>Required</p> <p>The cPanel Market provider's name.</p>	A valid string.	cPStore
url_after_checkout	string	<p>The URL to send the browser after the user checks out.</p>	A valid URL that does not contain a query string.	http://checkout.example.com
identity_verification	hash	<p>A hash that contains the required information for an EV or OV certificate.</p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Notes :</p> </div>	This information depends on the provider of the certificate.	<p>Click to view...</p> <p>This following example represents an OV certificate from cPanel Store. A different product may contain different information.</p> <div style="border: 1px dashed black; width: 50px; height: 50px; margin: 10px auto;"></div>

SSL:: fetch_cert_info
SSL:: fetch_certificates_for_fqdns
SSL:: fetch_key_and_cabundle_for_certificate
SSL:: find_certificates_for_key
SSL:: find_csrs_for_key
SSL:: generate_certificate
SSL:: generate_csr
SSL:: generate_key
SSL:: get_autossl_excluded_domains
SSL:: get_autossl_pending_queue
SSL:: get_autossl_problems
SSL:: get_cabundle
SSL:: get_cn_name
SSL:: install_ssl
SSL:: installed_host
SSL:: installed_hosts
SSL:: is_autossl_check_in_progress
SSL:: is_mail_sni_supported
SSL:: is_sni_supported
SSL:: list_certs
SSL:: list_csrs
SSL:: list_keys
SSL:: list_ssl_items
SSL:: mail_sni_status
SSL:: rebuild_mail_sni_config
SSL:: rebuildssldb
SSL:: remove_autossl_excluded_domains

• W
e
i
n
t
r
o
d
u
c
e
d
t
h
i
s
r
e
t
u
r
n
i
n
c
P
a
n
e
l
&
W
H
M
v
e
r
s
i
o
n
6
2
.

- SSL:: set_autossl_excluded_domains
- SSL:: set_cert_friendly_name
- SSL:: set_csr_friendly_name
- SSL:: set_key_friendly_name
- SSL:: set_primary_ssl
- SSL:: set_ssl_share
- SSL:: show_cert
- SSL:: show_csr
- SSL:: show_key
- SSL:: start_autossl_check
- SSL:: upload_cert
- SSL:: upload_key
- StatsBar
 - StatsBar:: get_stats
- Styles
 - Styles:: current
 - Styles:: list
 - Styles:: set_default
 - Styles:: update
- SubDomain
 - SubDomain:: addsubdomain
- Themes
 - Themes:: get_theme_base
 - Themes:: list
 - Themes:: update
- TwoFactorAuth
 - TwoFactorAuth:: generate_user_configuration
 - TwoFactorAuth:: get_user_configuration
 - TwoFactorAuth:: remove_user_configuration
 - TwoFactorAuth:: set_user_configuration
- UserManager
 - UserManager:: check_account_conflic

		<ul style="list-style-type: none"> • The function returns this hash for OV or EV certificates. 	
--	--	---	--

Returns

Return	Type	Description	Possible values	Example
order_id	<i>integer</i>	The order ID that the cPanel Market provider assigned.	A positive integer.	123456
checkout_url	<i>string</i>	The URL that the cPanel Market provider uses to process payment.	A valid publicly-available URL.	http://store.example.com/showmethemoney.cgi
certificates	<i>hash</i>	Information about each certificate in the order.	This hash includes the key_id and order_item_id returns.	

ts

UserManager:: create_user

UserManager:: delete_user

UserManager:: dismiss_user

UserManager:: edit_user

UserManager:: list_users

UserManager:: lookup_service_account

UserManager:: lookup_user

UserManager:: merge_service_account

UserManager:: unlink_service_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk


WebDisk:: delete_user

WebDisk:: set_home_dir

WebDisk:: set_password

WebDisk:: set_permissions

▼ WebmailApps

key_id	string	The private key's ID. The function returns this value in the certificates hash.	A valid key ID.	▼ Click to view... 
order_item_id	integer	The ID of the ordered item. The function returns this value in the certificates hash.	A positive integer.	12345

WebmailApps:: list
webmailapps

▼ WebVhosts

WebVhost:: list_do
mains

WebVhost:: list_ssl
_capable_domains

▼ WordPressBackup

WordPressBackup
:: any_running

WordPressBackup
:: cancel

WordPressBackup
:: cleanup

WordPressBackup
:: get_available_ba
ckups

WordPressBackup
:: is_running

WordPressBackup
:: start

▼ WordPressInstance

Manager

WordPressInstanc
eManager:: cancel
_scan

WordPressInstanc
eManager:: cleanu
p_scan

WordPressInstanc
eManager:: chang
e_admin_passwor
d

WordPressInstanc
eManager:: config
ure_autoupdate

WordPressInstanc
eManager:: get_ap
i_version

WordPressInstanc
eManager:: get_in
stance_by_id

WordPressInstanc
eManager:: get_in
stances

WordPressInstanc
eManager:: get_lat
est_wordpress_ver
sion_from_wordpr
ess_org

WordPressInstanc
eManager:: get_sc
an_results

WordPressInstanc
eManager:: is_inst
allable_addon_ava
ilable

WordPressInstanceManager:: **start_scan**

▼ WordPressRestore

WordPressRestore
:: **any_running**

WordPressRestore
:: **cleanup**

WordPressRestore
:: **start**