

Backup Configuration FAQ

What are my backup options?

What does the system store in a backup?

Which files does each cPanel user's backup include?

Can I select specific users' accounts to back up?

How does the system back up DNS zones?

How can I use the `rsync` script with a cPanel & WHM backup?

Which scripts run backups?

Where does the system store backup logs?

Where does the system store backups?

What does the system back up when I select configuration files? Where can I find the backups?

Files

Directories

Custom files

Can I run backups to locally mounted remote filesystems?

Why do I see "Permission denied" errors when I back up to a CIFS-mounted drive?

Can I control when backups run?

Why does my system retain more backups than I configured it to retain?

How can I configure my system to notify me when it attempts to create backup files and an error occurs?

Network File System (NFS) settings with backups

Additional documentation

What are my backup options?

You can configure backups for your server in WHM's [Backup Configuration](#) interface (*WHM >> Home >> Backup >> Backup Configuration*). This interface allows you to configure the way in which backups run on your server.

What does the system store in a backup?

System backup files include system files and directories.

Account backup files include home directory contents, databases, email and email settings, DNS records, and other account-related information.

Which files does each cPanel user's backup include?

After you enable account backups, the backup process runs as the cPanel user who owns the backed-up data. The system does **not** back up anything that a user does not own and cannot access.

- The system includes all of the files that the user owns in the backup.
- The system includes any files that the user does not own but has access to in the backup.

Can I select specific users' accounts to back up?

Use WHM's [Backup User Selection](#) interface (*WHM >> Home >> Backup >> Backup User Selection*) to select specific cPanel accounts to back up.

How does the system back up DNS zones?

If you use a DNSONLY™ cluster, the `pkgacct` script examines all of the DNS zones in the DNS cluster to find the record with the newest serial number. It then stores that DNS zone in the backup.

By default, backups are cluster-aware and pull the account's zone from the DNS cluster itself. To pull the account's zone from the local machine, enable the *Use Local DNS* option in WHM's [Backup Configuration](#) interface (*WHM >> Home >> Backup >> Backup Configuration*).

How can I use the `rsync` script with a cPanel & WHM backup?

We do **not** support backup procedures that use the `rsync` script.

While it is possible to use the `rsync` script with cPanel & WHM backups, we **strongly** recommend that you use cPanel-provided tools to ensure reliable backups. Under certain conditions, the `rsync` script may corrupt SQL database backups.

Which scripts run backups?

The following scripts are the main scripts that run backups:

```
/usr/local/cpanel/bin/backup
/usr/local/cpanel/scripts/pkgacct
```

For more information, read our [The pkgacct Script](#) documentation.

Where does the system store backup logs?

The system stores backup logs and backup error logs in the `/usr/local/cpanel/logs/cpbackup/` directory. The log filenames correspond to the second at which the system created them, in Unix epoch time.

For more information about log files, read our [The cPanel Log Files](#) documentation.

Where does the system store backups?

You can select the location in which you wish to store backups in the *Configure Backup Directory* section of WHM's [Backup Configuration](#) interface (*WHM >> Home >> Backup >> Backup Configuration*).

Note:

You **must** provide an absolute path to the local backup directory.

Use the `BACKUPDIR` variable to retrieve the system's current setting from the `/etc/cpbackup.conf` and `/var/cpanel/backups/config` files, as in the following example:

```
: awk '/BACKUPDIR/{print FILENAME": "NR": "$0}' /etc/cpbackup.conf
/var/cpanel/backups/config
/etc/cpbackup.conf: 8: BACKUPDIR /backup
/var/cpanel/backups/config: 28: BACKUPDIR: /backup
```

What does the system back up when I select configuration files? Where can I find the backups?

When you back up configuration files, the system automatically stores the files in the `dirs` and `files` directories. When you back up the entire MySQL directory, its contents are stored in the `dirs` directory.

cPanel & WHM backs up the following files and directories:

Files

```
/etc/exim.conf
/etc/exim.conf.local
/etc/exim.conf.localopts
/etc/named.conf
/etc/named.conf
/etc/proftpd.conf
/etc/pure-ftpd.conf
/etc/localdomains
/etc/apache2/conf/httpd.conf
/etc/group
/etc/shadow
/etc/passwd
/etc/fstab
/etc/ips
/etc/ips.remotemail
/etc/ips.remotedns
/etc/reservedips
/etc/reservedipreasons
/etc/quota.conf
/etc/wwwacct.conf
/etc/remotedomains
/etc/rndc.conf
/etc/secondarymx
/etc/my.cnf
/root/.my.cnf
/etc/apache2/conf/httpd.conf
```

Directories

```
/etc/cpanel
/etc/named
/etc/valiases
/etc/proftpd
/etc/vdomainaliases
/etc/ssl
/etc/vfilters
/usr/local/cpanel/3rdparty/mailman
/var/lib/rpm
/var/named
/var/cpanel
/var/spool/cron
/var/cpanel/bandwidth
/var/cpanel/ssl
/var/lib/mysql
/etc/pki/tls/certs/
```

Custom files

To configure system backups to include custom files or directories, create a new file or directory in the `/var/cpanel/backups/extras` directory (for example, `/var/cpanel/backups/extras/etc`). In that file, enter an absolute path to any files that you wish to back up (for example, `/etc/example.conf`).

Note:

The server administrator can edit the `/etc/my.cnf` file to change the MySQL data directory location. The system will back up the directory at its new location.

Can I run backups to locally mounted remote filesystems?

Warning:

- If you use a mounted filesystem to store backups, we **strongly** recommend that you mount the system with the `noexec` option. If you pass the `noexec` parameter to the `mount` parameter, the binaries **cannot** run on the mounted filesystem.
- We **strongly** recommend that you do not perform backups to remote filesystems (for example; NFS, CIFS, smbfs, or other types of network drive systems). While you can store a backup directly to a remote filesystem, cPanel & WHM does **not** support this configuration. We **strongly** recommend that you work with a qualified system administrator to manage this custom backup path to avoid potential risks.

You can configure a file system to use the `noexec` option by default. To do so, edit the `/etc/fstab` file. This file contains a list of mountable file systems and their configuration options.

To configure a mountable file system that automatically uses the `noexec` option, edit its entry in the `/etc/fstab` file to resemble the following example:

```
/dev/sda5 /backup ext3 defaults,noexec 0 0
```

Note:

Users who wish to mount or unmount a partition **must** place the partition in the `/etc/fstab` file. The backup utility **only** mounts or unmounts partitions that appear in the `/etc/fstab` file.

The example above describes the following configuration options:

Device	Default mount point	file system type	Mount options	Dump option	fsck order
<code>/dev/sda5</code>	<code>/backup</code>	<code>ext3</code>	<code>defaults,noexec</code>	<code>0</code>	<code>0</code>

To remount a backup disk while the system boots, run the following command:

```
mount -o remount,noexec /backup
```

Why do I see "Permission denied" errors when I back up to a CIFS-mounted drive?

When you try to back up to a CIFS-mounted drive, you may see errors that resemble the following:

```
/bin/cp: failed to preserve ownership for `': Permission denied
/bin/cp: failed to preserve ownership for `': Permission denied
```

This may be due to missing extended attributes on the CIFS mount.

To resolve this issue, perform the following steps:

1. Edit the `/etc/fstab` file so that the CIFS mount uses the `user_xattr` option. For more information about this option, read the [mount command's manual page](#).
2. Run the `remount mount` command to remount the CIFS mount.
3. Run the `lsattr /CIFS_mount` command.

If the `lsattr /CIFS_mount` command returns the following error, the mount does **not** support extended attributes:

```
Error means not available: lsattr: Inappropriate ioctl for device While
reading flags on ...
```

A mount that does not support extended attributes will **not** function with cPanel's backup.

Can I control when backups run?

To choose which days to run backups and how many backups to retain, use the *Scheduling and Retention* section of the [Backup Configuration](#) interface (*WHM >> Home >> Backup >> Backup Configuration*).

- You **must** manually alter the times at which backups run.
- You can manually edit the dates on which backups run in the `/var/cpanel/backups/config` file.

To choose the time at which backups run, manually edit the `root` user's crontab.

For example, by default, the backup runs at 2:00 am. To change this time to 3:30 pm, run the following commands:

1. Run the `crontab -l` command to retrieve the time at which the Backups crontab runs. You will receive output that is similar to the following example:

```
0 1 * * * /usr/local/cpanel/scripts/cpbackup
```

2. Run the `crontab -e` command to open the cron editor.
3. Alter the `0 2 * * * /usr/local/cpanel/bin/backup` line to resemble the following line:

```
30 15 * * * /usr/local/cpanel/bin/backup
```

Note:

For more information about the time syntax of Crontab, read Wikipedia's [Cron](#) article.

Why does my system retain more backups than I configured it to retain?

If your system retains a greater number of backup files than you configured in WHM's [Backup Configuration](#) interface (*WHM >> Home >> Backup >> Backup Configuration*), your system cannot properly rotate your backup files. Your system's failure to rotate backup files indicates that the system experiences an error when it attempts to generate a new backup.

To check your system for backup file generation errors, change to the `/usr/local/cpanel/logs/cpbackup` directory and run the `ls -al` command to view a list of backup logs. Backup logs that contain errors may resemble the following example:

```
[2016-11-17 07:52:47 +0200] mr_toad: mysqldump failed -- database may be
corrupt
[2016-11-17 09:52:59 +0200] mr_frog: mysqldump failed -- database may be
corrupt
```

Important:

You **must** troubleshoot the affected files or databases before the system will successfully create and rotate backup files.

Note:

The example above displays the error log in the following format:

- The time, in YYYY-MM-DD hh:mm:ss format, that the error occurred.
- The affected file or database.
- An error message.

How can I configure my system to notify me when it attempts to create backup files and an error occurs?

To configure your system to send you notifications when an error occurs with a backup file, perform the following steps:

1. Navigate to WHM's [Contact Manager](#) interface (*WHM >> Home >> Server Contacts >> Contact Manager*).
2. Click the *Notifications* tab.
3. Select the desired priority for the *Successful Backup* setting.

Note:

The template for this notification resides in the `Backup/PartialFailure.*.tmpl` file.

For more information about notification templates, view our [Notification Templates](#) documentation.

Network File System (NFS) settings with backups

Important:

cPanel Support does **not** officially support NFS. We provide this information for reference.

An NFS mount allows users to access files through a computer network similar to how you would access local storage. System backups utilize an NFS as mount options in the `/etc/fstab` directory. Backups use the following mount option:

```
10.215.218.163:/volume1/datastor /mnt/nfs nfs
auto,noatime,nolock,bg,nfsvers=4,intr,tcp,actimeo=1800 0 0
```

In this example, NFS bases both the `ip.ad.dre.ss:/export/path` and `/mountpoint` values entirely on your setup.

Note:

We do **not** recommend that you use NFS over the Internet. You **may** use NFS as the primary backup directory, but this degrades your performance. We **strongly** recommend that you make the NFS mount point an additional "local directory destination." This action ensures that the system localizes backups and transfers them to the NFS directory.

Additional documentation

Suggested documentation [For cPanel users](#) [For WHM users](#) [For developers](#)

- [Legacy Backups FAQ](#)
- [The restorepkg Script](#)
- [Backup Configuration FAQ](#)
- [Remote Restoration](#)
- [Backup for cPanel](#)

- [Backup for cPanel](#)
- [Backup Wizard](#)
- [File and Directory Restoration for cPanel](#)

- [Remote Restoration](#)
- [How to Transfer Accounts and Configurations Between cPanel Servers](#)
- [How to Create a Custom Transport Script for Backups](#)
- [How to Run Backups on Locally-Mounted Remote Filesystems](#)
- [How to Manage Metadata Settings](#)

- [UAPI Modules - Restore](#)
- [UAPI Functions - Restore::directory_listing](#)
- [UAPI Functions - Restore::get_users](#)
- [UAPI Functions - Restore::restore_file](#)
- [UAPI Functions - Restore::query_file_info](#)