

WHM API 1 Functions - fetchcrtinfo

Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Call cPanel API 2 and UAPI

Account Restoration
restore_modules_summary

restore_queue_activate

restore_queue_add_task

restore_queue_clear_all_completed_tasks

restore_queue_clear_all_failed_tasks

restore_queue_clear_all_pending_tasks

restore_queue_clear_all_tasks

restore_queue_clear_completed_task

restore_queue_clear_pending_task

restore_queue_is_active

restore_queue_list_active

restore_queue_list_completed

Description

This function retrieves information about a certificate.

Examples

JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/fetchcrtinfo?api.version=1&user=example&id=example_com_bf638_f81af_1500191700_79e34f42c83f748bd49474ab9d66f7cd
```

XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/fetchcrtinfo?api.version=1&user=example&id=example_com_bf638_f81af_1500191700_79e34f42c83f748bd49474ab9d66f7cd
```

Function information

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

Notes:

- Scro
- Yc
- mi
- us
- 20
- or
- 20
-)t

```
restore_queue_list_pending
restore_queue_state
restoreaccount
verify_new_username_for_restore
```

▼ Accounts

```
accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_disk_usage
get_domain_info
getdomainowner
has_digest_auth
has_mycnf_for_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
```

▼ Command Line

```
whmapil fetchcrtinfo
user=example
id=example_com_bf638_
f81af_1500191700_79e3
4f42c83f748bd49474ab9
d66f7cd
```

Notes:

- Unless otherwise noted, you **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local
/cpanel/bin/whmapil
```

▼ Output (JSON)

```
{
  "data": {
    "cabundle":
    "-----BEGIN
CERTIFICATE-----\nMII
EkjCCA3ggAwIBAgIQCgFB
QgAAAVOfc2oLheynCDANB
gkqhkiG9w0BAQsFADA/MS
QwIgyYDVQQK\nExtEaWdpd
GFsIFNpZ25hdHVyZSBUCn
VzdCBDbj4xZzAVBgNVBAM
TDkRTVCSb290IENBIFgz
MB4X\nDTE2MDMxNzE2NDA
0NloXDTE2MDMxNzE2NDA0
NlowSjElMAkGA1UEBhMCV
VMxFlAUBgNVBAoTDUx1\n
dCdzIEVuy3J5cHQxIzAhB
gNVBAMTGkxldCdzIEVuy3
J5cHQgQXV0aG9yaXR5IFg
zMIIBIjANBgkqhkiG9w
0BAQEFAAOCAQ8AMIIBCgK
CAQEAnMM8Fr1Lke3c103
g7NoYzDq1zUmGSXhvb418
XCSL7e4\nS0EFq6meNQhY
```

Find a function

- WHM API 1 Sections - Security — Security functions allow you to manage system security services.
- WHM API 1 Functions - [authorize_sshkey](#) — This function authorize a key to access the server via SSH.

untrack_acct_id

verify_new_username

▼ Addon Domains

convert_addon_fetch_conversion_details

convert_addon_fetch_detail_main_details

convert_addon_get_conversion_status

convert_addon_initiate_conversion

convert_addon_list_addon_domains

convert_addon_list_conversions

▼ Authentication

api_token_create

api_token_list

api_token_revoke

api_token_update

disable_authentication_provider

disable_failing_authentication_providers

enable_authentication_provider

get_available_authentication_providers

get_login_url

get_provider_client_configurations

get_provider_configuration_fields

get_provider

7LEqxGiHC6PjdeTm86dic
 bp5gWaf15Gan/PQeGdxyG
 kOlZHP/uaZ6WA8SMx+yk1
 3\nEiSdRxta67nsHjcAHJ
 yse6cF6s5K671B5TaYucv
 9bTyWaN8jKkKQDIZ0Z8h/
 pZq4UmEUEz916YKH\ny9v
 6D1b2honzhT+Xhq+w3Brv
 aw2VF3EK6BlspkENnWaa
 6xK8xuQSXgvopZPKiAlKQ
 TGdMDQMc2P\nMTiVFrqoM
 7hD8bEfWzB/onkxEz0tNv
 jj/PIzark5McWvxIONHWQ
 WM6r6hCm21AvA2H3DkwID
 AQAB\no4IBfTCCAXkwEgY
 DVR0TAQH/BAgwBgEB/wIB
 ADAOBgNVHQ8BAF8EBAMCA
 YYwfwYIKwYBBQUHAQEE\n
 czBxMDIGCCsGAQUFBzABh
 iZodHRwOi8vaXNyZy50cn
 VzdBGlkLm9jc3AuaWR1bnR
 ydXN0LmNvbTA7\nlbnRy
 EFBQcwAoYvaHR0cDovL2F
 wchMuaWR1bnRydXN0LmNv
 bS9yb290cy9kc3Ryb290Y
 2F4My5w\nnN2MwHwYDVR0j
 BBgwFoAUxKexpHsscfrb4
 UuQdf/EFWCFiRAwVAYDVR
 0gBE0wSzAIBgzngQwBAGe
 w\nPwYLKwYBBAGC3xMBAQ
 EwMDAuBggrBgEFBQcCARY
 iaHR0cDovL2Nwcy5yb290
 LXgxLmxldHN1bmNy\nneXB
 0Lm9yZzA8BgnVHR8ENTAz
 MDGgL6AthitodHRwOi8vY
 3JsLmlkZW50cnVzdC5jb2
 0vRFNUUk9P\nnVENBWDNDU
 kwuY3JsMB0GA1UdDgQWBB
 SoSmpjBH3duubRObemRWX
 v86jsoTANBgkqhkiG9w0B
 AQsF\nnAAOCAQEA3TPXEfn
 jWDjdGBX7CVW+dla5cEil
 aUcne8IkCJLxWh9KEik3J
 HRRHGJouM2VcGf196S8\n
 TihRzZvoroed6ti6WqEBm
 tZW3Wodatg+VyOeph4EYp
 r/1wXKtx8/wApIvJSwtmV
 i4MFU5aMqrSDE\nn6ea73M
 j2tcMyo5jMd6jmeWUHK8s
 o/joWUoHOUgwuX4Po1QYz
 +3dszkDqMp4fk1xBwXRSW
 10KXzPM\nnTZ+sOPAveyxi
 ndmjkW81Gy+QsRlGPfZ+G

- WHM API 1 Functions - check_remote_ssh_connection — This function tests an SSH connection to another server.
- WHM API 1 Functions - convertopensslhtoputty — This function converts an OpenSSH private key to a PuTTY key.

_display_configuration
get_authn_linked_accounts
link_authn_provider
set_provider_client_configurations
set_provider_display_configuration
twofactorauth_disable_policy
twofactorauth_enable_policy
twofactorauth_generate_tfa_config
twofactorauth_get_issuer
twofactorauth_get_user_configs
twofactorauth_policy_status
twofactorauth_remove_user_config
twofactorauth_set_issuer
twofactorauth_set_tfa_config
unlink_authn_provider
validate_logintoken

Backups

backup_config_get
backup_config_set
backup_data_list
backup_destination_add
backup_destination_delete

```
6Z6h7mjem0Y+iWlkYcV4P
IWL1iwBi8saCbGS5jN2p8
M\n+X+Q7UNKEkROb3N6KO
qkqm57TH2H3eDJAKSnh6/
DNFu0Qg==\n-----END
CERTIFICATE-----";
    certificate:
"-----BEGIN
CERTIFICATE-----\nMII
GeDCCBWCgAwIBAgISAxs2
uBW3Q2TrGS/aRjTFh90EM
A0GCSqGSIB3DQEBcUAME
oxCzAJBgNV\nBAYTAlVTM
RYwFAYDVQQKEw1MZXQncy
BFbmNyeXB0MSMwIQYDVQQ
DExpMZXQncyBFbmNyeXB0
IEF1\ndGhvcm10eSBYMzA
eFw0xNzA0MTcwNzU1MDBa
Fw0xNzA3MTYwNzU1MDBaM
CUxIzAhBgNVBAMTGm9u\n
ZWFkYX11bnRpbHRoZWVh
WlkaWUuY29tMIIBIjANBg
kqhkiG9w0BAQEFAAOCAQ8
AMIIBCgKCAQEA\nv2OGaQ
w5oeg2hy0LqfYlBoncBPq
ElkTfZGqY/2WHoKr5TawP
q0lsrLzx17946KGxLs0A3
J1rRpi9\nOqrHdv69tj2p
FRFC1USj1QmWnUi3h//aT
YFNrfDmG+1NWZQ3ALCveT
QXYIAvbmwLSPxh6wdtEmU
0\nGjbgDNxsI8GSrZcJ54
3PSTXYFvp7S1yBNSn64S5
QB8WeNkLGyF0G+ieXbCJo
5neJrNh6+6U+x7mT\n/VB
sQDOFOMIskjK01q56+/el
zgsi61Z5w9IXuQRB3YbbW
zCC/kFmzEB/NTe9R5v1AE
zdcNwWXpfi\nv1rNIktLQ
DYIRyHqtyrXl3uR8fvmoY
f011+BrwIDAQABO4IDezC
CA3cwDgYDVR0PAQH/BAQD
AgWg\nMB0GA1UdJQQWMBQ
GCCsGAQUFBwMBBggrBgEF
BQcDAjAMBgNVHRMBAf8EA
jAAMB0GA1UdDgQWBBQW\n
s0hUTrAJ0+dblI2D9K2Aa
2O3STAfBgNVHSMEGDAWgB
SoSmpjBH3duubRObemRWX
v86js0TBwBggr\nBgEFBQ
cBAQRkMG1wLwYIKwYBBQU
HMAGGI2h0dHA6Ly9vY3Nw
LmludC14My5sZXRzZW5jc
```

backup_destination_get
backup_destination_list
backup_destination_set
backup_destination_validate
backup_get_transport_status
backup_list_transported
backup_set_list
backup_set_list_combined
backup_skip_users_all
backup_skip_users_all_status
backup_user_list
convert_and_migrate_from_legacy_config
get_users_within_backup_metadata
list_cparchive_files
start_background_pkgacct
toggle_user_backup_status
cPHulk
cphulk_statuses
create_cphulk_record
delete_cphulk_record
disable_cphulk
enable_cphulk
flush_cphulk_login_history

n1wdC5v\ncmcmvMC8GCCsG
AQUFBzAChiNodHRwOi8vY
2VydC5pbmQteDMubGV0c2
VuY3J5cHQub3JnLzCCAYM
G\nA1UdEQSCAXowggF2gi
FjcGFuZWwub25lYWRheXV
udG1sdGhlZGF5aWRpZS5j
b22CH21haWwub25l\nYWR
heXVudG1sdGhlZGF5aWRp
ZS5jb22CHm1wMy5vbmVhZ
GF5dW50aWx0aGVkYXlpZG
1lLmNvbYIa\nnb25lYWRhe
XVudG1sdGhlZGF5aWRpZS
5jb22CIXJhbmRvbS5vbmV
hZGF5dW50aWx0aGVkYXlp
ZG1l\nnLmNvbYIid2ViZG1
zay5vbmVhZGF5dW50aWx0
aGVkYXlpZG1lLmNvbYIid
2VibWFpbC5vbmVhZGF5\nn
dW50aWx0aGVkYXlpZG1lL
mNvbYIed2htLm9uZWFKYX
11bnRpbHRoZWVkaWU
uY29tgiJ3d3cu\nnbXAzLm
9uZWFKYX11bnRpbHRoZWV
kaWUuY29tgh53d3cu
b25lYWRheXVudG1sdGhlZ
GF5aWRp\nnZS5jb22CJXd3
dy5yYW5kb20ub25lYWRhe
XVudG1sdGhlZGF5aWRpZS
5jb20wgf4GA1UdIASB9jC
B\nn8zAIBgzngQwBAgEwge
YGCysGAQQBgt8TAQEEMIH
WMCYGCCsGAQUFBwIBFhpo
dHRwOi8vY3BzLmx1\nndHN
1bmNyeXB0Lm9yZzCBqwYI
KwYBBQUHAgIwgZ4MgZtUa
GlzIEN1cnRpZmljYXRlIG
1heSBvbmx5\nnIGJlIHJlb
G1lZCB1cG9uIGJ5IFJlbH
lpbmcgUGFydG1lcyBhbmQ
gb25seSBpbiBhY2NvcnRh
bmN1\nnIHdpdGggdGhlIEN
1cnRpZmljYXRlIFBvbG1j
eSBmb3VuZCBhdCBodHRwc
zovL2xldHN1bmNyeXB0\nn
Lm9yZy9yZXBvc210b3J5L
zANBgkqhkiG9w0BAQsFAA
OCAQEAbfVset/dZ+ru/K2
DMA2Od4pCnRYa\nnLDREL7
TyAWHjHq2fHK1Wbz1O9zH
is+C0ezB6QBPMnrGDZns/
v1njGp1gASlylpqgAsytb
QdPbfHv\nn/Bx1HRWywniA

flush_cphulk
_login_histo
ry_for_ips

get_countrie
s_with_kno
wn_ip_rang
es

get_cphulk_
brutes

get_cphulk_
excessive_b
rutes

get_cphulk_
failed_logins

get_cphulk_
user_brutes

load_cphulk
_config

read_cphulk
_records

save_cphulk
_config

set_cphulk_
config_key

▼ Databases

background
_mysql_upg
rade_status

current_mys
ql_version

installable_
mysql_versi
ons

latest_availa
ble_mysql_v
ersion

list_databas
e_users

list_databas
es

list_mysql_d
atabases_a
nd_users

remote_mys
ql_create_p
rofile

remote_mys
ql_create_p
rofile_via_s
sh

remote_mys
ql_delete_p
rofile

remote_mys
ql_initiate_p
rofile_activat

```
KSRYFxcrc3k3ThrSZxDj+A  
9mt0znNDNUvRNuP5dGFmQ  
zFACykgNJ58yCeUJZkD78  
p\n7UjpbpxzWW2m6MH1Hu  
7dDcCwSXpCa6uE4V9TeV  
30So42C+z1GH2x3GeZYLO  
ZENmG2nFw0mQFSIW\nnATy  
Quv1Jlc7tiUGmY9o13teT  
N4YLColMk037Rrwb/mne3  
ORCPB0k7QtPtzHnCdnRio  
2NvwZkPXzL\nbioRoW0dQ  
g==\n-----END  
CERTIFICATE-----";  
  
    is_self_signed:  
0;  
  
    key: "-----BEGIN  
RSA PRIVATE  
KEY-----\nMIIEPaIBA  
CAQEA2OGaQw5oeg2hy0L  
qfYlBoncBPqElkTfZGqY/  
2WHoKr5TawP\nqOlSrLzx  
17946KGxLs0A3J1rRpi90  
qrHdv69tj2pFRFC1USj1Q  
mWnUi3h//aTYFN\nnrfDmG  
+lNWZQ3ALCveTQXYIAvbm  
wLSPxh6wdtEmU0GjbbqDNx  
sI8GSrZcJ543PSTXY\nnFv  
p7S1yBNSn64S5QB8WeNkL  
GyF0G+ieXbcJo5neJrNh6  
+6U+x7mT/VBsQDOFOMIs\  
nkjKo1q56+/elzgsi6lZ5  
w9IXuQRB3YbbWzCC/kFmz  
EB/NTe9R5v1AEzdcNwWxp  
fi\nv1rNIktLQDYIRyHqt  
yrXl3uR8fvmoYf01l+Brw  
IDAQABAoIBAG6cIm5LtnM  
wNXNi\nnQT91Fmj0+8eU0V  
PXchQi11GjaAMfTP3q1xI  
T9c7PVCYQbtXjtnCJ29mk  
0P73/0UM\ntkK7bwEIGdQ  
nKa0AA1p8NCOqhwd+grgQ  
ZsiEVTkEWMPQuQkZFBDEX  
k5TRxZWMx93\nnXU/r9smO  
29HasuHD8mun0BGrHPpJJ  
m6JE8iMT9wIrr4pYb5TLt  
XtO/yQ5rxsT5uB\nnbmuXA  
HZ51brj+aIdjrYNAVYHPv  
VDAjs7aHgKjbLvJ7DJPJK  
SbkbAEYKqT7lyQO5x\nnGt  
Lk1K5qKNHc1sFyybBF/LO  
1Tn7xTMbSuKce/AUvgE76  
RZOnkvCD/kY113WBH2ns\  
nYFsojsECgYEA7UgMJgoK
```

ion
remote_mysql_monitor_profile_activation
remote_mysql_read_profile
remote_mysql_read_profiles
remote_mysql_update_profile
remote_mysql_validate_profile
rename_mysql_database
rename_mysql_user
rename_postgresql_database
rename_postgresql_user
set_local_mysql_root_password
set_mysql_password
set_postgresql_password
start_background_mysql_upgrade

▼ DNS

addns
addzonerecord
addzonerecord (Reverse DNS)
dumpzone
editzonerecord
get_nameserver_config
getzonerecord
has_local_authority

```
nerhmG/mnZqPUXb78PVgZ  
mt0zmlAYRAcLc8K19xPKV  
OK\nz4HcDmfkPdkpsdp1Y  
XJ6K/ueJOXq0aCFh2E+uY  
yqvsMQDFp72poxUPPLJ5z  
oj3jG\n6N9owoV2CuWX0Q  
bhsE4/Hu5sVjBdE8WuqBB  
UqKp6602YV8YrA018bSkC  
gYEAznyq\nLhQujrpeqlN  
/HRhpNne5r5D8F4wQSZmF  
P9eRP1pnO2TQqY/wXJgOM  
KT20Ccqwi iY\nnoVuOmQs1  
W3dz/MlWHanRKL5cIcF26  
Pgsp1jimD13JwPU/7nH4+  
CzJmkXGSHbNmQf\nn2wv jv  
+jni2PbTZ5sotESziaJAd  
bcRAdg39KnexcCgYEAj08  
6dycNbn9ULZs4L+wP\nnr2  
YrmEa7KGcyNZCAH595RXm  
M1P7smMsqRVXrMJAY29/z  
PMXyqx5XB4V66FIs1tsa\  
nir+DANIitgBeCvgDYe5K  
5tfHiXtNQonxqOh1/zZYK  
xCr9sUvPiqkGOxrZkrjjH  
OS\nnn1Ltrs j4YHGHF0xK4  
j3EbrECgYB403ANqJeZwy  
qTxmoST295hNNuDYvGB5q  
cRq43\nLl1/6z16q3ZJQNj  
7zH7L1+hHGubSGipTNjrL  
BkVJ2pE6FtBalIvKWQdXN  
ltSK/HW8\nnswFdDlKDzPU  
9cquqB5ktN79hYHNSv4H4  
fluVt6aAN5S+1mqd9GpRDd  
z8iiWS41gy0\nnzCJenwKB  
gQC6lu/Gs jGx4yv0c3KJH  
grpIroo3HYsamAdjJBfgB  
GKxrxVO5J7dbvd\nn84UYz  
p+a0XNjazMxx5rEbU3HjK  
V5nsHjU+Eoqpz/vwfRqbC  
7mqINrRQoBKtEhuOY\nn+x  
d6W+i58dOPv7PmgxPegmZ  
4Fo+jHx+mNLv9L+27JPMB  
RrRWUxH5TQ==\n-----EN  
D RSA PRIVATE  
KEY-----"
```

```
subject.commonName_ip  
: "192.168.0.20"  
},  
"metadata": {  
  "version": 1,  
  "reason": "OK",  
  "result": 1,
```

killdns
listmxs
listzones
lookupnsip
lookupnsips
removezone
record
resetzone
resolvedom
ainname
savemxs
setresolvers
update_nam
eservers_co
nfig

▼ EasyApache

ea4_get_cur
rently_install
ed_packages

ea4_get_ea
_pkgs_state

ea4_list_pro
files

ea4_metainf
o

ea4_migrati
on

ea4_pre_mi
grate_check

ea4_recom
mendations

ea4_save_p
rofile

ea4_tomcat
85_add

ea4_tomcat
85_list

ea4_tomcat
85_rem

▼ Greylisting

cpgreylist_is
_server_net
block_truste
d

cpgreylist_li
st_entries_f
or_common
_mail_provid
er

cpgreylist_lo
ad_common
_mail_provid

"command" :

ers_config
cpgreylist_s
ave_commo
n_mail_provi
ders_config

cpgreylist_st
atus

cpgreylist_tr
ust_entries_
for_common
_mail_provid
er

cpgreylist_u
ntrust_entrie
s_for_comm
on_mail_pro
vider

create_cpgr
eylist_truste
d_host

delete_cpgr
eylist_truste
d_host

disable_cpgr
eylist

enable_cpgr
eylist

load_cpgrey
list_config

read_cpgrey
list_deferred
_entries

read_cpgrey
list_trusted_
host

save_cpgrey
list_config

▼ Integration

batch

cpanel

create_integ
ration_group

create_integ
ration_link

get_integrati
on_link_user
_config

list_integrati
on_groups

list_integrati
on_links

remove_inte
gration_grou
p

remove_inte

```
"fetchcrtinfo"  
  }  
}
```

▼ Output (XML)

```
<result>  
  <data>  
  
    <subject.commonName_i  
p>192.168.0.20</subje  
ct.commonName_ip>  
  
    <is_self_signed>0</is  
_self_signed>  
  
    <cabundle>"-----BEGIN  
CERTIFICATE-----\nMII  
EkjCCA3ggAwIBAgIQCgFB  
QgAAAVOfc2oLheyxCDANB  
gkqhkiG9w0BAQsFADA/MS  
QwIgwYDVQQK\nExtEaWdpd  
GFsIFNpZ25hdHVyZSBUCn  
VzdCBDby4xFzAVBgNVBAM  
TDkRTVCSB290IENBIFgz  
MB4X\nnDTE2MDMxNzE2NDA0  
ONloXDTIxMDMxNzE2NDA0  
NlowSjELMAkGA1UEBhMCV  
VMxFljAUBgNVBAoTDUx1\nnCdzIEVUy3J5cHQxIzAhB  
gNVBAMTGkxldCdzIEVUy3  
J5cHQgQXV0aG9yaXR5IFg  
zMIIIBIjANBgkq\nnhkiG9w  
0BAQEFAAOCAQ8AMIIBCgK  
CAQEAnNMM8Fr1Lke3c103  
g7NoYzDq1zUmGSXhvb418  
XCSL7e4\nnS0EFq6meNQhY  
7LEqxiHC6PjdeTm86dic  
bp5gWaf15Gan/PQeGdxyG  
kOlZHP/uaZ6WA8SMx+yk1  
3\nnEiSdRxta67nsHjcAHJ  
yse6cF6s5K671B5TaYucv  
9bTyWaN8jKkKQDIZ0Z8h/  
pZq4UmEUEz916YKH\nny9v  
6Dlb2honzht+Xhq+w3Brv  
aw2VFn3EK6BlspkENnWaa  
6xK8xuQSXgvopZPKiAlKQ  
TGdMDQMc2P\nnMTiVFrqoM  
7hD8bEfWzB/onkxEz0tNv  
jj/PIzark5McWvxIONHWQ  
WM6r6hCm21AvA2H3DkwID
```

gration_link	AQAB\no4IBfTCCAXkwEgY
update_inte	DVR0TAQH/BAgwBgEB/wIB
gration_link	ADAObgNVHQ8BAf8EBAMCA
_token	YYwfwYIKwYBBQUHAQEE\n
▼ IP Addresses	czBxMDIGCCsGAQUFBzABh
addips	iZodHRwOi8vaXNyZy50cn
delip	VzdGlkLm9jc3AuaWRlbnR
get_public_i	ydXN0LmNvbTA7\nBggrBg
p	EFBQcwAoYvaHR0cDovL2F
get_shared_	wcHMuaWRlbnRydXN0LmNv
ip	bS9yb290cy9kc3Ryb290Y
ipv6_disable	2F4My5w\nN2MwHwYDVR0j
_account	BBgwFoAUxKexpHsscfrb4
ipv6_enable	UuQdf/EFWCFiRAwVAYDVR
_account	0gBE0wSzAIBgzngQwBAGe
ipv6_range_	w\nPwYlKwYBBAGC3xMBAQ
add	EwMDAuBggrBgEFBQCARY
ipv6_range_	iaHR0cDovL2Nwcy5yb290
edit	LXgxLmxldHN1bmNy\neXB
ipv6_range_	0Lm9yZzA8BgNVHR8ENTAz
list	MDGgL6AthitodHRwOi8vY
ipv6_range_	3JsLmlkZW50cnVzdC5jb2
remove	0vRFNUUk9P\nVENBWDNDU
ipv6_range_	kwuY3JsMBOGA1UdDgQWBB
usage	SoSmpjBH3duubRObemRWX
listips	v86jsoTANBgkqhkiG9w0B
nat_checkip	AQsF\nAAOCAQEA3TPXEfn
nat_set_pub	jWDjdGBX7CVW+dla5cEil
lic_ip	aUcne8IkCJLxWh9KEik3J
setsiteip	HRRHGJouM2VcGf196S8\n
▼ Mail	TihRzZvoroed6ti6WqEBm
disable_dki	tzw3Wodatg+VyOeph4EYp
m	r/1wXKtx8/wApIvJSwtmV
disable_mail	i4MFU5aMqrSDE\n6ea73M
_sni	j2tcMyo5jMd6jmeWUHK8s
emailtrack_s	o/joWUoHOUGwuX4P0lQYz
earch	+3dszkDqMp4fk1xBwXRsW
emailtrack_s	10KXzPM\nTZ+sOPaveyxi
tats	ndmjkw8lGy+QsRlGPFz+G
emailtrack_u	6Z6h7mjem0Y+iWlkYcV4P
ser_stats	IWLliwBi8saCbGS5jN2p8
enable_dkim	M\n+X+Q7UNKEkROb3N6KO
enable_mail	qkqm57TH2H3eDJAKSnh6/
_sni	DNFu0Qg==\n-----END
ensure_dki	CERTIFICATE----- "</ca
m_keys_exi	bundle>
st	<key>
exim_config	-----BEGIN
uration_che	RSA PRIVATE KEY-----
ck	MIIEpAIBAACAQEA0TtAD
expunge_m	zeV7Yw6pBMienLX2K1Lbf

ailbox_messages	c1F8kbghExY1uqKTS0pmU h
expunge_messages_for_mailbox_guid	3hei9mmZGuuOpYY9Nghcp ZM7DUscrDeurWPlmXE5r4 D4rCXUBaRb466CWYA42EV d
fetch_dkim_private_keys	EKqJcNucv+QVNPrrR16GKY /STkJW7xFsYhkd0fNLC9Z muAH0hOhr/DPz1C02nWp+ d
fetch_mail_queue	Xh2opF6oz13TyUCr1j94P RZyLn9/FkWMMxq63vPKrG a6bDKwA1+XaLR1oKgH+02 q
generate_mobileconfig	esXwOAlAIEKpbZXWq4rly gc/rESf0o4MZ4cNR2Fhrb QbgWRYTKXR6T50yewyBTH f
get_mailbox_status	xTeYBv7Wod9EmqVqaN+VM dwaSXHVI7Ws8vNiuQIDAQ ABAoIBAQDNxUyh6pPbtG6 z
get_mailbox_status_list	kFH3RNy8qvqQ41+rfdA84 bXFto+pyLjlcE6Xgn1lg7 Lcg8+dQGEQs7aR7DNGRpm j
get_unique_recipient_count_per_sender_for_user	UXvL8JQMjQs jbf6 jxuw2x EbOq4Bs jyrYn5cAXgc6rq Sgn6qvmQEo5SkaVp2Ns4S f
get_unique_sender_recipient_count_per_user	fsumu713STwNmJ9Ewcscv xIY7un7uxJJab7TFePIm3 sjvh00Pr/qGIzXs3JrpfE B
get_user_email_forward_destination	wMEmr1mataA09aSek/MqPQ aCVrJkTnBG0rkhJeK5auc rA6a5OrKGKEbTAzcEuO5u 0
hold_outgoing_email	Rx+52S3SIb0ItGja6y9Nm GjM0ofjE6svGxKHj6hXKw 62SYnCZjmMsHh/7QDPSFx u
install_dkim_private_keys	hkndoZ+RAoGBAPOe811Mt +xwMJ64MEldIzSmQpAcq7 lRG+pFrCbX9bbDUegCfZM L
install_spf_records	74S/ar+o8rSRUtf/kBzwW wKJsGJ8vvssA+sHBJwhD7 6iorN/DmH2LgXGuilN5Qd O
is_sni_supported	IGlzP/F1Zer+/bVBN8gfG 874Y5oyvOqobvd9XILT+I fIWEisjEBt8RItAoGBANv
list_pops_for	
mail_sni_status	
rebuild_mail_sni_config	
release_outgoing_email	
save_spamd_config	
set_user_email_forward_destination	
suspend_outgoing_email	
unsuspend_outgoing_email	

validate_current_install_exim_config	c9ga05rf+4UqpIfWL3NFKY NXvND1BXiav/S15v05/Jz /p8KHltPQUcqw6VyhHaOs
validate_current_dkims	afobhdSsqG8nFxAvCxpU3M okgrGE+I0GHDFWsqoQDE
validate_current_ptrs	XF+NVHwZQq/loZO+BUao5f
validate_current_spfs	sZdMfny1zCJquXIZdHpiL
validate_exim_configuration_syntax	AN9DGNwtgvO/0ngiQY9Ao GBAicWN+YsSEA+5XbdQ0t
▼ Market	i
disable_market_provider	vcbP+1DW1RHp08Vn5NGjk VBKdfxkhsUo1SPS0Gp+UD Z37qv+9fZWAOEjYD78VR0
enable_market_provider	J
get_adjusted_market_providers_products	ihKkzZWVb5mRrQ5DacKoM 1TYoRvF+Z1XYPmYAnjtVB o+UohTJY8+ULkvWmuCfub
get_market_providers_commission_config	P
get_market_providers_list	htinFua/PSxtlyaVJyAC1 o3xAoGAHueEPZUYCSzuhg wYFee+9jw6OFgTQ7j4fv+
get_market_providers_product_metadata	1
get_market_providers_products	2sqN4AhHgBhmFp3u/ZASP ltE/Qsxs1v82YN1SFtQ5J /D2tNaDodftx68nD6bvg4
set_market_product_attribute	5
set_market_provider_commission_id	y36RqC3xS6100KaJc0ZH0 mpRnErBX5nb4KSD8wuq0f umbX9efAVoomTlZOtm8en
▼ ModSecurity™	6
modsec_added_rule	wGurVxECgyBWXLcLmj1OI nirL0p5wDL2Qc5qWoOaLV qLxuzz+lyluod7ruRlxZa
modsec_added_vendor	o
modsec_ensemble_config_text	At7CFatFz2XVFeAFhoRdK VdWh5QGE+QtZL6V9nZHgU oCfwM13Xt2vpGtuYjuobu
modsec_batch_settings	7
modsec_check_rule	rwGtjYc+LkBtubG9M/Nvv BMtaTShti2X4FWcMBL7du 2sDwHVFfs1UA==
modsec_clone_rule	-----END RSA PRIVATE KEY----- </key> <certificate>
	-----BEGIN CERTIFICATE----- MIEEzCCAvugAwIBAgIJA LF/jFpw6p1bMA0GCSqGSI

modsec_deploy_all_rule_changes	b3DQEBBQUAMIGfMRYwFAYD
modsec_deploy_rule_changes	VQQDEw10ZXN0c2l1tb24uY29tMRYwFAYDVQQLew1Eb2N1bWVudGF0aW9uMQswCQYD
modsec_deploy_settings_changes	VQQGEwJVUzEoMCYGCsQGS Ib3DQEJARYZbGF1cmVuY2Uuc2l1tb25AY3BhbVVsLm51
modsec_disable_rule	dDEUMBIGA1UEChMLY1BhbVVsIEluYy4xDjAMBgNVBAgTBVRleGFzMRAdGyYDVQQH
modsec_disable_vendor	EwdIb3VzdG9uMB4XDTEzM DUxNzE2MTMwN1oXDTE0MD UxNzE2MTMwN1owgZ8xFjAU
modsec_disable_vendor_configs	BgNVBAMTDXRlc3RzaW1vb i5jb20xFjAUBgNVBAStDU RvY3VtZW50YXRpb24xCzAJ
modsec_disable_vendor_updates	BgNVBAYTA1VTMSgwJgYJK oZIhvcNAQkBFhlsYXVyZW 5jZS5zaW1vbkbjCGFuZWw u
modsec_discard_all_rule_changes	bmV0MRQwEgYDVQKKEwt jU GFuZWwgSW5jLjEOMAwGA1 UECEBMFVGv4YXMxEDAOBgN V
modsec_discard_rule_changes	BAcTB0hvdXN0b24wggEiM A0GCSqGS Ib3DQEBAQUAA4 IBDwAwggEKAoIBAQR00A P
modsec_edit_rule	N5Xt jDqkEyJ6ctfYqUtt9 yUXyRuCETfjW6opNLsmZS HeF6L2aZka6461hj02CFy 1
modsec_enable_vendor	kzsNSxysN66tY+WZcTmvg PisJdQFpFvjroJZgDjYRV 0QqokKdRy/5BU0+tHXoYp j
modsec_enable_vendor_configs	9JOQ1bvEWxiGR3R80sL1m a4AfSE6Gv8M/PULTadan5 1eHaikXqjOXdpJQKuWP3g 9
modsec_enable_vendor_updates	FnIuf38WRYwzGrre88qsZ rpsMrADX5dotHWgqAf7Ta p6xfA4CUAgQo9tldariuV i
modsec_get_config_text	Bz+sRJ/Sjgxnhw1HYWGtt BuBZFhMpdHpPnTJ7DIFMd /FN5gG/tah30SapWpo35U
modsec_get_configs	
modsec_get_configs_wih_changes_pending	
modsec_get_log	
modsec_get_rules	
modsec_get_settings	
modsec_get_vendors	
modsec_is_installed	
modsec_make_config_active	

modsec_make_config_inactive	x 3BpJcdUjtazy82K5AgMBA AGjUDBOMB0GA1UdDgQWB BQA1v7/tALOYb7zAXbYG2+ 9
modsec_preview_vendor	AMI3xjAfBgNVHSMEGDAWg BQA1v7/tALOYb7zAXbYG2 +9AMI3xjAMBgNVHRMEBTA D
modsec_remove_rule	AQH/MA0GCSqGSIb3DQEBB QUAA4IBAQCxzpe7lHc7Es 0dqIN7bhIFYIIgcr6wxM6 a
modsec_remove_setting	a9d+QG+QPH0x0KAqV8EgU bZysvyxEF0bPxW3ZAr1Is 1wk80PMuU3bToFFVbFFII r
modsec_remove_vendor	HRNFKLGvxiMXnZA1c6L4N 0lowvXHgZxTTUXtDFLXyr cwrLsvUErEV7rbizuxqfP w
modsec_report_rule	caRtXn4uc+t6HYuW7yWes BauCWnJNiKbjN/F+uCTur N3QMAeWf3ZJtsfkAgk8dy q
modsec_set_config_text	R/83a3kDtSPrpt+jX+qdj KEpRtQ5Qpm6XT2gCOQPgn fiUtOCH419pp922P/AAGc +
modsec_set_setting	ZUhYoWcRWKw/y6gI7Ru++ 9+8+wkadL9EbKMZxhVwD5 qVm4ZlWK2a -----END CERTIFICATE-----%0
modsec_disable_rule	
modsec_update_vendor	
▼ Packages	
_getpkgextensionform	</certificate> </data> <metadata>
add_override_features_for_user	
addpkg	<version>1</version>
addpkgext	<reason>OK</reason>
changepackage	<result>1</result>
create_featurelist	<command>fetchcrtinfo
delete_featurelist	
delpkgext	
editpkg	
get_available_applications	
get_available_featurelists	
get_feature_metadata	
get_feature_names	
get_featurelist_data	
get_featureli	

sts
 get_users_f
 eatures_sett
 ings
 getfeaturelis
 t
 getpkginfo
 killpkg
 listpkgs
 manage_fea
 tures
 matchpkgs
 read_feature
 list
 remove_ove
 rride_featu
 res_for_user
 update_feat
 urelist

▼ PHP

convert_all_
 domains_to_
 _fpm
 get_fpm_co
 unt_and_util
 ization
 is_conversio
 n_in_progre
 sses
 php_get_def
 ault_accoun
 ts_to_fpm
 php_get_ha
 ndlers
 php_get_im
 packed_dom
 ains
 php_get_ins
 talled_versio
 ns
 php_get_old
 _fpm_flag
 php_get_sys
 tem_default
 _version
 php_get_vh
 osts_by_ver
 sion
 php_get_vh
 ost_versions
 php_ini_get
 _content

```

</command>
  </metadata>
</result>

```

Note:
 Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

Parameters

Parameter	Type	Description	Possible values	Example
user	string	Required The cPanel account's username.	A valid cPanel username.	example
id	string	Required The certificate's internal system ID.	A valid string.	example_com_bf638_f81af_1500191700_79e34f42c83f748bd49474ab9d66f7cd

Returns

Return	Type	Description	Possible values	Example
key	string	The private key's text.	A valid private key in Base64 PEM format.	▼ Click to view... <pre> ssh-rsa AAAAB3NzaC 1yc2EAAAAB IwAAAIeAom hpdCKB+gPO 5TaxKWqvWa 7dGsaSnKkr dRtb4S6DQQ M2EcW2Xevp 1HGYZr5YK3 h2SGQqhkeF G44xv\eJC IIai8FCHV3 ulWlzzt4W6 akTHWET1q6 bl\auq360 vMdsBCiZ5U khI0+ZAEpC QWdUpBQFHx axZuypaJbL 1ITmAs\k+ x8= </pre>
is_self_signed	Boolean	Whether the certificate is self-signed.	<ul style="list-style-type: none"> 1 — Yes. 0 — No. 	0

	subject.common Name_ip	string	The certificate's IP address.	A valid IPv4 address.	example
php_ini_get _directives	certificate	string	The certificate's text.	A valid certificate in Base64 PEM for mat.	Click to view... <pre> -----BEGIN CERTIFICAT E----- MIIEEzCCAv ugAwIBAgIJ ALF/ jFpw6p 1bMA0GCSqG SIb3DQEBBQ UAMIGfMRYw FAYD VQQDEw10ZX N0c21tb24u Y29tMRYwFA YDVQQLew1E b2N1bWVudG F0aW9uMQsw CQYD VQQGEwJVUz EoMCMYGCsG SIb3DQEJAR YZbGF1cmVu Y2Uuc21tb2 5AY3BhbmVs Lm51 dDEUMBIGA1 UEChMLY1Bh bmVsIE1uYy 4xDjAMBgNV BAgTBV1eG FzMRAdGyYD VQQH EwdIb3VzdG 9uMB4XDTEz MDUxNzE2MT MwN1oXDTE0 MDUxNzE2MT MwN1owgz8x FjAU BgNVBAMTDX Rlc3RzaWlv bi5jb20xFj AUBgNVBAst DURvY3VtZW 50YXRpb24x CzAJ BgNVBAYTAL VTMSgwJgYJ KoZIHvcNAQ kBFHlsYXVy ZW5jZS5zaW 1vbkBjcGFu ZWwu bmV0MRQwEg YDVQQKEwtj UGFuZWwgSW 5jLjEOMAwG A1UECBMFVG V4YXMxEDAO BgNV BAcTB0hvdX N0b24wggEi MA0GCSqGSI b3DQEBAQUA A4IBDwAwgg EKAcIQAQDR O0AP N5Xt jDqkEy J6ctfYqUtt 9yUXyRuCET FjW6opNLSm ZSheF6L2aZ ka646lhj02 CFy1 kzsNSxysN6 6tY+WZcTmv gPisJdQFPf vjroJZgDjY RV0QqokKdR y/5BU0+tHX oYpj 9JQqlbvEWx iGR3R80sLl ma4AfSE6Gv 8M/PULTada n51eHaikXq jOXdPJQKuW </pre>
php_ini_set _content					
php_ini_set _directives					
php_set_def ault_accoun ts_to_fpm					
php_set_ha ndler					
php_set_old _fpm_flag					
php_set_ses sion_save_p ath					
php_set_sys tem_default _version					
php_set_vh ost_versions					
▼ Resellers					
acccounts					
get_public_c ontact					
getresellerip s					
listacts					
listresellers					
resellerstats					
saveacllist					
set_public_c ontact					
setacts					
setresellerip s					
setresellerli mits					
setresellerm ainip					
setresellerm ameservers					
setresellerp ackagelimit					
setupreselle r					
suspendres eller					
terminateres eller					
unsetuprese					

- ller
- unsuspendr
eseller
- ▼ RPM
 - delete_rpm_
version
 - edit_rpm_ve
rsion
 - get_rpm_ver
sion_data
 - install_rpm_
plugin
 - list_rpms
 - package_m
anager_fixc
ache
 - package_m
anager_get_
build_log
 - package_m
anager_get_
package_inf
o
 - package_m
anager_is_p
erforming_a
ctions
 - package_m
anager_list_
packages
 - package_m
anager_reso
lve_actions
 - package_m
anager_sub
mit_actions
 - package_m
anager_upgr
ade
 - uninstall_rp
m_plugin
- ▼ Script Hooks
 - delete_hook
 - edit_hook
 - list_hooks
 - reorder_hoo
ks
- ▼ Security
 - accesshash
 - authorizessh
key
 - check_remo
te_ssh_conn
ection

P3g9
 FnIuf38WRY
 wzGrre88qs
 ZrpsMrADX5
 dotHWgqAf7
 Tap6xfA4CU
 AgQo9tldar
 iuVi
 Bz+sRJ/Sjg
 xnhwlHYWGt
 tBuBZFhMpd
 HpPnTJ7DIF
 Md/FN5gG/t
 ah30SapWpo
 35Ux
 3BpJcdUjta
 zy82K5AgMB
 AAGjUDBOMB
 0GA1UdDgQW
 BbQA1v7/tA
 LOYb7zAXbY
 G2+9
 AMI3xjAfBg
 NVHSMEGDAW
 gBQA1v7/tA
 LOYb7zAXbY
 G2+9AMI3xj
 AMBgNVHRME
 BTAD
 AQH/MA0GCS
 qGSib3DQEB
 BQUAA4IBAQ
 Cxzpe7lHc7
 Es0dqIN7bh
 IFYIIgcr6w
 xM6a
 a9d+QG+QPH
 0x0KAqV8Eg
 UbZysvyxEF
 0bPxW3ZAr1
 Is1wk80PMu
 U3bToFFVbF
 FIIR
 HRNfKLGvxi
 MXnZAlc6L4
 N0lowvXHgZ
 xTTUXtDFLX
 yrcwrLsvUE
 rEV7rbizux
 qfPw
 caRtXn4uc+
 t6HYuW7yWe
 sBauCWnJNi
 KbjN/F+uCT
 urN3QMAeWf
 3ZJtsfkAgk
 8dyq
 R/83a3kDtS
 Prpt+jX+qd
 jKEprtQ5Qp
 m6XT2gCOQP
 gnfiUtOCH4
 19pp922P/A
 AGc+
 ZUhYoWcRWK
 w/y6gI7Ru+
 +9+8+wkadL
 9EbKMZxhVw
 D5qVm4ZLWK
 2a

convertopen sshtoputty					-----END CERTIFICAT E-----%0
deletesshke y					
fetch_securi ty_advice	cabundle	string	The CA bundle certificate.	A valid CA bundle in Base64 PEM for mat.	Click to view... -----BEGIN CERTIFICAT E-----\nMI IEKjCCA3qg AwIBAgIQCG FBQgAAAVOF c2oLheynCD ANBgkqhkiG 9w0BAQsFAD A/MSQwIgwYD VQQK\nExtE awdpdGFsIF NpZ25hdHVy ZSBUcnVzdC BDby4xFzAV BgNVBAMTDk RTVCBSb290 IENBIFgzMB 4X\nDTE2MD MxNzE2NDA0 NloXDTIxMD MxNzE2NDA0 NlowSjELMA kGA1UEBhMC VVMxYjAUBg NVBAoTDUx1 \ndCdzIEVU Y3J5cHQxIz AhBgNVBAMT GkxldCdzIE VuY3J5cHQg QXV0aG9yaX R5IFgzMIIB IjANBgkqg\n hkiG9w0BAQ EFAAOCAQ8A MIIBKgCAQ EAnMM8Fr1 Lke3c103g7 NoYzDq1zUm GSXhvb418X CSL7e4\ns0 EFq6meNQH 7LEqxGiHC6 PjdeTm86di cbp5gWaf15 Gan/PQeGdx yGk01ZHP/u aZ6WA8SMx+ yk13\nEiSd Rxta67nsHj cAHJyse6cF 6s5K671B5T aYucv9bTyW aN8jKkQDI Z0Z8h/pZq4 UmEUEz916Y KH\ny9v6D1 b2honzhT+X hq+w3Brvaw 2VFn3EK6B1 spkENnWaa6 xK8xuQSXgv opZPKiAlKQ TGdMDQMc2P \nMTiVFrqo M7hD8bEfwz B/onkxEz0t Nvjj/PIzar k5McWvxION HWQWM6r6hC m21AvA2H3D kwIDAQAB\n o4IBfTCCAX kwEgYDVR0T AQH/BAGwBg EB/wIBADAO BgNVHQ8BAf 8EBAMCAYYw fwYIKwYBBQ UHAQEE\nncz
Server Administration add_configcl usterserver configureba ckgroundpro cesskiller configurese vice cors_proxy_ get create_user _session delete_conf gclusterserv er enable_mon itor_all_ena bled_service s get_all_cont act_importa nces get_appconf ig_applicatio n_list get_applicati on_contact_ event_import ance get_applicati on_contact_ importance get_availabl e_profiles get_current_ profile get_passwor d_strength get_remote_ access_has h get_service_ config					

get_service_
config_key

get_tcp4_so
ckets

get_tcp6_so
ckets

get_tweakse
tting

get_udp4_s
ockets

get_udp6_s
ockets

get_update_
availability

get_users_li
nks

getdiskusag
e

gethostname

is_role_ena
bled

list_configcl
usterservers

loadavg

nvget

nvset

personalizati
on_get

personalizati
on_set

purchase_a
_license

reboot

remove_in_
progress_ex
im_config_e
dit

restartservic
e

restore_conf
ig_from_file

restore_conf
ig_from_upl
oad

run_cpkeyc1t

send_test_p
osturl

send_test_p
ushbullet_n
ote

servicestatu

BxMDIGCCsG
AQUFBzAbhi
ZodHRwOi8v
aXNyZy50cn
VzdG1kLm9j
c3AuaWRlbn
RydXN0LmNv
bTA7\nBggr
BgEFBQcwAo
YvaHR0cDov
L2FwcHMuaW
RlbnRydXN0
LmNvbS9yb2
90cy9kc3Ry
b290Y2F4My
5w\nN2MwHw
YDVR0jBBgw
FoAUxKexpH
sscfrb4UuQ
df/EFWCFiR
AwVAYDVR0g
BE0wSzAIBg
ZngQwBAGew
\nPwYlKwYB
BAGC3xMBAQ
EwMDAuBggr
BgEFBQcCAR
YiaHR0cDov
L2Nwcy5yb2
90LXgxLmx1
dHN1bmNy\nexB0Lm9yZz
A8BgNVHR8E
NTAzMDGgL6
AthitodHRw
Oi8vY3JsLm
lkZW50cnVz
dC5jb20vRF
NUUk9P\nNBWINDUkwu
Y3JsMB0GAl
UdDgQWBBSo
SmpjBH3duu
bRObemRWXv
86jsoTANBg
kqhkiG9w0B
AQsF\nAQEA3TPXEF
NjWDjdGBX7
CVW+dla5cE
ilaUcne8Ik
CJLxWh9KEi
k3JHRRHGJo
uM2VcGf196
S8\nTihRzZ
voroed6ti6
WqEBmtzw3W
odatg+VyOe
ph4EYpr/1w
XKtx8/wApI
vJSwtmVi4M
FU5aMqrsDE
\n6ea73Mj2
tcMyo5jMd6
jmeWUHK8so
/joWUcHOUG
wuX4Po1QYz
+3dszkDqMp
4fk1xBwXRs
W10KXzPM\nTZ+sOPAvey
xindmjkW81
Gy+QsR1GPF
Z+G6Z6h7mj
em0Y+iWlKY
cV4PIWLliw
Bi8saCbGS5
jN2p8M\n+Q7UNKEkRO
b3N6K0qkqm
57TH2H3eDJ
AkSnh6/DNF
u0Qg==\n--

s

set_applicati
on_contact_
event_imp
ortance

set_applicati
on_contact_
importance

set_primary
_servernam
e

set_service_
config_key

set_tweakse
tting

sethostname

setminimum
passwordstr
engths

start_profile
_activation

system_nee
ds_reboot

systemloada
vg

update_conf
igclusterserv
er

update_cont
act_email

verify_aim_a
ccess

verify_icq_a
ccess

verify_oscar
_access

verify_postu
rl_access

verify_pushb
ullet_access

▼ SSL

disable_aut
ossl

fetch_servic
e_ssl_comp
onents

fetch_ssl_ce
rtificates_for
_fqdns

fetch_ssl_vh
osts

fetch_vhost
_ssl_compo
nents

				---END CERTIFICAT E-----
--	--	--	--	--------------------------------

fetchcrtinfo
fetchsslinfo
generatessl
get_autossl
_check_schedule
get_autossl
_log
get_autossl
_logs_catalog
get_autossl
_metadata
get_autossl
_pending_queue
get_autossl
_pending_queue_for_domain
get_autossl
_pending_queue_for_user
get_autossl
_problems_for_domain
get_autossl
_problems_for_user
get_autossl
_providers
get_best_ssl
domain_for_service
install_service_ssl_certificate
installssl
listcrts
rebuildinstall
edssldb
rebuildusers
sldb
reset_autossl_provider
reset_service_ssl_certificate
set_autossl_metadata
set_autossl_metadata_key

set_autossl_
provider

start_autossl_
check_for_
all_users

start_autossl_
check_for_
one_user

▼ Styles and Themes

generate_cp
anel_plugin

list_styles

load_style

remove_log
o

remove_styl
e

save_style

set_default

▼ Support Tickets

ticket_creat
e_stub_ticke
t

ticket_get_s
upport_agre
ement

ticket_get_s
upport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revok
e

ticket_ssh_t
est

ticket_ssh_t
est_start

ticket_updat
e_service_a
greement_a
pproval

ticket_valida
te_oauth2_c
ode

ticket_whitel
ist_check

ticket_whitel
ist_setup

ticket_whitel
ist_unsetup

▼ Transfers

abort_transf
er_session

analyze_tra
nsfer_sessio
n_remote

available_tr
ansfer_mod
ules

create_remo
te_root_tran
sfer_session

create_remo
te_user_tran
sfer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transf
er_session_l
og

get_transfer
_session_st
ate

pause_trans
fer_session

remote_basi
c_credential
_check

retrieve_tran
sfer_session
_remote_an
alysis

start_transfe
r_session

transfer_mo
dule_schem
a

validate_sys
tem_user

▼ Updates

accept_eula

get_availabl
e_tiers

get_current_
lts_expiratio
n_status

get_lts_wex
pire

getlongterm
support

installed_ver
sions

set_cpanel_
updates

set_tier

update_upd
ateconf

version