

WHM API 1 Functions - convertopensshtoputty

Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Call cPanel API 2 and UAPI

- Account Restoration
- restore_modules_summary
- restore_queue_activate
- restore_queue_add_task
- restore_queue_clear_all_completed_tasks
- restore_queue_clear_all_failed_tasks
- restore_queue_clear_all_pending_tasks
- restore_queue_clear_all_tasks
- restore_queue_clear_completed_task
- restore_queue_clear_pending_task
- restore_queue_is_active
- restore_queue_list_active
- restore_queue_list_completed

Description

This function converts an OpenSSH private key to a PuTTY key.

Warning:
Do **not** transfer private keys over insecure ports.

Examples

JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/convertopensshtoputty?api.version=1&user=username&file=KeyFile
```

XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/convertopensshtoputty?api.version=1&user=username&file=KeyFile
```

Function information

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

Notes:

- Scro
- Yc
- mi
- us
- 20
- or
- 20
-)t

restore_queue_list_pending
restore_queue_state
restoreaccount
verify_new_username_for_restore

Accounts

accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_disk_usage
get_domain_info
getdomainowner
has_digest_auth
has_mycnf_for_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct

Command Line

```
whmapil  
convertopensshtopotty  
user=username  
file=KeyFile
```

Notes:

- Unless otherwise noted, you **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local  
/cpanel/bin/  
whmapil
```

Output (JSON)

```
{  
  "data": {  
    "key":  
    "PuTTY-User-Key-File-2:  
ssh-rsa\nEncryption:  
aes256-cbc\nComment:  
imported-openssh-key\  
nPublic-Lines: 12\  
AAAAB3NzaC1yc2EAAAABI  
wAAAQEAauth41YYwABsR  
KexJXgSMD8FvIBFCptUfZ  
P \n  
4U/6R41FvL/RS+99kq1WL  
/KASsKRoEA5uc0axM+iNg  
ZtKuemQYGUZNvN+8X8sC/  
l \n  
E6GF7X3Pvj2M14A1D7TQv  
0WQZUp9xn+S1oti+3pYh+  
S56vzNjvdiF07U5mPGW/8  
l \n  
9N4vGhG3ThaAgETwKl33C  
M2LeNRuvoWpeQCuzEVX2a  
OvHQZqOvV15fTjZ64ZGL3  
i \n  
UDtKmeaHs4tMqgNIUXgn1
```

Find a function

- Manage Wheel Group Users
- SSH Password Authorization Track
- Manage root's SSH Keys
- SSH Password Authorization Track

untrack_acct_id	P1V4TgPvTIfoPH8FBX3g1pD15XD3vn+XHLwia0505c5 \n
verify_new_username	+QM+jE1S3HHb0vrrDo3S+8koXLWp07wu/GYrvBd5+MlsSV7bpr7lmWj8uMQjc0ap \n
▼ Addon Domains	eZe+eb/MteadWnqIPeOVu racssCvDLqXEPK2KjhFMPqBTepNhZaJHRfvkodPm43C \n
convert_addon_fetch_conversion_details	50nhqzrNoxFvXblrfCjPPqGfhuSZhlCmo2FDiZPKdl0X7bhzDIvMVikyqJP06bqK \n
convert_addon_fetch_domain_details	y9iclyQv0VPfyCIx/VDcVclIoUa8A49nAinXHKeUx9QUNBHv8wXdyz7W41jQa++ \n
convert_addon_get_conversion_status	Ih3Yc4o9rpV95DDmKp7iF6kFk4aVjIWDgEsPTaL28wlvUyazoW5TAGPHDrRJoedU \n
convert_addon_initiate_conversion	ag8KDRNPrGbKYu3CvoINiz0sshyCvr1gjKNG75Cwe+L4hXIkaw8w1CpwFq8Vsx70RS9Pei8=\n
convert_addon_list_domains	Private-Lines: 28\nbb3ls+xsiAv1+pclnmvreEYdxvuVmbeWMjUWjd4Y4TKIAyLEItsXNs078qn1QAZ+ \n
convert_addon_list_conversions	Wj6t+0HcnhuUVICHyCyJrp++1g40tzTAHRczaD5yhb9ktSe1qlnszKD1Rg5/o+ B \n
▼ Authentication	61h6kvMcZyuNSjtPkmqQ3XIh8OFYybB2oJXY7gJQzfRuRwk8dx9YWtIR4438Nbv5 \n
api_token_create	ecTzGUDWvx+AfYzC4X/UIGiRy8AftfiBQyA+c1OFyg37qM1SLYnZYmIpSf5GsQ3A \n
api_token_list	MaEGLB9P9hE2uoqZ4yT/A0aHj7w8DGEzYZqxNbM1CIJhLEO3vKZvMvaq7Q8ramG6 \n
api_token_revoke	BzYwUz+8NPgCBUp1qyIcN2vvEHEq57pMMHYnfJMVfG9o0ijo+xxGCPV3MosmmvRI \n
api_token_update	1nxH0nrgdA2o6SJp/dJrK
disable_authentication_provider	
disable_failing_authentication_providers	
enable_authentication_provider	
get_available_authentications_providers	
get_login_url	
get_provider_client_configurations	
get_provider_configuration_fields	
get_provider	

_display_configurations	m3Hicbbxak/Kz4m8BROcnlCgptdjHp9V/cBnFq/UUHv \n
get_users_authn_linked_accounts	or32gShGWmnG6+XyQs4LxpbLC4koz8EjPwg3/3W2Qn6Drn3i98omvZpmnX466i7e \n
link_user_authn_provider	GUiHaiKTpBkqZkHmHFxNBAbbs85yngeo8o3RGUsmN69RupTqSkkLDuDFOMwgfsZG \n
set_provider_client_configurations	TWexWg/qBe+8Xrbshd9HphxvWv+Q3YcSeg+mm8Bc50Q5saLKYdQQsbfV5wtIpvLj \n
set_provider_display_configurations	0eyjoTSh+FkPGBw/iB1MDzYV5OoI IgIDbndP2bOK2zFsLElSbbv/r3i//wL98316 \n
twofactorauth_disable_policy	DgJWmJiQDqKxly4MEij8TfIVDAsdeyJJKvg6iGahonHbEBkZ9g9wcCpxlg8iMtTf \n
twofactorauth_enable_policy	/7eb8SmcPwe1NGdgB7PR1dU/RQ/kBbLaaBfo/1jQEnCC8VmksVu7B9ULImfLEOEm \n
twofactorauth_generate_tfa_config	+A4J4NpKK1QocgCvJAatMogL+uRS5GpojJIE1VqP12jnb7Ij3Ayy3Zb4qotlprLeK \n
twofactorauth_get_issuer	7dJslpNnrD/MSvbJZ/ZoAX+xyDxUMeq/83Xv30i5/wH00QBY4Cv5NTDU4rPoVmQm \n
twofactorauth_get_user_configs	EWGW5aQx34in4JHY5bK3F4BvVYm7MscKLHoU8/OeKVAgzNcatUgPlN43FG9SX0AE \n
twofactorauth_policy_status	pP3EY1VADSfULdbfBn9dZDidAiDMXnCv9259J65zA64tuT9XluinHXVs5PA/f5vm \n
twofactorauth_remove_user_config	rZPQhAzGThw7h9L6rGYGFSKd9KYoTwf8kSOA6WU7OeyhfTvCdaW76vPi4CRW2M/Y \n
twofactorauth_set_issuer	RHX0IUdv3VxfKb4WnXFeQ16LshmGB1T2mbMyfTh1qUCGAvPJyWdtZ6OpOU13CK87 \n
twofactorauth_set_tfa_config	3jhFz07t5wruhuWZ3RcISVsrdaqjgCrKy6Q9y+HbLJ
unlink_user_authn_provider	
validate_logintoken	
Backups	
backup_config_get	
backup_config_set	
backup_data_list	
backup_destination_add	
backup_destination_delete	

backup_destination_get	oNY40BkJm7f6WeV+hHn7o1 \n
backup_destination_list	od7JiqDGq3Qk+ECEdexvqdRQS7BWgO7xudGFk+WFY02zoGvq5DMviNfsxqhM06P+ \n
backup_destination_set	JgEinB8xPPCOPzi6q8Tly1Pz44gmluM15/QRX4z0Mwz6UQasVC/NsZxdfoNGtCy0 \n
backup_destination_validate	1Pz44gmluM15/QRX4z0Mwz6UQasVC/NsZxdfoNGtCy0 \n
backup_get_transport_status	c2DAscY4zsiKhZMLLr0loPYycO2bOit6E5eYkrACJR2115/ZgVwzvzdmC/INJCxG\n
backup_list_transported	G\n
backup_set_list	3TvKYbeuv/tkolt56uJWGFMF2ZrflJaaQ0iAiUyMep/keLP2bJ4Y97o+03BtQszZ \n
backup_set_list_combined	Z \n
backup_skip_users_all	zixXvzeQAX97WdBaUJU0C3mCKDotkv4RWZ8hXV5v0m2tm7xbXVBzF22Pej2iHDKx \n
backup_skip_users_all_status	x \n
backup_user_list	GQkciskBRwQM4bDZorkcO+WnGn6uPbtw5v/AuIUqB1UNAcehWN6UTiFNveP4hLYu \n
convert_and_migrate_from_legacy_config	u \n
get_users_within_backup_metadata	iRGWnZZ+uThip91PNXSxxzb9yMWV2qSVIsZvud8kpr8ttL26Z4ySUKkFuPrgUeTe\n
list_cparchive_files	e\n
start_background_package	ELnOF3GP6Ixx+IkwxU575w==\n
toggle_user_backup_status	Private-MAC: 1dfa6a4c8297d31e4cfadbf61aac8b4c5ca75584\n
▼ cPHulk	"
cphulk_status	},
create_cphulk_record	"metadata": {
delete_cphulk_record	"version": 1,
disable_cphulk	"result": 1,
enable_cphulk	"command":
flush_cphulk_login_history	"convertopensshtoputt y",

flush_cphulk_login_history_for_ips
get_countries_with_known_ip_ranges
get_cphulk_brutes
get_cphulk_excessive_brutes
get_cphulk_failed_logins
get_cphulk_user_brutes
load_cphulk_config
read_cphulk_records
save_cphulk_config
set_cphulk_config_key

▼ Databases

background_mysql_upgrade_status
current_mysql_version
installable_mysql_versions
latest_available_mysql_version
list_database_users
list_databases
list_mysql_databases_and_users
remote_mysql_create_profile
remote_mysql_create_profile_via_ssh
remote_mysql_delete_profile
remote_mysql_initiate_profile_activation

```
"reason": "OK"  
}  
}
```

▼ Output (XML)

```
<result>  
  <metadata>  
  
</result>1</result>  
  
<version>1</version>  
  
<command>convertopensshtoputty</command>  
  
<reason>OK</reason>  
  </metadata>  
  <data>  
    <key>
```

```
PuTTY-User-Key-File-2  
: ssh-rsa Encryption:  
aes256-cbc Comment:  
imported-openssh-key  
Public-Lines: 12  
AAAAB3NzaC1yc2EAAAABI  
wAAAgEAauth4lYYyWABsR  
KexJXgSMD8FvIBFCptUfZ  
P  
4U/6R41FvL/RS+99kq1WL  
/KASsKR0EA5uc0axM+iNg  
ZtKuemQYGUZNVN+8X8sC/  
l  
E6GF7X3Pvj2M14A1D7TQv  
0WQZUp9xn+S1oti+3pYh+  
S56vzNjvdiFO7U5mPGW/8  
l  
9N4vGhG3ThaAgETwkL33C  
M2LeNRuvoWpeQcuzEVX2a  
OvHQZqOvV15fTjz64ZGL3  
i  
UDtKmeaHs4tMqgNIUXgn1  
P1V4TgPvTIfoP8FBX3g1  
pD15XD3vn+XHLwia0505c  
5  
+QM+jE1S3HHb0vrrDo3S+  
8koXLWp07wu/GYrvBd5+M  
lsSV7bpr7lmWj8uMQjc0a  
P  
eZe+eb/MteadWnqIPeOVu
```

ion	racssCvDLqXEpk2KjhFMP
remote_mysql_monitor_profile_activation	qBTepNhZaJHRfvkodPm43C
remote_mysql_read_profile	50nhqzrNoxFvXblrfCjPP
remote_mysql_read_profiles	qGfhuSZhlCmo2FDiZPKdl
remote_mysql_update_profile	0X7bhZDIvMVikyqJP06bqK
remote_mysql_validate_profile	y9iclyQv0VPfyCIx/VDcV
rename_mysql_database	clIoUa8A49nAinXHKeUx9
rename_mysql_user	QUNBHv8wXdyz7W41jQa++
rename_postgresql_database	+Ih3Yc4o9rpV95DDmKp7iF
rename_postgresql_user	6kFk4aVjIWDgEsPTaL28w
set_local_mysql_root_password	lvUyazoW5TAGPHDrRJoed
set_mysql_password	Uag8KDRNPrGbKYu3CvoINi
set_postgresql_password	z0sshYcVr1gjKNG75Cwe+
start_background_mysql_upgrade	L4hXIkaw8w1CpwFq8VSX7
	0RS9Pei8=
	Private-Lines: 28
	bb31s+xsiAv1+pclnmvre
	EYdxvuVmbeWMjUWJd4Y4T
	KIAyLEItsXNs078qm1QAZ
	+Wj6t+0HcnhuUVICHyCyJr
	p++lg40tzTAHRczaD5ybh
	b9ktSe1qlnszKD1Rg5/o+
	B61h6kvMcZyuNSjtPkmqQ3
	XIh8OFYybB2oJXY7gJQzf
	RuRwk8dx9YwtIR4438Nbv
	5ecTzGUDWvx+AfYzC4X/UI
	GiRy8AftfiBQyA+c1OFyg
	37qM1SLYnZYmIpSf5GsQ3
	A
	MaEGLB9P9hE2uoqZ4yT/A
	0aHj7w8DGEzYZqxNbM1CI
	JhLEO3vKZvMvaq7Q8ramG
	6BzYwUz+8NPgCBUp1qyIcN
	2vvEHEq57pMMHYnfJMVfG
	9o0ijo+xxGCPV3MosmmvR
	I1nxH0nrgdA2o6SJP/dJrK
	m3Hicbbxak/Kz4m8BROcn
	lCgptdjHp9V/cBnFq/UUH
	v
	or32gShGWmnG6+XyQs4Lx
	pbLC4koz8EjPwg3/3W2Qn
	6Drn3i98omvZpmnX466i7
	e
	GUiHaiKTpBkqZkHmHFxNB

▼ DNS

addns	
addzonerecord	
addzonerecord (Reverse DNS)	
dumpzone	
editzonerecord	
get_nameserver_config	
getzonerecord	
has_local_authority	

killdns	Abbs85yngeo8o3RGUsmN6
listmxs	9RupTqSkkLDuDFOMwgfsZ
listzones	G
lookupnsip	TWexWg/qBe+8Xrbshd9Hp
lookupnsips	hxvWv+Q3YcSeg+mm8Bc50
removezone	Q5saLKYdQQsbfV5wtIpvL
record	j
resetzone	0eyjoTSh+FkPGBw/iB1MD
resolvedomainname	zYV50oIIgIDBndP2bOK2z
savemxs	FsLElSbbv/r3i//wL9831
setresolvers	6
update_nameservers_config	DgJWmJiQDqKxly4MEij8T
	fIVDAsdeyJJKvg6iGahon
	HbEBkZ9g9wcCpxlg8iMtT
	f
	/7eb8SmcPwe1NGdgB7PR1
	dU/RQ/kBbLaaBfo/1jQEn
	CC8VmksVu7B9ULImfLEOE
	m
	+A4J4NpKKlQocgCvJAAtMo
	gL+uRS5GpojJIElVqPl2j
	nb7Ij3Ayy3Zb4qotlprLe
	K
	7dJslpNnrD/MSvbJZ/ZoA
	X+xyDxUMeq/83Xv30i5/w
	h00QBY4Cv5NTDU4rPoVmQ
	m
	EWGW5aQx34in4JHY5bK3F
	4BvVYm7MscKLHoU8/OeKV
	AgzNcatUgPlN43FG9SX0A
	E
	pP3EYlVADSfULdbfBn9dZ
	DidAiDMXnCv9259J65zA6
	4tuT9XluinHXVs5PA/f5v
	m
	rZPQhAzGThw7h9L6rGYGf
	SKd9KYoTwf8kSOA6WU7OE
	yhfTvCdaW76vPi4CRW2M/
	Y
	RHX0IUdv3VxfKb4WnXFeQ
	16LshmGB1T2mbMyfThlqU
	CGAvPJyWdtZ6OpOU13CK8
	7
	3jhFz07t5wruhuWZ3RcIS
	VsrdqcjgCrKy6Q9y+HbLJ
	oNY40BkJm7f6WeV+hHn7o
	1
	od7JiqDGq3Qk+ECEdexvq
	dRQS7BWgO7xudGFk+WFY0
	2zoGvq5DMviNfsxqhM06P
	+
	JgEinB8xPPCOPzi6q8Tly
	1Pz44gmluM15/QRX4z0Mw
▼ EasyApache	
ea4_get_currently_installed_packages	
ea4_get_ea_pkgs_state	
ea4_list_profiles	
ea4_maintainfo	
ea4_migration	
ea4_pre_migrate_check	
ea4_recommendations	
ea4_save_profile	
ea4_tomcat85_add	
ea4_tomcat85_list	
ea4_tomcat85_rem	
▼ Greylisting	
cpgreylister_server_net_block_trusted	
cpgreylister_entries_for_common_mail_provider	
cpgreylister_load_common_mail_provider	

ers_config
cpgreylist_s
ave_commo
n_mail_prov
iders_config
cpgreylist_st
atus
cpgreylist_tr
ust_entries_
for_common
_mail_provid
er
cpgreylist_u
ntrust_entri
es_for_comm
on_mail_pro
vider
create_cpgr
eylist_truste
d_host
delete_cpgr
eylist_truste
d_host
disable_cpgr
eylist
enable_cpgr
eylist
load_cpgrey
list_config
read_cpgrey
list_deferred
_entries
read_cpgrey
list_trusted_
host
save_cpgrey
list_config

▼ Integration

batch
cpanel
create_integ
ration_group
create_integ
ration_link
get_integrati
on_link_user
_config
list_integrati
on_groups
list_integrati
on_links
remove_inte
gration_grou
p
remove_inte

z6UQasVC/NsZxdfoNGtCy
0
c2DAscy4zsiKhZMlLr0lo
PYycO2bOit6E5eYkrACJR
2115/ZgVwzvzdmc/INJCx
G
3TvKYbeuv/tkolt56uJWG
fMF2ZrflJaaQ0iAiUyMep
/keLP2bJ4Y97o+03BtQsz
Z
zixXvzeQAX97WdBaUJU0C
3mCKD0tkv4RWZ8hXV5v0m
2tm7xbXVBzF22Pej2iHDK
x
GQkciskBRwQM4bDZorkcO
+WnGn6uPbtw5v/AuIUqB1
UNAcehWN6UTiFNveP4hLY
u
iRGWnZZ+uTbip91PNXSxx
zb9yMWV2qSVIsZvud8kpR
8ttL26Z4ySUKkFuPrgUeT
e
ELnOF3GP6Ixx+IkwxU575
w== Private-MAC:
1dfa6a4c8297d31e4cfad
bf61aac8b4c5ca75584

- gration_link
- update_inte
- gration_link
- _token
- ▼ IP Addresses
- addips
- delip
- get_public_i
- p
- get_shared_
- ip
- ipv6_disable
- _account
- ipv6_enable
- _account
- ipv6_range_
- add
- ipv6_range_
- edit
- ipv6_range_
- list
- ipv6_range_
- remove
- ipv6_range_
- usage
- listips
- nat_checkip
- nat_set_pub
- lic_ip
- setsiteip
- ▼ Mail
- disable_dki
- m
- disable_mail
- _sni
- emailtrack_s
- earch
- emailtrack_s
- tats
- emailtrack_u
- ser_stats
- enable_dkim
- enable_mail
- _sni
- ensure_dki
- m_keys_exi
- st
- exim_config
- uration_che
- ck
- expunge_m

```

</key>
  </data>
</result>

```

Note:
 Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

Parameters

Parameter	Type	Description	Possible values	Example
user	string	Required The private key file's owner.	A valid username.	username
file	string	Required The private key file's name.	A valid filename.	KeyFile
passphrase	string	The private key file's passphrase. This parameter defaults to a blank string.	A valid and secure passphrase.	12345luggage
keep_file	Boolean	Whether to keep the OpenSSH file on the server after conversion. This parameter defaults to 1.	<ul style="list-style-type: none"> • 1 — Keep the file. • 0 — Delete the file. 	0

Returns

Return	Type	Description	Possible values	Example
key	string	The converted key file's text.	A valid string.	▼ Click to view... <pre> PuTTY-User- Key-File-2: ssh-rsa Encryption: aes256-cbc Comment: imported-op enssh-key Public-Line s: 12 AAAAB3NzaC1 yc2EAAAABIw AAAQEAuth4 lYyyWABsRKe xJXgSMD8FvI BFCptUfZP 4U/6R41FvL/ </pre>

ailbox_messages
expunge_messages_for_mailbox_guid
fetch_dkim_private_keys
fetch_mail_queue
generate_mobileconfig
get_mailbox_status
get_mailbox_status_list
get_unique_recipient_count_per_sender_for_user
get_unique_sender_recipient_count_per_user
get_user_email_forward_destination
hold_outgoing_email
install_dkim_private_keys
install_spf_records
is_sni_supported
list_pops_for
mail_sni_status
rebuild_mail_sni_config
release_outgoing_email
save_spamd_config
set_user_email_forward_destination
suspend_outgoing_email
unsuspend_outgoing_email

RS+99kq1WL/
KASsKR0EA5u
c0axM+iNgZt
KuemQYGUZVn
N+8X8sC/1
E6GF7X3PvJ2
M14ALD7TQv0
WQZUp9xn+S1
Oti+3pYh+S5
6vzNjvdiFO7
U5mPGW/81
9N4vGhG3Tha
AgETwKl33CM
2LeNRuvoWpe
QcuzEVX2aOv
HQZqOvV15fT
jZ64ZGL3i
UDtKmeaHs4t
MqgNIUXgn1P
1V4TgPvTifo
pH8PBX3glpD
15XD3vn+XHL
wia0505c5
+QM+jEIS3HH
b0vrrDo3S+8
koXLWp07wu/
GYr+vBd5+M1s
SV7bpr7lmWj
8uMQjc0ap
eZe+eb/Mtea
dWnq1PeOVur
acssCvDLqXE
PK2KjhfMPqB
TepNhZaJHRf
vkodPm43C
50nhqzrNoxF
vXblrfCjPPq
GfhuS2hlCmo
2FDiZPKd10X
7bhzDIvMVik
yqJP06bgk
y9ic1yQv0VP
fyCix/VdcVc
1IoUa8A49nA
inXHKeUx9QU
NBHv8wXdyz7
W41jQa+++
Ih3Yc4o9rpV
95DDmkp7iF6
kFk4aVjIWDg
EsPTaL28wlv
UyazoW5TAGP
HDrRJoedU
ag8KDRNPrGb
KYu3CvoINiz
0sshyCvrlgj
KNG75Cwe+L4
hXIkaw8w1Cp
wFq8Vsx70
RS9Pei8=
Private-Lin
es: 28
bb31s+xsiAv
l+pclnmvreE
YdxvuVmbeWM
jUWjd4Y4TKI
AyLEItsXNs0
78qnlQAZ+
Wj6t+0Hcnhu
UVICHyCyJrp
++1g40tzTAH
RczaD5yhbh9
ktSe1qlnszK
DlRg5/o+B
6lh6kvMcZyu
NSjtPkmqQ3X
Ih8OFyYbB2o
JXY7gJQzFRu
Rwk8dx9YwtI
R4438Nbv5
ecTzGUDWvx+
AFYzC4X/UG
iRy8AftfIBQ
yA+c10Fyg37
qM1SLYnZYmI
pSf5Gsq3A
MaEGLB9P9hE
2uoqZ4yT/A0
ahj7w8DGEzY
ZqxNbM1CIJh
LE03vKZvMva
q7Q8ramG6
BzYwUz+8NPG
CBUp1qyIcN2
vveHEq57pMM
HYNfJMVfG9o
0i jo+xxGCPV
3MosmmvRI
lnxH0nrgdA2
o6SJP/dJrKm
3Hicbbxak/K
z4m8BR0cn1C
gptdjhP9V/c

validate_current_installed_exim_configuration

validate_current_dkims

validate_current_ptrs

validate_current_spfs

validate_exim_configuration_syntax

Market

disable_market_provider

enable_market_provider

get_adjusted_market_providers_products

get_market_providers_commission_config

get_market_providers_list

get_market_providers_product_metadata

get_market_providers_products

set_market_product_attribute

set_market_provider_commission_id

ModSecurity™

modsec_added_rule

modsec_added_vendor

modsec_assemble_config_text

modsec_batch_settings

modsec_check_rule

modsec_clone_rule

BnFg/UUHv
or32gShGwMn
G6+XyQs4Lxp
bLC4koz8EjP
wg3/3W2Qn6D
rn3i98omvZp
mnX466i7e
GUiHaiKTpBk
qZkHmHFxNBA
bbs85yngeo8
o3RGUsmN69R
upTqSkkLDuD
FOMwgfzZG
TWexWg/qBe+
8Xrbshd9Hph
xvWv+Q3YcSe
g+mm8Bc50Q5
saLKydQQebf
V5wtIpvLj
0eyjoTSh+Fk
PGBw/iB1MDz
YV50oIigiDB
ndP2bOK2zFs
LElSbbv/r3i
//wL98316
DgJWmJiQDqK
xly4MEij8Tf
IVDAsdeyJKK
vg6iGahonHb
EBkZ9g9wcCp
xlg8iMCTF
/7eb8SmcPwe
1NGdgB7PR1d
U/RQ/kBbLaa
Bfo/1jQEnCC
8VmsVu7B9U
LImfLEOEm
+A4J4NpKK1Q
ocgCvJAtMog
L+uRS5GpoJj
IElVgP12jnb
7Ij3AYY3Zb4
gotlprLeK
7dJslpNnrD/
MSvbTz/ZoAX
+xyDxUMeq/8
3Xv30i5/wh0
0QBY4Cv5NTD
U4rPoVmQm
EWGW5aQx34i
n4JHY5bk3F4
BvVYm7MscKL
HoU8/OeKVAG
zNcatUgP1N4
3FG9SX0AE
pP3EYlVADsf
ULdbfBn9dZD
idAiDMXnCv9
259J65zA64t
uT9XluinHXV
s5PA/f5vm
rZPQhAzGThw
7h9L6rGYGfS
Kd9KYotwF8k
SOA6WU70Eyh
fTvCdaW76vP
i4CRW2M/Y
RHX0IUdv3Vx
fKb4WnXFeQ1
6LshMGB1T2m
bMyfTh1qUCG
AvPJyWdtZ6O
pOU13CK87
3jhFz07t5wr
uhuWZ3RcISV
srdqcjgCrKy
6Q9y+HbLJoN
Y40Bkjm7f6W
eV+hHn7o1
od7JiqDGq3Q
k+ECEdexvqd
RQS7Bwg07xu
dGfk+WFY02z
oGvg5DMvInF
sxqhM06P+
JgEinB8xPPC
OPzi6q8Tly1
Pz44gmluM15
/QRX4z0Mwz6
UQasVC/NSzx
dfoNGtCy0
c2DAscY4zsi
KhZM1Lr0loP
YycO2b0it6E
5eYkrACJR21
15/ZgVwzvzd
mc/INJCxG
3TvKYbeuv/t
kol256uJWGF
MF2ZrflJaaQ
0iAiUyMep/k
eLP2bJ4Y97o
+03BtQszZ

modsec_deploy_all_rule_changes
modsec_deploy_rule_changes
modsec_deploy_settings_changes
modsec_disable_rule
modsec_disable_vendor
modsec_disable_vendor_configs
modsec_disable_vendor_updates
modsec_discard_all_rule_changes
modsec_discard_rule_changes
modsec_edit_rule
modsec_enable_vendor
modsec_enable_vendor_configs
modsec_enable_vendor_updates
modsec_get_config_text
modsec_get_configs
modsec_get_configs_with_changes_pending
modsec_get_log
modsec_get_rules
modsec_get_settings
modsec_get_vendors
modsec_is_installed
modsec_make_config_active

zixXvzeQAX9
7WdBaUJU0C3
mCKD0tkv4RW
Z8hXV5v0m2t
m7xbXVBzF22
Pej21HDKx
GQkciskBRwQ
M4bDZorkcO+
WnGn6uPbtw5
v/AuIUqB1UN
AcehWN6UTiF
NveP4hLYu
iRGWnZZ+uTb
ip91PNXSxXz
b9yMWV2qSVI
sZvud8kpR8t
tL26Z4ySUKk
FuPrgUeTe
ELnOF3GP6Ix
k+IkwxU575w
==
Private-MAC
:
1dfa6a4c829

modsec_ma
ke_config_in
active

modsec_pre
view_vendor

modsec_re
move_rule

modsec_re
move_settin
g

modsec_re
move_vend
or

modsec_rep
ort_rule

modsec_set
_config_text

modsec_set
_setting

modsec_un
disable_rule

modsec_up
date_vendor

7d31e4cfadb f61aac8b4c5 ca75584

▼ Packages

_getpkgexte
nsionform

add_overrid
e_features_f
or_user

addpkg

addpkgext

changepack
age

create_featu
relist

delete_featu
relist

delpkgext

editpkg

get_availabl
e_applicatio
ns

get_availabl
e_featurelist
s

get_feature_
metadata

get_feature_
names

get_featureli
st_data

get_featureli

sts

get_users_f
eatures_sett
ings

getfeaturelis
t

getpkginfo

killpkg

listpkgs

manage_fea
tures

matchpkgs

read_feature
list

remove_ove
rride_feature
s_for_user

update_feat
urelist

verify_user_
has_feature

▼ PHP

convert_all_
domains_to
_fpm

get_fpm_co
unt_and_util
ization

is_conversio
n_in_progre
ss

php_get_def
ault_accoun
ts_to_fpm

php_get_ha
ndlers

php_get_im
pacted_dom
ains

php_get_ins
talled_versio
ns

php_get_old
_fpm_flag

php_get_sys
tem_default
_version

php_get_vh
osts_by_ver
sion

php_get_vh
ost_versions

php_ini_get
_content

php_ini_get
_directives

php_ini_set
_content

php_ini_set
_directives

php_set_def
ault_accoun
ts_to_fpm

php_set_ha
ndler

php_set_old
_fpm_flag

php_set_ses
sion_save_p
ath

php_set_sys
tem_default
_version

php_set_vh
ost_versions

▼ Resellers

acctcounts

get_public_c
ontact

getresellerip
s

listacIs

listresellers

resellerstats

saveacllist

set_public_c
ontact

setacIs

setresellerip
s

setresellerli
mits

setresellerm
ainip

setresellern
ameservers

setresellerp
ackagelimit

setupreselle
r

suspendres
eller

terminateres
eller

unsetuprese

ller

unsuspendr
eseller

▼ RPM

delete_rpm_
version

edit_rpm_ve
rsion

get_rpm_ver
sion_data

install_rpm_
plugin

list_rpms

package_m
anager_fixc
ache

package_m
anager_get_
build_log

package_m
anager_get_
package_inf
o

package_m
anager_is_p
erforming_a
ctions

package_m
anager_list_
packages

package_m
anager_reso
lve_actions

package_m
anager_sub
mit_actions

package_m
anager_upgr
ade

uninstall_rp
m_plugin

▼ Script Hooks

delete_hook

edit_hook

list_hooks

reorder_hoo
ks

▼ Security

accesshash

authorizessh
key

check_remo
te_ssh_conn
ection

convertopen
sshtoputty

deletesshke
y

fetch_securi
ty_advice

generatessh
keypair

importsshke
y

listsshkeys

▼ Server

Administration

add_configcl
usterserver

configureba
ckgroundpro
cesskiller

configureser
vice

cors_proxy_
get

create_user
_session

delete_conf
gclusterserv
er

enable_mon
itor_all_ena
bled_service
s

get_all_cont
act_importa
nces

get_appconf
ig_applicatio
n_list

get_applicati
on_contact_
event_import
ance

get_applicati
on_contact_
importance

get_availabl
e_profiles

get_current_
profile

get_passwor
d_strength

get_remote_
access_has
h

get_service_
config

get_service_
config_key

get_tcp4_so
ckets

get_tcp6_so
ckets

get_tweakse
tting

get_udp4_s
ockets

get_udp6_s
ockets

get_update_
availability

get_users_li
nks

getdiskusag
e

gethostname

is_role_ena
bled

list_configcl
usterservers

loadavg

nvget

nvset

personalizati
on_get

personalizati
on_set

purchase_a
_license

reboot

remove_in_
progress_ex
im_config_e
dit

restartservic
e

restore_conf
ig_from_file

restore_conf
ig_from_upl
oad

run_cpkeyclt

send_test_p
osturl

send_test_p
ushbullet_n
ote

servicestatu

s

set_applicati
on_contact_
event_imp
ortance

set_applicati
on_contact_
importance

set_primary
_servernam
e

set_service_
config_key

set_tweakse
tting

sethostname

setminimum
passwordstr
engths

start_profile
_activation

system_nee
ds_reboot

systemloada
vg

update_conf
igclusterserv
er

update_cont
act_email

verify_aim_a
ccess

verify_icq_a
ccess

verify_oscar
_access

verify_postu
rl_access

verify_pushb
ullet_access

▼ SSL

disable_aut
ossl

fetch_servic
e_ssl_comp
onents

fetch_ssl_ce
rtificates_for
_fqdns

fetch_ssl_vh
osts

fetch_vhost
_ssl_compo
nents

fetchcrtinfo
fetchsslinfo
generatessl
get_autossl
_check_schedule
get_autossl
_log
get_autossl
_logs_catalog
get_autossl
_metadata
get_autossl
_pending_queue
get_autossl
_pending_queue_for_domain
get_autossl
_pending_queue_for_user
get_autossl
_problems_for_domain
get_autossl
_problems_for_user
get_autossl
_providers
get_best_ssl
domain_for_service
install_service_ssl_certificate
installssl
listcrts
rebuildinstall
edssldb
rebuildusers
sldb
reset_autossl_provider
reset_service_ssl_certificate
set_autossl_metadata
set_autossl_metadata_key

set_autossl_
provider

start_autossl_
check_for_
all_users

start_autossl_
check_for_
one_user

▼ Styles and Themes

generate_cp
anel_plugin

list_styles

load_style

remove_log
o

remove_styl
e

save_style

set_default

▼ Support Tickets

ticket_creat
e_stub_ticke
t

ticket_get_s
upport_agre
ement

ticket_get_s
upport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revok
e

ticket_ssh_t
est

ticket_ssh_t
est_start

ticket_updat
e_service_a
greement_a
pproval

ticket_valida
te_oauth2_c
ode

ticket_whitel
ist_check

ticket_whitel
ist_setup

ticket_whitel
ist_unsetup

▼ Transfers

abort_transf
er_session

analyze_tra
nsfer_sessio
n_remote

available_tr
ansfer_mod
ules

create_remo
te_root_tran
sfer_session

create_remo
te_user_tran
sfer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transf
er_session_l
og

get_transfer
_session_st
ate

pause_trans
fer_session

remote_basi
c_credential
_check

retrieve_tran
sfer_session
_remote_an
alysis

start_transfe
r_session

transfer_mo
dule_schem
a

validate_sys
tem_user

▼ Updates

accept_eula

get_availabl
e_tiers

get_current_
lts_expiratio
n_status

get_lts_wex
pire

getlongterm
support

installed_ver
sions

set_cpanel_
updates

set_tier

update_upd
ateconf

version