

UAPI Functions - Email::set_default_address

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup::fullbackup_to_ftp

Backup::fullbackup_to_homedir

Backup::fullbackup_to_scp_with_key

Backup::fullbackup_to_scp_with_password

Backup::list_backups

Bandwidth

Bandwidth::get_enabled_protocols

Bandwidth::get_retention_periods

Bandwidth::query

Batch

Batch::strict

Brand

Brand::read

Branding

Branding::file

Branding::get_applications

Branding::get_application_information

Branding::get_available_applications

Branding::get_information_for_applications

Description

This function configures a default (catchall) email address.

Important:

In cPanel & WHM version 76 and later, when you disable the `MailReceiver` role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess###  
#####/execute/Email/set_default_address?  
domain=example.com&fwdopt=fwd&fwdemail=admin%40example.com
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

▼ LiveAPI PHP Class

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.  
  
// Send unroutable mail to admin@example.com  
$default_address = $cpanel->uapi('Email', 'set_default_address', array('domain' => 'example.com', 'fwdopt' => 'fwd', 'fwdemail' => 'admin@example.com',
```

Function information

About this module

The `Email` module modifies cPanel email account settings.

About UAPI

UAPI accesses and modifies data for cPanel accounts.

Branding:: image
 Branding:: include
 Branding:: spritelist

▼ CacheBuster
 CacheBuster:: read
 CacheBuster:: update

▼ Chkserverd
 Chkserverd:: get_exim_ports
 Chkserverd:: get_exim_ports_ssl

▼ Chrome
 Chrome:: get_domain

▼ Contactus
 Contactus:: is_enabled

▼ cPAddons
 cPAddons:: get_available_addons
 cPAddons:: get_instance_settings
 cPAddons:: list_addon_instances

▼ cPGreyList
 cPGreyList:: disable_all_domains
 cPGreyList:: disable_domains
 cPGreyList:: enable_all_domains
 cPGreyList:: enable_domains
 cPGreyList:: has_greylisting_enabled
 cPGreyList:: list_domains

▼ DAV
 DAV:: disable_shared_global_addressbook
 DAV:: enable_shared_global_addressbook
 DAV:: get_calendar_contacts_config
 DAV:: has_shared_global_addressbook
 DAV:: is_dav_service_enabled

```

    )
  );

  // Send unroutable
  mail to script.pl
  $default_address =
  $cpanel->uapi(
    'Email',
    'set_default_address'
  ,
    array(
      'domain'
    => 'example.com',
      'fwdopt'
    => 'pipe',
      'pipefwd'
    => 'script.pl',
    )
  );

  // Delete unroutable
  mail.
  $default_address =
  $cpanel->uapi(
    'Email',
    'set_default_address'
  ,
    array(
      'domain'
    => 'example.com',
      'fwdopt'
    => 'blackhole',
    )
  );

  // Bounce unroutable
  mail.
  $default_address =
  $cpanel->uapi(
    'Email',
    'set_default_address'
  ,
    array(
      'domain'
    => 'example.com',
      'fwdopt'
    => 'fail',
      'failmsgs'
  );

```

Notes:

- The *Fe* int
- Ur **mu** us 20 or 20).` 20 or 20).

Find a function

• The Email module modifies cPanel email account settings.

- DAV:: is_horde_enabled
- ▼ DCV
 - DCV:: check_domains_via_dns
 - DCV:: check_domains_via_http
 - DCV:: ensure_domains_can_pass_dcv
- ▼ DomainInfo
 - DomainInfo:: domains_data
 - DomainInfo:: list_domains
 - DomainInfo:: main_domain_builtin_subdomain_aliases
 - DomainInfo:: single_domain_data
- ▼ DNS
 - DNS:: ensure_domains_reside_only_locally
 - DNS:: has_local_authority
- ▼ DNSSEC
 - DNSSEC:: disable_dnssec
 - DNSSEC:: enable_dnssec
 - DNSSEC:: fetch_dns_records
 - DNSSEC:: set_nsec3
 - DNSSEC:: unset_nsec3
- ▼ Email
 - Email:: account_name
 - Email:: add_auto_responder
 - Email:: add_domain_forwarder
 - Email:: add_forwarder
 - Email:: add_list
 - Email:: add_mailman_delegates
 - Email:: add_mx
 - Email:: add_pop
 - Email:: add_spam_filter

```
=> 'Nobody\'s home.',
    )
);
```

Note:
For more information, read our [Guide to the LiveAPI System](#).

▼ LiveAPI Perl Module

```
my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# Send unroutable
mail to
admin@example.com
my $default_address =
$cpliveapi->uapi(
'Email',
'set_default_address'
,
{
'domain'
=> 'example.com',
'fwdopt'
=> 'fwd',
'fwdemail'
=>
'admin@example.com',
}
);

# Send unroutable
mail to script.pl
my $default_address =
$cpliveapi->uapi(
'Email',
'set_default_address'
,
{
'domain'
=> 'example.com',
'fwdopt'
=> 'pipe',
'pipefwd'
```

- UAPI Functions - Email::account_name — This function returns an email account's username or address.
- UAPI Functions - Email::add_auto_responder — This function creates an auto responder for an email account.

Email: browse_mailbox
Email: change_mx
Email: check_fastmail
Email: check_pipe_forwarder
Email: delete_auto_responder
Email: delete_domain_forwarder
Email: delete_filter
Email: delete_forwarder
Email: delete_held_messages
Email: delete_list
Email: delete_mx
Email: delete_pop
Email: disable_filter
Email: disable_mailbox_autocreate
Email: disable_spam_assassin
Email: disable_spam_autodelete
Email: disable_spam_box
Email: dispatch_client_settings
Email: edit_pop_quota
Email: enable_filter
Email: enable_mailbox_autocreate
Email: enable_spam_assassin
Email: enable_spam_box
Email: fetch_charmaps
Email: fts_rescan_mailbox
Email: generate_mailman_opt
Email: get_auto_responder
Email: get_chase

```
=> 'script.pl',  
    }  
);  
  
# Delete unroutable  
mail.  
my $default_address =  
$cpliveapi->uapi(  
    'Email',  
    'set_default_address'  
,  
    {  
        'domain'  
=> 'example.com',  
        'fwdopt'  
=> 'blackhole',  
    }  
);  
  
# Bounce unroutable  
mail.  
my $default_address =  
$cpliveapi->uapi(  
    'Email',  
    'set_default_address'  
,  
    {  
        'domain'  
=> 'example.com',  
        'fwdopt'  
=> 'fail',  
        'failmsgs'
```

- UAPI Functions - Email::add_domain_forwarder — This function creates a domain-level forwarder.
- UAPI Functions - Email::add_forwarder — This function creates an email forwarder.

ts

Email: get_client_settings

Email: get_default_email_quota

Email: get_default_email_quota_mib

Email: get_disk_usage

Email: get_filter

Email: get_held_message_count

Email: get_mailbox_autocreate

Email: get_mailman_delegates

Email: get_main_account_disk_usage

Email: get_main_account_disk_usage_bytes

Email: get_max_email_quota

Email: get_max_email_quota_mib

Email: get_pop_quota

Email: get_spam_settings

Email: get_webmail_settings

Email: has_delegated_mailman_lists

Email: has_plaint_authentication

Email: hold_outgoing

Email: is_integer

Email: list_autoresponders

Email: list_default_address

Email: list_domain_forwarders

Email: list_filters

Email: list_filters_backups

Email: list_forwarders

Email: list_forward

```
=> 'Nobody\'s home.',
    }
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

▼ cPanel Template Toolkit

```
<!-- Send unroutable
mail to
admin@example.com -->
<!-- Get a hash of
all the data, then
display the dest
value. -->
[% data = execute(
'Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' => 'fwd',
'fwdemail' =>
'admin@example.com',
} ); %]
[% FOREACH q =
data.dest %]
    <p>
        [% q %]
    </p>
[% END %]

<!-- Get only the
forwarded address.
-->
[% execute('Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' => 'fwd',
'fwdemail' =>
'admin@example.com',
}).data.dest %]

<!-- Send unroutable
```

ers_backups
Email: list_lists
Email: list_mail_domains
Email: list_mx
Email: list_pops
Email: list_pops_with_disk
Email: list_system_filter_info
Email: passwd_list
Email: passwd_pop
Email: release_outgoing
Email: remove_mailman_delegates
Email: reorder_filters
Email: set_always_accept
Email: set_default_address
Email: set_list_privacy_options
Email: stats_db_status
Email: store_filter
Email: suspend_incoming
Email: suspend_login
Email: suspend_outgoing
Email: trace_filter
Email: unsuspend_incoming
Email: unsuspend_login
Email: unsuspend_outgoing
Email: verify_password
▼ EmailAuth
EmailAuth: disable_dkim
EmailAuth: enable_dkim
EmailAuth: ensure_dkim_keys_exist

```
mail to script.pl -->
<!-- Get a hash of
all the data, then
display the dest
value. -->
[% data = execute(
'Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' => 'pipe',
'pipefwd' =>
'script.pl', } ); %]
[% FOREACH q =
data.dest %]
    <p>
        [% q %]
    </p>
[% END %]

<!-- Get only the
forwarded address.
-->
[% execute('Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' => 'pipe',
'pipefwd' =>
'script.pl',
}).data.dest %]

<!-- Delete
unroutable mail. -->
<!-- Get a hash of
all the data, then
display the dest
value. -->
[% data = execute(
'Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' =>
'blackhole' } ); %]
[% FOREACH q =
data.dest %]
    <p>
        [% q %]
    </p>
[% END %]
```

```
EmailAuth:: fetch_
dkim_private_keys

EmailAuth:: install
_dkim_private_key
s

EmailAuth:: install
_spf_records

EmailAuth:: validat
e_current_dkims

EmailAuth:: validat
e_current_ptrs

EmailAuth:: validat
e_current_spfs

v ExternalAuthenticat
ion
ExternalAuthenticat
ion:: add_auth_li
nk

ExternalAuthenticat
ion:: configured_
modules

ExternalAuthenticat
ion:: get_authn_lin
ks

ExternalAuthenticat
ion:: has_external
_auth_modules_co
nfigured

ExternalAuthenticat
ion:: remove_auth
n_link

v Features
Features:: get_feat
ure_metadata

Features:: has_fea
ture

Features:: list_feat
ures

v Fileman
Fileman:: autocom
pletedir

Fileman:: empty_tr
ash

Fileman:: get_file_
content

Fileman:: get_file_i
nformation

Fileman:: list_files

Fileman:: save_file
_content

Fileman:: transcod
e

Fileman:: upload_fi
les
```

```
<!-- Get only the
forwarded address.
-->
[% execute('Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' =>
'blackhole'
}).data.dest %]
```

```
<!-- Bounce
unroutable mail. -->
<!-- Get a hash of
all the data, then
display the dest
value. -->
[% data = execute(
'Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' => 'fail',
'failmsgs' =>
'Nobody\'s home.' }
); %]
[% FOREACH q =
data.dest %]
    <p>
        [% q %]
    </p>
[% END %]
```

```
<!-- Get only the
forwarded address.
-->
[% execute('Email',
'set_default_address'
, { 'domain' =>
'example.com',
'fwdopt' => 'fail',
```

- ▼ Ftp
 - Ftp:: add_ftp
 - Ftp:: allows_anonymous_ftp
 - Ftp:: allows_anonymous_ftp_incoming
 - Ftp:: delete_ftp
 - Ftp:: ftp_exists
 - Ftp:: get_ftp_daemon_info
 - Ftp:: get_port
 - Ftp:: get_quota
 - Ftp:: get_welcome_message
 - Ftp:: kill_session
 - Ftp:: list_ftp
 - Ftp:: list_ftp_with_disk
 - Ftp:: list_sessions
 - Ftp:: passwd
 - Ftp:: server_name
 - Ftp:: set_anonymous_ftp
 - Ftp:: set_anonymous_ftp_incoming
 - Ftp:: set_homedir
 - Ftp:: set_quota
 - Ftp:: set_welcome_message
- ▼ Integration
 - Integration:: fetch_url
- ▼ KnownHosts
 - KnownHosts:: create
 - KnownHosts:: delete
 - KnownHosts:: update
 - KnownHosts:: verify
- ▼ LangPHP
 - LangPHP:: php_get_domain_handler
 - LangPHP:: php_get_impacted_domains
 - LangPHP:: php_get_installed_version

```
'failmsgs' =>  
'Nobody\'s home.'  
}).data.dest %]
```

Note:

For more information, read our [Guide to Template Toolkit documentation](#).

s

LangPHP:: php_get_system_default_version

LangPHP:: php_get_vhost_versions

LangPHP:: php_ini_get_user_basic_directives

LangPHP:: php_ini_get_user_content

LangPHP:: php_ini_get_user_paths

LangPHP:: php_ini_set_user_basic_directives

LangPHP:: php_ini_set_user_content

LangPHP:: php_set_vhost_versions

▼ LastLogin

LastLogin:: get_last_or_current_logged_in_ip

▼ Locale

Locale:: get_attributes

▼ Mailboxes

Mailboxes:: expunge_mailbox_messages

Mailboxes:: expunge_messages_for_mailbox_guid

Mailboxes:: get_mailbox_status

Mailboxes:: has_utf8_mailbox_names

Mailboxes:: set_utf8_mailbox_names

▼ Market

Market:: cancel_pending_ssl_certificate

Market:: create_shopping_cart

Market:: get_all_products

Market:: get_certificate_status_details

Market:: get_login_url

Market:: get_pending_ssl_certificates

▼ Command Line

```
uapi --user=username
Email
set_default_address
domain=example.com
fwdopt=fwd
fwdemail=admin%40example.com
uapi --user=username
Email
set_default_address
domain=example.com
fwdopt=pipe
pipefwd=script.pl
uapi --user=username
Email
set_default_address
domain=example.com
fwdopt=blackhole
uapi --user=username
Email
set_default_address
domain=example.com
fwdopt=fail
failmsgs="Nobody is
home."
```

Notes:

- You **must** [URI-encode](#) values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/
uapi
```

Market:: get_provider_specific_dcw_constraints

Market:: get_providers_list

Market:: get_ssl_certificate_if_available

Market:: process_ssl_pending_queue

Market:: request_ssl_certificates

Market:: set_status_of_pending_queue_items

Market:: set_url_after_checkout

Market:: validate_login_token

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: delete_handler

Mime:: delete_hotlink

Mime:: delete_mime

Mime:: delete_redirect

Mime:: list_handlers

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirects

Mime:: redirect_info

▼ ModSecurity

ModSecurity:: disable_all_domains

ModSecurity:: disable_domains

ModSecurity:: enable_all_domains

ModSecurity:: enable_domains

▼ Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "data": [
    {
      "domain":
      "example.com",
      "dest":
      "admin@example.com"
    }
  ],
  "metadata": {
    "transformed": 1
  }
}
```

Note:
Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

Parameter	Type	Description	Possible values	Example
domain	string	The domain. This parameter defaults to the cPanel account's main domain.	A valid domain on the account.	example.com

ModSecurity:: has_modsecurity_installed

ModSecurity:: list_domains

▼ Mysql

Mysql:: add_host

Mysql:: add_host_note

Mysql:: check_database

Mysql:: create_database

Mysql:: create_user

Mysql:: delete_database

Mysql:: delete_host

Mysql:: delete_user

Mysql:: get_host_notes

Mysql:: get_privileges_on_database

Mysql:: get_restrictions

Mysql:: get_server_information

Mysql:: locate_server

Mysql:: rename_database

Mysql:: rename_user

Mysql:: repair_database

Mysql:: revoke_access_to_database

Mysql:: set_password

Mysql:: set_privileges_on_database

▼ Notifications

Notifications:: get_notifications_count

▼ NVData

NVData:: get

NVData:: set

▼ Parser

Parser:: firstfile_relative_uri

<p>fwdopt</p>	<p>string</p>	<p>Required</p> <p>The method to use to handle unrouteable mail.</p>	<ul style="list-style-type: none"> • <code> fwd </code> — Forward messages to the <code> fwd </code> email parameter's address. • <code> fail </code> — Bounce messages back to the sender, and include the <code> failmsgs </code> parameter's failure message. • <code> blackhole </code> — Send messages to the <code> /dev/null/ </code> directory. This method does not generate a failure notice. • <code> pipe </code> — Pipe mail to the <code> pipefwd </code> parameter's application. 	<p> fwd </p>
<p> fwdemail </p>	<p>string</p>	<p>The email address to which the system forwards messages.</p> <div data-bbox="734 1150 870 1633" style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p>Note : Use this parameter if you used the <code> fwd </code> method for the <code> fwdopt </code> parameter.</p> </div>	<p>A valid email address.</p>	<p>admin@example.com</p>

- ▼ **PassengerApps**
 - PassengerApps:: disable_application
 - PassengerApps:: edit_application
 - PassengerApps:: enable_application
 - PassengerApps:: ensure_deps
 - PassengerApps:: list_applications
 - PassengerApps:: register_application
 - PassengerApps:: unregister_application
- ▼ **PasswdStrength**
 - PasswdStrength:: get_required_strength
- ▼ **Personalization**
 - Personalization::set
 - Personalization::get
- ▼ **Postgresql**
 - Postgresql:: create_database
 - Postgresql:: create_user
 - Postgresql:: delete_database
 - Postgresql:: get_restrictions
 - Postgresql:: grant_all_privileges
 - Postgresql:: rename_database
 - Postgresql:: rename_user
 - Postgresql:: rename_user_no_password
 - Postgresql:: revoke_all_privileges
 - Postgresql:: set_password
- ▼ **Pushbullet**
 - Pushbullet:: send_test_message
- ▼ **Quota**
 - Quota:: get_quota_info

failmsgs	string	<p>The failure message for the message's sender.</p> <p>This parameter defaults to No such person at this address.</p> <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>Note : Use this parameter if you used the fail method for the fwdopt parameter.</p> </div>	A valid string.	Nobody's home.
pipefwd	string	<p>The application to which the system pipes messages.</p> <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>Note : Use this parameter if you used the pipe method for the fwdopt parameter.</p> </div>	The location of a program or script, relative to the account's home directory.	mailscript.pl

Returns

Return	Type	Description	Possible values	Example
data	array of hashes	An array of hashes of forwarder information.	This array of hashes includes the domain and dest returns.	

- Resellers
 - Resellers:: list_accounts
- ResourceUsage
 - ResourceUsage:: get_usages
- Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- Session
 - Session:: create_temp_user
- SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- SpamAssassin
 - SpamAssassin :: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- SSH
 - SSH:: get_port
- SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: can_ssl_redirect
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key
 - SSL:: delete_ssl
 - SSL :: disable_mail_sni

domain	string	The domain. The function returns this value in the data hash.	A valid domain on the account.	example.com
dest	string	The destination to which the system sends unroutable mail. The function returns this value in the data hash.	<ul style="list-style-type: none"> • An email address — The system forwards mail to this address. • :fail: — The system bounces mail back to the sender, and sends a failure message. • :blackhole: — The system deletes mail without a failure message. • The path to an application — The system pipes mail to this application. 	admin@example.com

SSL:: enable_mail
_sni

SSL:: fetch_best_f
or_domain

SSL:: fetch_cert_in
fo

SSL:: fetch_certific
ates_for_fqdns

SSL:: fetch_key_a
nd_cabundle_for_
certificate

SSL:: find_certifica
tes_for_key

SSL:: find_csrs_for
_key

SSL:: generate_ce
rt

SSL:: generate_cs
r

SSL:: generate_ke
y

SSL:: get_autossl_
excluded_domains

SSL:: get_autossl_
pending_queue

SSL:: get_autossl_
problems

SSL:: get_cabundl
e

SSL:: get_cn_nam
e

SSL:: install_ssl

SSL:: installed_ho
st

SSL:: installed_ho
sts

SSL:: is_autossl_c
heck_in_progress

SSL:: is_mail_sni_
supported

SSL:: is_sni_supp
orted

SSL:: list_certs

SSL:: list_csrs

SSL:: list_keys

SSL:: list_ssl_item
s

SSL:: mail_sni_sta
tus

SSL:: rebuild_mail
_sni_config

SSL:: rebuildssldb

SSL:: remove_aut
ossl_excluded_do
mains

SSL:: set_autossl_
excluded_domains

SSL:: set_cert_frie
ndly_name

SSL:: set_csr_frien
dly_name

SSL:: set_key_frie
ndly_name

SSL:: set_primary
_ssl

SSL:: set_ssl_shar
e

SSL:: show_cert

SSL:: show_csr

SSL:: show_key

SSL:: start_autossl_
_check

SSL:: toggle_ssl_r
edirects_for_doma
ins

SSL:: upload_cert

SSL:: upload_key

▼ StatsBar

StatsBar:: get_stat
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set_default

Styles:: update

▼ SubDomain

SubDomain:: adds
ubdomain

▼ Themes

Themes:: get_the
me_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create_fu
ll_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

▼ TwoFactorAuth

TwoFactorAuth:: generate_user_configuration

TwoFactorAuth:: get_user_configuration

TwoFactorAuth:: remove_user_configuration

TwoFactorAuth:: set_user_configuration

▼ UserManager

UserManager:: check_account_conflicts

UserManager:: create_user

UserManager:: delete_user

UserManager:: dismiss_user

UserManager:: edit_user

UserManager:: list_users

UserManager:: lookup_service_account

UserManager:: lookup_user

UserManager:: merge_service_account

UserManager:: unlink_service_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete_user

WebDisk:: set_homedir

WebDisk:: set_password

WebDisk:: set_permissions

▼ WebmailApps

WebmailApps:: list_webmailapps

▼ WebVhosts

WebVhost:: list_domains

WebVhost:: list_ssl_capable_domains

▼ WordPressBackup

WordPressBackup:: any_running

WordPressBackup:: cancel

WordPressBackup:: cleanup

WordPressBackup:: get_available_backups

WordPressBackup:: is_running

WordPressBackup:: start

▼ WordPressInstance

Manager

WordPressInstanceManager:: cancel_scan

WordPressInstanceManager:: cleanup_scan

WordPressInstanceManager:: change_admin_password

WordPressInstanceManager:: configure_autoupdate

WordPressInstanceManager:: get_api_version

WordPressInstanceManager:: get_in

stance_by_id

WordPressInstanceManager::get_instances

WordPressInstanceManager::get_latest_wordpress_version_from_wordpress_org

WordPressInstanceManager::get_scan_results

WordPressInstanceManager::is_installable_addon_available

WordPressInstanceManager::start_scan

▼ WordPressRestore

WordPressRestore::any_running

WordPressRestore::cleanup

WordPressRestore::start