

WHM API 1 Functions - modsec_update_vendor

Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Call cPanel API 2 and UAPI

- Account Restoration
- restore_modules_summary
- restore_queue_activate
- restore_queue_add_task
- restore_queue_clear_all_completed_tasks
- restore_queue_clear_all_failed_tasks
- restore_queue_clear_all_pending_tasks
- restore_queue_clear_all_tasks
- restore_queue_clear_completed_task
- restore_queue_clear_pending_task
- restore_queue_is_active
- restore_queue_list_active
- restore_queue_list_completed
- restore_queue

Description

This function updates a vendor with the current version of the rule set.

Important:

In cPanel & WHM version 76 and later, when you disable the `WebServerRole`, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/modsec_update_vendor?api.version=1&url=http%3A%2F%2Fexample.com%2Fupdate%2Fmeta_MyVendor.yaml
```

XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/modsec_update_vendor?api.version=1&url=http%3A%2F%2Fexample.com%2Fupdate%2Fmeta_MyVendor.yaml
```

Function information

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

Notes:

- Sc
- ro
- us
- Yc
- mi
- us
- 20
- or
- 20
-)tc

ue_list_pending
restore_queue_state
restoreaccount
verify_new_username_or_restore

Accounts

accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_disk_usage
get_domain_info
getdomainowner
has_digest_auth
has_mycnf_for_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
untrack_acct

Command Line

```
whmapil  
modsec_update_vendor  
url=http%3A%2F%2Fexample.com%2Fupdate%2Fmeta_MyVendor.yaml%20
```

Notes:

- Unless otherwise noted, you **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local  
/cpanel/bin/whmapil
```

Output (JSON)

```
{  
  "data": {  
    "diagnostics": {  
      "deleted_configs": [  
        "modsec_vendor_configs/MyVendor/one.conf"  
      ],  
      "new_configs": [  
        {  
          "vendor_id":  
            "MyVendor",  
          "active": 0,  
          "config":  
            "modsec_vendor_configs/MyVendor/two.conf"  
        }  
      ],  
      {
```

Find a function

- WHM API 1 Functions - modsec_add_rule - This function adds a new rule to a Mod Security™ configuration staging file.

```

_id
verify_new_
username
  ▾ Addon Domains
    convert_add
    on_fetch_co
    nversion_de
    tails
    convert_add
    on_fetch_do
    main_details
    convert_add
    on_get_con
    version_stat
    us
    convert_add
    on_initiate_c
    onversion
    convert_add
    on_list_add
    on_domains
    convert_add
    on_list_conv
    ersions
  ▾ Authentication
    api_token_c
    reate
    api_token_li
    st
    api_token_r
    evoke
    api_token_u
    pdate
    disable_aut
    hentication_
    provider
    disable_fail
    ing_authenti
    cation_provi
    ders
    enable_auth
    entication_p
    rovider
    get_availabl
    e_authentic
    ation_provid
    ers
    get_login_ur
    l
    get_provider
    _client_confi
    gurations
    get_provider
    _configurati
    on_fields
    get_provider
    _display_co

```

```

"vendor_id":
"MyVendor",

"active": 1,

"config":
"modsec_vendor_config
s/MyVendor/three.conf
"
    }
  ],

"added_configs": [

"modsec_vendor_config
s/MyVendor/three.conf
"
    ],

"prev_configs": [
{

"config":
"modsec_vendor_config
s/MyVendor/one.conf"
    },
{

"config":
"modsec_vendor_config
s/MyVendor/two.conf"
    }
  ],
  "vendor": {
    "locked":
0,

"vendor_url":
"http://www.example.c
om/",

"inst_dist":
"MyVendor-2",

"vendor_id":
"MyVendor",
  "installed": 1
  "cpanel_provided":
0
    "name":
"My Vendor",
    "path":

```

- WHM API 1 Functions - modsec_add_order — This function adds a new Mod Security™ vendor or rule set to the server.
- WHM API 1 Functions - modsec_batch_settings — This function adds, updates, and removes global Mod Security™ configuration directives.

nfigurations
get_users_authn_linked_accounts
link_user_authn_provider
set_provider_client_configurations
set_provider_display_configurations
twofactorauth_disable_policy
twofactorauth_enable_policy
twofactorauth_generate_tfa_config
twofactorauth_get_issuer
twofactorauth_get_user_configs
twofactorauth_policy_status
twofactorauth_remove_user_config
twofactorauth_set_issuer
twofactorauth_set_tfa_config
unlink_user_authn_provider
validate_logintoken

▼ Backups

backup_config_get
backup_config_set
backup_data_list
backup_destination_add
backup_destination_delete

```
"/usr/local/apache/conf/modsec_vendor_configs/MyVendor",  
  
"installed_from":  
"http://example.com/update/meta_MyVendor.yaml",  
  
"description": "This is an example of a custom vendor set (updated)",  
  
"archive_url":  
"http://example.com/update/MyVendor.zip",  
  
"dist_md5":  
"ecafce1bf148532250a8d4743a8374d1",  
  
"enabled": 1  
    }  
  },  
  "metadata": {  
    "version": 1,  
    "reason":  
"OK",  
    "result": 1,  
    "command":  
"modsec_update_vendor"
```

- WHM API 1 Functions - modsec_clone_rule - This function copies a Mod Security™ rule with a new rule ID.

backup_dest
 ination_get

 backup_dest
 ination_list

 backup_dest
 ination_set

 backup_dest
 ination_validate

 backup_get
 _transport_s
 tatus

 backup_list_
 transported

 backup_set_
 list

 backup_set_
 list_combine
 d

 backup_skip
 _users_all

 backup_skip
 _users_all_s
 tatus

 backup_use
 r_list

 convert_and
 _migrate_fro
 m_legacy_c
 onfig

 get_users_w
 ith_backup_
 metadata

 list_cparchiv
 e_files

 start_backgr
 ound_pkgac
 ct

 toggle_user
 _backup_sta
 te

 v cPHulk
 cphulk_statu
 s

 create_cphu
 lk_record

 delete_cphu
 lk_record

 disable_cph
 ulk

 enable_cph
 ulk

 flush_cphulk
 _login_histo
 ry

```

"
  }
}

```

Output (XML)

```

<result>
  <data>
    <diagnostics>

    <deleted_configs>modsec_vendor_configs/MyVendor/one.conf</deleted_configs>

    <new_configs>

    <vendor_id>MyVendor</vendor_id>

    <active>0</active>

    <config>modsec_vendor_configs/MyVendor/two.conf</config>

    </new_configs>

    <new_configs>

    <vendor_id>MyVendor</vendor_id>

    <active>1</active>

    <config>modsec_vendor_configs/MyVendor/three.conf</config>

    </new_configs>

    <added_configs>modsec_vendor_configs/MyVendor/three.conf</added_configs>

    <prev_configs>

    <config>modsec_vendor_configs/MyVendor/one.conf</config>

```

flush_cphulk_login_history_for_ips
get_countries_with_known_ip_ranges
get_cphulk_brutes
get_cphulk_excessive_brutes
get_cphulk_failed_logins
get_cphulk_user_brutes
load_cphulk_config
read_cphulk_records
save_cphulk_config
set_cphulk_config_key

▼ Databases

background_mysql_upgrade_status
current_mysql_version
installable_mysql_versions
latest_available_mysql_version
list_database_users
list_databases
list_mysql_databases_and_users
remote_mysql_create_profile
remote_mysql_create_profile_via_ssh
remote_mysql_delete_profile
remote_mysql_initiate_profile_activation

```
</prev_configs>

<prev_configs>

<config>modsec_vendor_configs/MyVendor/two.conf</config>

</prev_configs>

</diagnostics>
  <vendor>

<archive_url>http://example.com/update/MyVendor.zip</archive_url>

<cpanel_provided>0</cpanel_provided>
  <description>This is an example of a custom vendor set (updated)</description>

<dist_md5>ecafce1bf148532250a8d4743a8374d1</dist_md5>

<enabled>1</enabled>

<inst_dist>MyVendor-2</inst_dist>

<installed>1</installed>

<installed_from>http://example.com/update/meta_MyVendor.yaml</installed_from>
  <name>MyVendor</name>

<path>/usr/local/apache/conf/modsec_vendor_configs/MyVendor</path>

<vendor_id>MyVendor</vendor_id>
```

ion

remote_mysql_monitor_profile_activation

remote_mysql_read_profile

remote_mysql_read_profiles

remote_mysql_update_profile

remote_mysql_validate_profile

rename_mysql_database

rename_mysql_user

rename_postgresql_database

rename_postgresql_user

set_local_mysql_root_password

set_mysql_password

set_postgresql_password

start_background_mysql_upgrade

▼ DNS

addns

addzonerecord

addzonerecord (Reverse DNS)

dumpzone

editzonerecord

get_nameserver_config

getzonerecord

has_local_authority

```
<vendor_url>http://www.example.com</vendor_url>
```

```
</vendor>
```

```
</data>
```

```
<metadata>
```

```
<version>1</version>
```

```
<reason>OK</reason>
```

```
<result>1</result>
```

```
<command>modsec_updat
```

killdns
listmxs
listzones
lookupnsip
lookupnsips
removezone
record
resetzone
resolvedom
ainname
savemxs
setresolvers
update_nam
eservers_co
nfig

EasyApache

ea4_get_cur
rently_instal
led_package
s
ea4_get_ea
_pkgs_state
ea4_list_pro
files
ea4_metainf
o
ea4_migrati
on
ea4_pre_mi
grate_check
ea4_recom
mendations
ea4_save_p
rofile
ea4_tomcat
85_add
ea4_tomcat
85_list
ea4_tomcat
85_rem

Greylisting

cpgreylist_is
_server_net
block_truste
d
cpgreylist_li
st_entries_f
or_common
_mail_provid
er
cpgreylist_lo
ad_common
_mail_provid

```
e_vendor</command>
</metadata>
</result>
```

Note:
Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

Parameters

Parameter	Type	Description	Possible values	Example
url	string	Required The vendor metadata file's URL.	A valid URL.	http://example.com/update/meta_MyVendor.yaml

Returns

Return	Type	Description	Possible values	Example
vendor	hash	A hash of updated vendor information.	This hash includes the locked, vendor_url, inst_dist, vendor_id, name, path, installed_from, description, archive_url, dist_md5, and enabled returns.	
installed	Boolean	Whether the vendor is installed. The function returns this value in the vendor hash.	<ul style="list-style-type: none"> 1 — Installed. 0 — Not installed. 	1
vendor_url	string	The URL to the vendor's website. The function returns this value in the vendor hash.	A valid URL.	http://example.com/

ers_config
 cpgreylis_t
 ave_commo
 n_mail_provi
 ders_config
 cpgreylis_st
 atus
 cpgreylis_tr
 ust_entries_
 for_common
 _mail_provid
 er
 cpgreylis_u
 ntrust_entrie
 s_for_comm
 on_mail_pro
 vider
 create_cpgr
 eylist_truste
 d_host
 delete_cpgr
 eylist_truste
 d_host
 disable_cpgr
 eylist
 enable_cpgr
 eylist
 load_cpgrey
 list_config
 read_cpgrey
 list_deferred
 _entries
 read_cpgrey
 list_trusted_
 host
 save_cpgrey
 list_config

 Integration
 batch
 cpanel
 create_integ
 ration_group
 create_integ
 ration_link
 get_integrati
 on_link_user
 _config
 list_integrati
 on_groups
 list_integrati
 on_links
 remove_inte
 gration_grou
 p
 remove_inte

inst_d ist	string	<p>The unique identifier for the rule set version.</p> <p>The function returns this parameter in the vendor hash.</p>	A valid string.	MyVendor-2
vendor _id	string	<p>The vendor's unique short name.</p> <p>The function returns this parameter in the vendor hash.</p>	A valid string.	MyVendor
name	string	<p>The vendor's name.</p> <p>The function returns this parameter in the vendor hash.</p>	A valid string.	My Vendor
path	string	<p>The file path to the vendor's ModSecurity configuration files.</p> <p>The function returns this value in the vendor hash.</p>	An absolute file path.	<p>Click to view...</p> <pre>/usr/local/apache/conf/modsec_vendor_configs/MyVendor</pre>
instal led_fr om	string	<p>The URL to the vendor's metadata file.</p> <p>The function returns this value in the vendor hash.</p>	A valid URL.	<p>Click to view...</p> <pre>http://example.com/update/meta_MyVendor.yaml</pre>
descri ption	string	<p>The vendor's description.</p> <p>The function returns this value in the vendor hash.</p>	A valid string.	<p>Click to view...</p> <p>This is an example of a custom vendor set (updated).</p>
archiv e_url	string	<p>The URL to download the vendor rules.</p> <p>The function returns this value in the vendor hash.</p>	A valid URL.	<p>Click to view...</p> <pre>http://example.com/update/MyVendor.zip</pre>
dist_m d5	string	<p>The download's MD5 checksum value.</p> <p>The function returns this value in the vendor hash.</p>	A valid checksum.	ecaafce1bf148532250a8d4743a8374d1

gration_link
 update_inte
 gration_link
 _token

▼ IP Addresses

addips

delip

get_public_i
 p

get_shared_
 ip

ipv6_disable
 _account

ipv6_enable
 _account

ipv6_range_
 add

ipv6_range_
 edit

ipv6_range_
 list

ipv6_range_
 remove

ipv6_range_
 usage

listips

nat_checkip

nat_set_pub
 lic_ip

setsiteip

▼ Mail

disable_dki
 m

disable_mail
 _sni

emailtrack_s
 earch

emailtrack_s
 tats

emailtrack_u
 ser_stats

enable_dkim

enable_mail
 _sni

ensure_dki
 m_keys_exi
 st

exim_config
 uration_che
 ck

expunge_m

enabled	<i>Boolean</i>	Whether the vendor is enabled. The function returns this value in the vendor hash.	<ul style="list-style-type: none"> 1 — Enabled. 0 — Disabled. 	1
diagnostics	<i>hash</i>	A hash of diagnostic information about the update.	This hash includes the added_configs, deleted_configs, new_configs, and prev_configs arrays.	
added_configs	<i>array</i>	A list of configuration files that the update added. The function returns this array in the diagnostics hash.	A list of added ModSecurity configuration files.	▼ Click to view... modsec_vendor_configs/MyVendor/three.conf
deleted_configs	<i>array</i>	A list of configuration files that the update removed. The function returns this array in the diagnostics hash.	An array of deleted ModSecurity configuration files.	▼ Click to view... modsec_vendor_configs/MyVendor/one.conf
new_configs	<i>array of hashes</i>	A complete list of configuration files that the update modified. The function returns this array in the diagnostics hash.	Each hash includes the active, config, and vendor_id returns.	
active	<i>Boolean</i>	Whether the configuration file is active. The function returns this value in the new_configs array.	<ul style="list-style-type: none"> 1 — Active. 0 — Not active. 	0
config	<i>string</i>	The file path to the configuration file. The function returns this value in the new_configs array.	A path to the configuration file, relative to the /usr/local/apache/conf/ Apache configuration directory.	▼ Click to view... modsec_vendor_configs/MyVendor/two.conf

ailbox_messages
 expunge_messages_for_mailbox_guid
 fetch_dkim_private_keys
 fetch_mail_queue
 generate_mobileconfig
 get_mailbox_status
 get_mailbox_status_list
 get_unique_recipient_count_per_sender_for_user
 get_unique_sender_recipient_count_per_user
 get_user_email_forward_destination
 hold_outgoing_email
 install_dkim_private_keys
 install_spf_records
 is_sni_supported
 list_pops_for
 mail_sni_status
 rebuild_mail_sni_config
 release_outgoing_email
 save_spamd_config
 set_user_email_forward_destination
 suspend_outgoing_email
 unsuspend_outgoing_email

vendor_id	string	<p>The vendor's unique name.</p> <p>The function returns this value in the <code>new_configs</code> array.</p>	A valid string.	MyVendor
prev_configs	array of hashes	<p>A complete list of configuration files in the old version.</p> <p>The function returns this array in the <code>diagnostics</code> hash.</p>	Each hash includes the <code>config</code> return.	
config	string	<p>The file path of the configuration file.</p> <p>The function returns this value in the <code>prev_configs</code> array.</p>	<p>A path to the configuration file, relative to the <code>/usr/local/apache/conf/</code> Apache configuration directory.</p>	<p>Click to view...</p> <pre>modsec_vendor_configs/MyVendor/owo.conf</pre>

validate_currency_installed_exim_configuration

validate_currency_dkims

validate_currency_ptrs

validate_currency_spfs

validate_exim_configuration_syntax

▼ Market

disable_market_provider

enable_market_provider

get_adjusted_market_providers_products

get_market_providers_commission_config

get_market_providers_list

get_market_providers_product_metadata

get_market_providers_products

set_market_product_attribute

set_market_provider_commission_id

▼ ModSecurity™

modsec_add_rule

modsec_add_vendor

modsec_assemble_config_text

modsec_batch_settings

modsec_check_rule

modsec_clone_rule

modsec_de
ploy_all_rule
_changes

modsec_de
ploy_rule_ch
anges

modsec_de
ploy_setting
s_changes

modsec_dis
able_rule

modsec_dis
able_vendor

modsec_dis
able_vendor
_configs

modsec_dis
able_vendor
_updates

modsec_dis
card_all_rul
e_changes

modsec_dis
card_rule_c
hanges

modsec_edit
_rule

modsec_en
able_vendor

modsec_en
able_vendor
_configs

modsec_en
able_vendor
_updates

modsec_get
_config_text

modsec_get
_configs

modsec_get
_configs_wit
h_changes_
pending

modsec_get
_log

modsec_get
_rules

modsec_get
_settings

modsec_get
_vendors

modsec_is_i
nstalled

modsec_ma
ke_config_a
ctive

modsec_make_config_inactive

modsec_preview_vendor

modsec_remove_rule

modsec_remove_setting

modsec_remove_vendor

modsec_report_rule

modsec_set_config_text

modsec_set_setting

modsec_disable_rule

modsec_update_vendor

▼ Packages

_getpkgextensionform

add_override_features_for_user

addpkg

addpkgext

changepackage

create_feature_relist

delete_feature_relist

delpkgext

editpkg

get_available_applications

get_available_featurelists

get_feature_metadata

get_feature_names

get_featurelist_data

get_featureli

sts

get_users_f
eatures_sett
ings

getfeaturelis
t

getpkginfo

killpkg

listpkgs

manage_fea
tures

matchpkgs

read_feature
list

remove_ove
rride_featu
res_for_user

update_feat
urelist

verify_user_
has_feature

▼ PHP

convert_all_
domains_to
_fpm

get_fpm_co
unt_and_util
ization

is_conversio
n_in_progre
ss

php_get_def
ault_accoun
ts_to_fpm

php_get_ha
ndlers

php_get_im
pacted_dom
ains

php_get_ins
talled_versio
ns

php_get_old
_fpm_flag

php_get_sys
tem_default
_version

php_get_vh
osts_by_ver
sion

php_get_vh
ost_versions

php_ini_get
_content

php_ini_get
_directives

php_ini_set
_content

php_ini_set
_directives

php_set_def
ault_accoun
ts_to_fpm

php_set_ha
ndler

php_set_old
_fpm_flag

php_set_ses
sion_save_p
ath

php_set_sys
tem_default
_version

php_set_vh
ost_versions

▼ Resellers

acctcounts

get_public_c
ontact

getresellerip
s

listacIs

listresellers

resellerstats

saveacllist

set_public_c
ontact

setacIs

setresellerip
s

setresellerli
mits

setresellerm
ainip

setresellern
ameservers

setresellerp
ackagelimit

setupreselle
r

suspendres
eller

terminateres
eller

unsetuprese

ller

unsuspendr
eseller

▼ RPM

delete_rpm_
version

edit_rpm_ve
rsion

get_rpm_ver
sion_data

install_rpm_
plugin

list_rpms

package_m
anager_fixc
ache

package_m
anager_get_
build_log

package_m
anager_get_
package_inf
o

package_m
anager_is_p
erforming_a
ctions

package_m
anager_list_
packages

package_m
anager_reso
lve_actions

package_m
anager_sub
mit_actions

package_m
anager_upgr
ade

uninstall_rp
m_plugin

▼ Script Hooks

delete_hook

edit_hook

list_hooks

reorder_hoo
ks

▼ Security

accesshash

authorizessh
key

check_remo
te_ssh_conn
ection

convertopen
sshtoputty

deletesshke
y

fetch_securi
ty_advice

generatessh
keypair

importsshke
y

listsshkeys

▼ Server

Administration

add_configcl
usterserver

configureba
ckgroundpro
cesskiller

configureser
vice

cors_proxy_
get

create_user
_session

delete_confi
gclusterserv
er

enable_mon
itor_all_ena
bled_service
s

get_all_cont
act_importa
nces

get_appconf
ig_applicatio
n_list

get_applicati
on_contact_
event_import
tance

get_applicati
on_contact_
importance

get_availabl
e_profiles

get_current_
profile

get_passwor
d_strength

get_remote_
access_has
h

get_service_
config

get_service_
config_key

get_tcp4_so
ckets

get_tcp6_so
ckets

get_tweakse
tting

get_udp4_s
ockets

get_udp6_s
ockets

get_update_
availability

get_users_li
nks

getdiskusag
e

gethostname

is_role_ena
bled

list_configcl
usterservers

loadavg

nvget

nvset

personalizati
on_get

personalizati
on_set

purchase_a
_license

reboot

remove_in_
progress_ex
im_config_e
dit

restartservic
e

restore_conf
ig_from_file

restore_conf
ig_from_upl
oad

run_cpkeyclt

send_test_p
osturl

send_test_p
ushbullet_n
ote

servicestatu

s

set_applicati
on_contact_
event_imp
ortance

set_applicati
on_contact_
importance

set_primary
_servernam
e

set_service_
config_key

set_tweakse
tting

sethostname

setminimum
passwordstr
engths

start_profile
_activation

system_nee
ds_reboot

systemloada
vg

update_conf
igclusterserv
er

update_cont
act_email

verify_aim_a
ccess

verify_icq_a
ccess

verify_oscar
_access

verify_postu
rl_access

verify_pushb
ullet_access

▼ SSL

disable_aut
ossl

fetch_servic
e_ssl_comp
onents

fetch_ssl_ce
rtificates_for
_fqdns

fetch_ssl_vh
osts

fetch_vhost
_ssl_compo
nents

fetchcrtinfo
fetchsslinfo
generatessl
get_autossl
_check_schedule
get_autossl
_log
get_autossl
_logs_catalog
get_autossl
_metadata
get_autossl
_pending_queue
get_autossl
_pending_queue_for_domain
get_autossl
_pending_queue_for_user
get_autossl
_problems_for_domain
get_autossl
_problems_for_user
get_autossl
_providers
get_best_ssl
domain_for_service
install_service_ssl_certificate
installssl
listcrts
rebuildinstall
edssldb
rebuildusers
sldb
reset_autossl_provider
reset_service_ssl_certificate
set_autossl_metadata
set_autossl_metadata_key

set_autossl_
provider

start_autossl_
check_for_
all_users

start_autossl_
check_for_
one_user

▼ Styles and Themes

generate_cp
anel_plugin

list_styles

load_style

remove_log
o

remove_styl
e

save_style

set_default

▼ Support Tickets

ticket_creat
e_stub_ticke
t

ticket_get_s
upport_agre
ement

ticket_get_s
upport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revok
e

ticket_ssh_t
est

ticket_ssh_t
est_start

ticket_updat
e_service_a
greement_a
pproval

ticket_valida
te_oauth2_c
ode

ticket_whitel
ist_check

ticket_whitel
ist_setup

ticket_whitel
ist_unsetup

▼ Transfers

abort_transf
er_session

analyze_tra
nsfer_sessio
n_remote

available_tr
ansfer_mod
ules

create_remo
te_root_tran
sfer_session

create_remo
te_user_tran
sfer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transf
er_session_l
og

get_transfer
_session_st
ate

pause_trans
fer_session

remote_basi
c_credential
_check

retrieve_tran
sfer_session
_remote_an
alysis

start_transfe
r_session

transfer_mo
dule_schem
a

validate_sys
tem_user

▼ Updates

accept_eula

get_availabl
e_tiers

get_current_
lts_expiratio
n_status

get_lts_wex
pire

getlongterm
support

installed_ver
sions

set_cpanel_
updates

set_tier

update_upd
ateconf

version