

Customization

For cPanel & WHM version 60

(Home >> cPanel >> Customization)

- Overview
- Customize Branding
- Customize Style
 - Upload a custom style
 - Manage Styles
- File locations
- Additional documentation

Overview

This interface allows you to upload custom logos and a [favicon](#), modify specific aspects of the cPanel interface, and upload custom cPanel styles.

Note:

You can download [an example skeleton style](#) to help you create a new style.

Customize Branding

To use the *Customize Branding* tab to customize the cPanel or Webmail interfaces, perform the following steps:

- To brand the interface with the name of your company, enter your company's name in the *Company Name* text box.
 - Use this option if you do not wish to upload a custom logo.
 - If you use this option, your company name will appear in the default cPanel font. To change the font style, you **must** customize cPanel's CSS via a custom style.
- To customize the *Help* link, enter your help or support website URL in the *Help Link* text box. The *Help* link will **not** appear in the cPanel interface until you enter a custom URL.
- To customize the *Documentation* link, enter your documentation website's URL in the *Documentation Link* text box. If you do not enter a custom *Documentation* link, the *Documentation* link points to cPanel's documentation website.
- To customize your company logo, Webmail logo, or favicon, click *Browse* under the appropriate heading and select the desired file.

Note:

To delete an uploaded logo, click the trash can icon (



) for that image file.

- To apply your changes, click *Save*.

Customize Style

Note:

For more information about how to create your own cPanel style, read our [Tutorial - Create a Custom cPanel Style and Guide to cPanel Interface Customization and Branding](#) documentation.

Upload a custom style

To upload custom cPanel styles, perform the following steps:

- Click *Upload a Style*.
- To select a style to upload, click *Browse*.
 - You **must** upload your custom style as a `.tar.gz` file, which **must** contain the `styles.css` file, the `styles.min.css` file, or both.
 - We **strongly** recommend that you include **both** the `styles.css` and `styles.min.css` files.

- The system uses the `.tar.gz` file's name as the style's name.
3. To set the style as the default style, select the *Set this style as my default style* checkbox.
 4. Click *Upload*.

Manage Styles

The *Manage Styles* section allows you to view available styles, set a style as the default style for newly-created accounts, download styles, and delete styles that you uploaded.

- To filter the list of styles, click the desired filter name.
- For each style that the interface displays, you can perform the following actions:
 - *Set as Default* — Click to set a style as the default style for your newly-created accounts.

Note:

This action **only** sets the default for new accounts that you create. It does **not** set the style for existing accounts on the server.

- *Download Style* — Click to download the style. You may wish to download existing styles in order to customize them or use them as a base for new styles.
- *Delete* — Click the trash can icon to delete a style, and then click *Delete* again to confirm the deletion. You can **only** perform this action on styles that you uploaded and own.

File Locations

cPanel & WHM stores branding information in the `reseller_info.json` file, which exists in either the `root` user's or reseller's `brand` directory.

- If the reseller who owns the account has specified custom branding information, the cPanel user sees the reseller's branding in the cPanel interface.
- If the reseller has **not** specified custom branding information, but the `root` user **has** specified custom branding information, the cPanel user sees the `root` user's branding in the cPanel interface.
- If neither the reseller nor the `root` user have specified custom branding information, the cPanel user does **not** see any customizations to the cPanel interface.

When you save your customizations through this interface, the system stores your items in the following directories:

User	Item	File path	File name
Reseller	Favicon	<code>/home/resellername/var/cpanel/reseller/brand</code>	<code>favicon.ico</code>
	Logo	<code>/home/resellername/var/cpanel/reseller/brand</code>	<code>logo.png</code> or <code>logo.svg</code>
	Webmail logo	<code>/home/resellername/var/cpanel/reseller/brand</code>	<code>webmail.png</code> or <code>webmail.svg</code>
	Custom styles	<code>/home/resellername/var/cpanel/reseller/styled/stylenam e</code>	N/A
		<p>Note: stylenam e represents the style's name. For example, if you upload the <code>mystyle.tar.gz</code> file, the system stores the style's files in the <code>/home/resellername/var/cpanel/reseller/styled/mystyle</code> directory.</p>	
root	Favicon	<code>/var/cpanel/customizations/brand</code>	<code>favicon.ico</code>

Logo	<code>/var/cpanel/customizations/brand</code>	logo.png or logo.svg
Webmail logo	<code>/var/cpanel/customizations/brand</code>	webmail.png or webmail.svg
Custom styles	<code>/var/cpanel/customizations/styled/stylename</code>	N/A

Note:
stylename represents the style's name. For example, if you upload the `mystyle.tar.gz` file, the system stores the style's files in the `/var/cpanel/customizations/styled/mystyle` directory.

Note:
The system checks for a `.svg` logo first. If no `.svg` logo exists, the system uses the `.png` logo, if one exists.

Additional documentation

[Suggested documentation](#) [For cPanel users](#) [For WHM users](#) [For developers](#)

Content by label

There is no content with the specified labels



Content by label

There is no content with the specified labels



Content by label

There is no content with the specified labels



- [Guide to Testing Custom Code - Branding](#)
- [Guide to cPanel Interface Customization - jQuery](#)
- [Guide to cPanel Interface Customization - Branding](#)
- [Tutorial - Create Custom-Branded Login Pages](#)
- [Guide to cPanel Interface Customization and Branding](#)