

WHM API 1 Functions - backup_destination_set

Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Call cPanel API 2 and UAPI

- Account Restoration
 - restore_modules_summary
 - restore_queue_activate
 - restore_queue_add_task
 - restore_queue_clear_all_completed_tasks
 - restore_queue_clear_all_failed_tasks
 - restore_queue_clear_all_pending_tasks
 - restore_queue_clear_all_tasks
 - restore_queue_clear_completed_task
 - restore_queue_clear_pending_task
 - restore_queue_is_active
 - restore_queue_list_active
 - restore_queue_list_completed
 - restore_queue

Description

This function edits a backup destination's configuration settings.

Examples

JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/backup_destination_set?api.version=1&type=name=WebDAV&id=0W1ei2rd3A41I5sT6he7Be8st&name=WebDAVPlace&upload_system_backup=off&ssl=1&path=%2Fhome%2Fexample&port=21&host=hostname.example.com&username=username&timeout=30&password=12345luggage
```

XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/backup_destination_set?api.version=1&type=name=WebDAV&id=0W1ei2rd3A41I5sT6he7Be8st&name=WebDAVPlace&upload_system_backup=off&ssl=1&path=%2Fhome%2Fexample&port=21&host=hostname.example.com&username=username&timeout=30&password=12345luggage
```

Function information

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

Notes:

- Scro
- Ycmt
- us
- 20
- or
- 20
-)tc

ue_list_pending
restore_queue_state
restoreaccount
verify_new_username_for_restore

Accounts

accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_disk_usage
get_domain_info
getdomainowner
has_digest_auth
has_my.cnf_for_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
untrack_acct

Command Line

```
whmapil  
backup_destination_set  
type=name=WebDAV  
id=0W1ei2rd3A4lI5sT6h  
e7Be8st  
name=WebDAVPlace  
upload_system_backup=  
off ssl=1  
path=/home/example  
port=21  
host=hostname.example  
.com  
username=username  
timeout=30  
password=12345luggage
```

Notes:

- Unless otherwise noted, you **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local  
/cpanel/bin/  
whmapil
```

Output (JSON)

```
{  
  "metadata": {  
    "version": 1,  
    "reason":  
    "OK",  
    "result": 1,  
    "command":  
    "backup_destination_s  
et"  
  }  
}
```

Find a function

- WHM API 1 Sections - Backups — Back up functions allow you to run and manage backups and backup configurations.

- _id
- verify_new_username
- convert_addon_fetch_conversion_details
 - convert_addon_fetch_main_details
 - convert_addon_get_conversion_status
 - convert_addon_initiate_conversion
 - convert_addon_list_addon_domains
 - convert_addon_list_conversions
- api_token_create
 - api_token_list
 - api_token_revoke
 - api_token_update
 - disable_authentication_provider
 - disable_failing_authentication_providers
 - enable_authentication_provider
 - get_available_authentication_providers
 - get_login_url
 - get_provider_client_configurations
 - get_provider_configuration_fields
 - get_provider_display_co

Output (XML)

```
<result>
  <metadata>

  <version>1</version>

  <reason>OK</reason>

  <result>1</result>

  <command>backup_destination_set</command>
  </metadata>
</result>
```

Note:
Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

Parameters

Parameter	Type	Description	Possible values	Example
id	string	Required The backup destination IDs.	A valid string.	0W1ei2rd3A41I5sT6he7Be8st
name	string	The backup destination's name.	A valid string.	destination
type	string			Local

Note:
If you do not set this parameter, the system retains the current setting.

- WHM API 1 Functions - backup_config_get — This function retrieves your backup destination configuration file data.
- WHM API 1 Functions - backup_date_list — This function lists all dates that contain backup files.

configurations

get_users_authn_linked_accounts

link_user_authn_provider

set_provider_client_configurations

set_provider_display_configurations

twofactorauth_disable_policy

twofactorauth_enable_policy

twofactorauth_generate_tfa_config

twofactorauth_get_issuer

twofactorauth_get_user_configs

twofactorauth_policy_status

twofactorauth_remove_user_config

twofactorauth_set_issuer

twofactorauth_set_tfa_config

unlink_user_authn_provider

validate_login_token

Backups

backup_config_get

backup_config_set

backup_data_list

backup_destination_add

backup_destination_delete

The type of transport.

Note

- The type of transport.

- FTP
- SFTP
- WebDAV
- Local
- Custom
- We added this transport type in version 11.42:
 - AmazonS3
- We added these transport types in version 66:
 - Rsync
 - GoogleDrive
- We added this transport type in version 74:
 - S3Compatible

Warning: Only transfer system backup files over encrypted connections. The following destination types use encrypted connections:

- WHM API 1 Functions - backup_destination_add - This function adds a backup destination.

backup_dest
ination_get

backup_dest
ination_list

backup_dest
ination_set

backup_dest
ination_valid
ate

backup_get
_transport_s
tatus

backup_list_
transported

backup_set_
list

backup_set_
list_combine
d

backup_skip
_users_all

backup_skip
_users_all_s
tatus

backup_use
r_list

convert_and
_migrate_fro
m_legacy_c
onfig

get_users_w
ith_backup_
metadata

list_cparchiv
e_files

start_backgr
ound_pkgac
t

toggle_user
_backup_sta
te

▼ cPHulk

cphulk_statu
s

create_cphu
lk_record

delete_cphu
lk_record

disable_cph
ulk

enable_cph
ulk

flush_cphulk
_login_histo
ry

• I
f

y
o
u

d
o

n
o
t

s
e
t

t
h
i
s

p
a
r
a
m
e
t
e
r
,
t
h
e
s
y
s
t
e
m
r
e
t
a
i
n
s
t
h
e
c
u
r
r
e
n
t
s
e
t
t
i
n
g
.

• A
m
a
z
o
n
S
3
™

• R
s
y
n
c

• S
3
C
o
m
p
a
t
i
b
l
e

• S
F
T
P

• W
e
b
D
A
V
w
i
t
h
S
S
L
E
n
a
b
l
e
d

flush_cphulk_login_history_for_ips

get_countries_with_known_ip_ranges

get_cphulk_brutes

get_cphulk_excessive_brutes

get_cphulk_failed_logins

get_cphulk_user_brutes

load_cphulk_config

read_cphulk_records

save_cphulk_config

set_cphulk_config_key

▼ Databases

background_mysql_upgrade_status

current_mysql_version

installable_mysql_versions

latest_available_mysql_version

list_database_users

list_databases

list_mysql_databases_and_users

remote_mysql_create_profile

remote_mysql_create_profile_via_ssh

remote_mysql_delete_profile

remote_mysql_initiate_profile_activation

disabled	<i>Boolean</i>	<p>Whether to disable the backup destination.</p> <div data-bbox="732 247 870 724" style="border: 1px solid black; padding: 5px;"> <p>Note :</p> <p>If you do not set this parameter, the system retains the current setting.</p> </div>	<ul style="list-style-type: none"> • 1 — Disabled. • 0 — Enabled. 	0
disable_reason	<i>string</i>	<p>An error message that explains why the backup is disabled.</p> <div data-bbox="732 896 870 1373" style="border: 1px solid black; padding: 5px;"> <p>Note :</p> <p>If you do not set this parameter, the system retains the current setting.</p> </div>	A valid string.	Could not list files in destination: example

ion

remote_mysql_monitor_profile_activation

remote_mysql_read_profile

remote_mysql_read_profiles

remote_mysql_update_profile

remote_mysql_validate_profile

rename_mysql_database

rename_mysql_user

rename_postgresql_database

rename_postgresql_user

set_local_mysql_root_password

set_mysql_password

set_postgresql_password

start_background_mysql_upgrade

▼ DNS

addns

addzonerecord

addzonerecord (Reverse DNS)

dumpzone

editzonerecord

get_nameserver_config

getzonerecord

has_local_authority

upload_system_backup	string	Whether to upload the system files.	<ul style="list-style-type: none"> on — Upload. off — Do not upload. 	off
----------------------	--------	-------------------------------------	--	-----

Note:
If you do not set this parameter, the system retains the current setting.

Additional AmazonS3 parameters

▼ [Click to view...](#)

Note:
We added the AmazonS3 type in cPanel & WHM version 11.42.

Parameter	Type	Description	Possible values	Example
folder	string	The path to the backups directory on the remote server. This parameter defaults to a blank value.	A valid file path, relative to the root directory.	subfolder
bucket	string	Required The Amazon S3™ bucket.	A valid string.	ChockFullOfNuts
aws_access_key_id	string	Required The Amazon S3 Access Key ID.	A valid string.	123456789
timeout	integer	Required The session timeout.	A positive integer between 30 and 300, measured in seconds.	30
password	string	Required The Amazon S3 Access Key's password.	A secure password.	12345luggag e

Additional Backblaze parameters

▼ [Click to view...](#)

killdns
listmxs
listzones
lookupnsip
lookupnsips
removezone
record
resetzone
resolvedom
ainname
savemxs
setresolvers
update_nam
eservers_co
nfig

▼ EasyApache

ea4_get_cur
rently_install
ed_packages

ea4_get_ea
_pkgs_state

ea4_list_pro
files

ea4_metainf
o

ea4_migrati
on

ea4_pre_mi
grate_check

ea4_recom
mendations

ea4_save_p
rofile

ea4_tomcat
85_add

ea4_tomcat
85_list

ea4_tomcat
85_rem

▼ Greylisting

cpgreylist_is
_server_net
block_truste
d

cpgreylist_li
st_entries_f
or_common
_mail_provid
er

cpgreylist_lo
ad_common
_mail_provid

Note:

We added the Backblaze type in cPanel & WHM version 78.

Parameter	Type	Description	Possible values	Example
application_key	string	Required The application key's name.	A valid string.	A123b45CD678e9
application_key_id	string	Required The application key ID that authenticates the Backblaze B2 account.	A valid string.	12a345B678c9
bucket_id	string	Required The bucket's ID string.	A valid string.	a12b34cd5678e9f
bucket_name	string	Required The bucket's name.	A valid string.	ChockFullOfNuts
path	string	The path to the backups directory on the remote server. If you do not use this parameter, the system will not set a value.	A valid file path.	backups
timeout	integer	The session timeout. This parameter defaults to 180.	A positive integer between 30 and 300, measured in seconds.	180

Additional custom parameters

▼ [Click to view...](#)

Parameter	Type	Description	Possible values	Example
script	string	Required The name of the user-supplied transport solution script.	A valid absolute file path.	/home/backups/beammeupscotty.pl
host	string	Required The remote server's hostname.	A valid hostname.	backups.example.com
path	string	Required The path to the backups directory on the remote server.	A valid file path.	/backups

ers_config
 cpgreylis_t
 ave_commo
 n_mail_provi
 ders_config
 cpgreylis_st
 atus
 cpgreylis_tr
 ust_entries_
 for_common
 _mail_provid
 er
 cpgreylis_u
 ntrust_entrie
 s_for_comm
 on_mail_pro
 vider

create_cpgr
 eylist_truste
 d_host

delete_cpgr
 eylist_truste
 d_host

disable_cpgr
 eylist

enable_cpgr
 eylist

load_cpgrey
 list_config

read_cpgrey
 list_deferred
 _entries

read_cpgrey
 list_trusted_
 host

save_cpgrey
 list_config

▼ Integration

batch

cpanel

create_integ
 ration_group

create_integ
 ration_link

get_integrati
 on_link_user
 _config

list_integrati
 on_groups

list_integrati
 on_links

remove_inte
 gration_grou
 p

remove_inte

timeout	<i>integer</i>	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	<i>string</i>	Required The remote server account's username.	A valid username.	username
password	<i>string</i>	Required The remote server account's password.	A secure password.	12345luggag e

Additional FTP parameters

▼ [Click to view...](#)

Parameter	Type	Description	Possible values	Example
host	<i>string</i>	Required The remote server's hostname.	A valid hostname.	backups.exa mple.com
port	<i>integer</i>	The remote server's FTP port. This parameter defaults to 21.	A positive integer.	21
path	<i>string</i>	Required The path to the backups directory on the remote server.	A valid file path.	/backups
passive	<i>Boolean</i>	Whether to use passive FTP. This parameter defaults to 1.	<ul style="list-style-type: none"> 1 — Use passive FTP. 0 — Use active FTP. 	1
timeout	<i>integer</i>	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	<i>string</i>	Required The remote server account's username.	A valid username.	username

gration_link
update_inte
gration_link
_token

▼ IP Addresses
addips

delip

get_public_i
p

get_shared_
ip

ipv6_disable
_account

ipv6_enable
_account

ipv6_range_
add

ipv6_range_
edit

ipv6_range_
list

ipv6_range_
remove

ipv6_range_
usage

listips

nat_checkip

nat_set_pub
lic_ip

setsiteip

▼ Mail

disable_dki
m

disable_mail
_sni

emailtrack_s
earch

emailtrack_s
tats

emailtrack_u
ser_stats

enable_dkim

enable_mail
_sni

ensure_dki
m_keys_exi
st

exim_config
uration_che
ck

expunge_m

password	string	Required The remote server account's password.	A secure password.	12345luggag e
----------	--------	--	--------------------	------------------

Additional GoogleDrive parameters

▼ Click to view...

Note:

We added the GoogleDrive type in cPanel & WHM version 66.

Parameter	Type	Description	Possible values	Example
folder	string	The path to the backups directory on the remote server. This parameter defaults to a blank value.	A valid file path, relative to the root directory.	subfolder
client_id	string	Required The Google Drive client ID.	A valid string.	aBcdeFgHIjK 123
client_secret	string	Required The Google Drive client secret.	A valid string.	aBcde123FgH IjK456
timeout	integer	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300

Additional local parameters

▼ Click to view...

Parameter	Type	Description	Possible values	Example
mount	Boolean	Whether the path is mounted. This parameter defaults to 0.	<ul style="list-style-type: none"> 1 — The path is mounted. 0 — The path is not mounted. 	0
path	string	Required The path to the backups directory.	A valid absolute file path.	/home/backu ps
no_mount_fa il	Boolean	Whether to fail the backup attempt if the mount fails. This parameter defaults to a blank value.	<ul style="list-style-type: none"> 1 — Fail the backup attempt. 0 — Do not fail the backup attempt. 	0

ailbox_messages

expunge_messages_for_mailbox_guid

fetch_dkim_private_keys

fetch_mail_queue

generate_mobileconfig

get_mailbox_status

get_mailbox_status_list

get_unique_recipient_count_per_sender_for_user

get_unique_sender_recipient_count_per_user

get_user_email_forward_destination

hold_outgoing_email

install_dkim_private_keys

install_spf_records

is_sni_supported

list_pops_for

mail_sni_status

rebuild_mail_sni_config

release_outgoing_email

save_spamd_config

set_user_email_forward_destination

suspend_outgoing_email

unsuspend_outgoing_email

Additional S3Compatible parameters

[Click to view...](#)

Note:
We added the S3Compatible type in cPanel & WHM version 74.

Parameter	Type	Description	Possible values	Example
host	string	Required The S3-compatible provider's server.	A valid string.	www.s3example.com
folder	string	The path to the backups directory on the remote server. This parameter defaults to a blank value.	A valid file path, relative to the root directory.	subfolder
bucket	string	Required The S3-compatible bucket.	A valid string.	ChockFullOfNuts
aws_access_key_id	string	Required The S3-compatible provider key ID.	A valid string.	123456789
timeout	integer	Required The session timeout.	A positive integer between 30 and 300, measured in seconds.	300
password	string	Required The S3-compatible provider key's password or secret.	A secure password.	12345luggage

Additional sftp parameters

[Click to view...](#)

Parameter	Type	Description	Possible values	Example
host	string	Required The remote server's hostname.	A valid hostname.	backups.example.com
port	integer	The remote server's FTP port. This parameter defaults to 21.	A positive integer.	21

validate_current_installed_exim_config
 validate_current_dkims
 validate_current_ptrs
 validate_current_spfs
 validate_exim_configuration_syntax

▼ Market

disable_market_provider
 enable_market_provider
 get_adjusted_market_providers_products
 get_market_providers_commission_config
 get_market_providers_list
 get_market_providers_product_metadata
 get_market_providers_products
 set_market_product_attribute
 set_market_provider_commission_id

▼ ModSecurity™

modsec_admin_rule
 modsec_admin_vendor
 modsec_assemble_config_text
 modsec_batch_settings
 modsec_check_rule
 modsec_close_rule

path	string	Required The path to the backups directory on the remote server.	A valid file path.	/backups
timeout	integer	The session timeout. This value defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	string	Required The remote server account's username.	A valid username.	username
authtype	string	Required The authorization type.	<ul style="list-style-type: none"> password key 	password
password	string	If the authtype parameter's value is password, the remote server account's password. This parameter defaults to a blank value.	A secure password.	12345luggage
privatekey	string	If the authtype parameter's value is key, the path to the private key file. This parameter defaults to a blank value.	A valid absolute file path.	/home/backups/key
passphrase	string	If the authtype parameter's value is key, the private key file's passphrase. This parameter defaults to a blank value.	A secure passphrase.	12345luggage

Additional webdav parameters

▼ [Click to view...](#)

Parameter	Type	Description	Possible values	Example
host	string	Required The remote server's hostname.	A valid hostname.	backups.example.com

[modsec_deploy_all_rule_changes](#)
[modsec_deploy_rule_changes](#)
[modsec_deploy_settings_changes](#)
[modsec_disable_rule](#)
[modsec_disable_vendor](#)
[modsec_disable_vendor_configs](#)
[modsec_disable_vendor_updates](#)
[modsec_discard_all_rule_changes](#)
[modsec_discard_rule_changes](#)
[modsec_edit_rule](#)
[modsec_enable_vendor](#)
[modsec_enable_vendor_configs](#)
[modsec_enable_vendor_updates](#)
[modsec_get_config_text](#)
[modsec_get_configs](#)
[modsec_get_configs_with_changes_pending](#)
[modsec_get_log](#)
[modsec_get_rules](#)
[modsec_get_settings](#)
[modsec_get_vendors](#)
[modsec_is_installed](#)
[modsec_make_config_active](#)

port	<i>integer</i>	The remote server's FTP port. This parameter defaults to 21.	A positive integer.	21
path	<i>string</i>	Required The path to the backups directory on the remote server.	A valid file path.	/backups
ssl	<i>Boolean</i>	Whether to use SSL. This parameter defaults to 1.	<ul style="list-style-type: none"> • 1 — Use SSL. • 0 — Do not use SSL. 	1
timeout	<i>integer</i>	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	<i>string</i>	Required The remote server account's username.	A valid username.	username
password	<i>string</i>	Required The remote server account's password.	A secure password.	12345luggage

Returns

This function only returns metadata.

modsec_make_config_inactive

modsec_preview_vendor

modsec_remove_rule

modsec_remove_setting

modsec_remove_vendor

modsec_report_rule

modsec_set_config_text

modsec_set_setting

modsec_disable_rule

modsec_update_vendor

▼ Packages

_getpkgextensionform

add_override_features_for_user

addpkg

addpkgext

changepackage

create_feature_relist

delete_feature_relist

delpkgext

editpkg

get_available_applications

get_available_featurelists

get_feature_metadata

get_feature_names

get_featurelist_data

get_featureli

sts

get_users_f
eatures_sett
ings

getfeaturelis
t

getpkginfo

killpkg

listpkgs

manage_fea
tures

matchpkgs

read_feature
list

remove_ove
rride_featu
res_for_user

update_feat
urelist

verify_user_
has_feature

▼ PHP

convert_all_
domains_to
_fpm

get_fpm_co
unt_and_util
ization

is_conversio
n_in_progre
ss

php_get_def
ault_accoun
ts_to_fpm

php_get_ha
ndlers

php_get_im
pacted_dom
ains

php_get_ins
talled_versio
ns

php_get_old
_fpm_flag

php_get_sys
tem_default
_version

php_get_vh
osts_by_ver
sion

php_get_vh
ost_versions

php_ini_get
_content

php_ini_get
_directives

php_ini_set
_content

php_ini_set
_directives

php_set_def
ault_accoun
ts_to_fpm

php_set_ha
ndler

php_set_old
_fpm_flag

php_set_ses
sion_save_p
ath

php_set_sys
tem_default
_version

php_set_vh
ost_versions

▼ Resellers

acctcounts

get_public_c
ontact

getresellerip
s

listacIs

listresellers

resellerstats

saveacllist

set_public_c
ontact

setacIs

setresellerip
s

setresellerli
mits

setresellerm
ainip

setresellern
ameservers

setresellerp
ackagelimit

setupreselle
r

suspendres
eller

terminateres
eller

unsetuprese

ller

unsuspendr
eseller

▼ RPM

delete_rpm_
version

edit_rpm_ve
rsion

get_rpm_ver
sion_data

install_rpm_
plugin

list_rpms

package_m
anager_fixc
ache

package_m
anager_get_
build_log

package_m
anager_get_
package_inf
o

package_m
anager_is_p
erforming_a
ctions

package_m
anager_list_
packages

package_m
anager_reso
lve_actions

package_m
anager_sub
mit_actions

package_m
anager_upgr
ade

uninstall_rp
m_plugin

▼ Script Hooks

delete_hook

edit_hook

list_hooks

reorder_hoo
ks

▼ Security

accesshash

authorizessh
key

check_remo
te_ssh_conn
ection

convertopen
sshtoputty

deletesshke
y

fetch_securi
ty_advice

generatessh
keypair

importsshke
y

listsshkeys

▼ Server

Administration

add_configcl
usterserver

configureba
ckgroundpro
cesskiller

configureser
vice

cors_proxy_
get

create_user
_session

delete_confi
gclusterserv
er

enable_mon
itor_all_ena
bled_service
s

get_all_cont
act_importa
nces

get_appconf
ig_applicatio
n_list

get_applicati
on_contact_
event_import
tance

get_applicati
on_contact_
importance

get_availabl
e_profiles

get_current_
profile

get_passwor
d_strength

get_remote_
access_has
h

get_service_
config

get_service_
config_key

get_tcp4_so
ckets

get_tcp6_so
ckets

get_tweakse
tting

get_udp4_s
ockets

get_udp6_s
ockets

get_update_
availability

get_users_li
nks

getdiskusag
e

gethostname

is_role_ena
bled

list_configcl
usterservers

loadavg

nvget

nvset

personalizati
on_get

personalizati
on_set

purchase_a
_license

reboot

remove_in_
progress_ex
im_config_e
dit

restartservic
e

restore_conf
ig_from_file

restore_conf
ig_from_upl
oad

run_cpkeyclt

send_test_p
osturl

send_test_p
ushbullet_n
ote

servicestatu

s

set_applicati
on_contact_
event_implemen
tation

set_applicati
on_contact_
importance

set_primary_
servername

set_service_
config_key

set_tweakse
tting

sethostname

setminimum
passwordstr
engths

start_profile_
activation

system_nee
ds_reboot

systemloada
vg

update_conf
igclusterserv
er

update_cont
act_email

verify_aim_a
ccess

verify_icq_a
ccess

verify_oscar_
access

verify_postu
rl_access

verify_pushb
ullet_access

▼ SSL

disable_aut
ossl

fetch_servic
e_ssl_comp
onents

fetch_ssl_ce
rtificates_for_
fqdns

fetch_ssl_vh
osts

fetch_vhost_
ssl_compo
nents

fetchcrtinfo
fetchsslinfo
generatessl
get_autossl
_check_schedule
get_autossl
_log
get_autossl
_logs_catalog
get_autossl
_metadata
get_autossl
_pending_queue
get_autossl
_pending_queue_for_domain
get_autossl
_pending_queue_for_user
get_autossl
_problems_for_domain
get_autossl
_problems_for_user
get_autossl
_providers
get_best_ssl
domain_for_service
install_service_ssl_certificate
installssl
listcrts
rebuildinstall
edssldb
rebuildusers
sldb
reset_autossl_provider
reset_service_ssl_certificate
set_autossl_metadata
set_autossl_metadata_key

set_autossl_
provider

start_autossl_
check_for_
all_users

start_autossl_
check_for_
one_user

▼ Styles and Themes

generate_cp
anel_plugin

list_styles

load_style

remove_log
o

remove_styl
e

save_style

set_default

▼ Support Tickets

ticket_creat
e_stub_ticke
t

ticket_get_s
upport_agre
ement

ticket_get_s
upport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revok
e

ticket_ssh_t
est

ticket_ssh_t
est_start

ticket_updat
e_service_a
greement_a
pproval

ticket_valida
te_oauth2_c
ode

ticket_whitel
ist_check

ticket_whitel
ist_setup

ticket_whitel
ist_unsetup

▼ Transfers

abort_transf
er_session

analyze_tra
nsfer_sessio
n_remote

available_tr
ansfer_mod
ules

create_remo
te_root_tran
sfer_session

create_remo
te_user_tran
sfer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transf
er_session_l
og

get_transfer
_session_st
ate

pause_trans
fer_session

remote_basi
c_credential
_check

retrieve_tran
sfer_session
_remote_an
alysis

start_transfe
r_session

transfer_mo
dule_schem
a

validate_sys
tem_user

▼ Updates

accept_eula

get_availabl
e_tiers

get_current_
lts_expiratio
n_status

get_lts_wex
pire

getlongterm
support

installed_ver
sions

set_cpanel_
updates

set_tier

update_upd
ateconf

version