

WHM API 1 Functions - terminatereseller

Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Call cPanel API 2 and UAPI

Description

This function deletes a reseller and **all** of the reseller's cPanel accounts.

Warning:

- You **cannot** recover deleted accounts. **Use this function with extreme caution.**
- This function deletes the reseller account and **all** of the accounts that the reseller owns.
- To remove reseller privileges from an account but **not** delete the reseller's account or any accounts that the reseller owns, call the WHM API 1 `unsetupreseller` function.

Examples

JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/terminatereseller?api.version=1&user=username&terminatereseller=1
```

XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/terminatereseller?api.version=1&user=username&terminatereseller=1
```

- Account Restoration
- restore_modules_summary
- restore_queue_activate
- restore_queue_add_task
- restore_queue_clear_all_completed_tasks
- restore_queue_clear_all_failed_tasks
- restore_queue_clear_all_pending_tasks
- restore_queue_clear_all_tasks
- restore_queue_clear_completed_task
- restore_queue_clear_pending_task
- restore_queue_is_active
- restore_queue_list_active
- restore_queue_list_completed
- restore_queue

Function information

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

Notes:

- Scro
- Ycmtus20 or 20)tc

ue_list_pending
restore_queue_state
restoreaccount
verify_new_username_for_restore

Accounts

accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_disk_usage
get_domain_info
getdomainowner
has_digest_auth
has_mycnf_for_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
untrack_acct

Command Line

```
whmapil  
terminatereseller  
user=username  
terminatereseller=1
```

Notes:

- Unless otherwise noted, you **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local  
/cpanel/bin/whmapil
```

Output (JSON)

```
{  
  "data": {  
    "acct": [  
      {  
        "reason": "example  
account removed",  
        "user": "example",  
        "output": {  
          "raw": "Running pre  
removal script  
(/usr/local/cpanel/sc  
ripts/prekillacct)...  
...Done\n  
Collecting Domain  
Name and IP...User:  
example\nDomain:  
example.com\n  
...Done\nLocking  
account and setting  
shell to  
nologin...Locking  
password for user
```

Find a function

- WHM API 0 Functions - setresellernamevers — This function assigns name servers to a reseller's account.

```

_id
verify_new_
username
  Addon Domains
convert_add
on_fetch_co
nversion_de
tails
convert_add
on_fetch_do
main_details
convert_add
on_get_con
version_stat
us
convert_add
on_initiate_c
onversion
convert_add
on_list_add
on_domains
convert_add
on_list_conv
ersions
  Authentication
api_token_c
reate
api_token_li
st
api_token_r
evoke
api_token_u
pdate
disable_aut
hentication_
provider
disable_fail
ing_authenti
cation_provi
ders
enable_auth
entication_p
rovider
get_availabl
e_authentic
ation_provid
ers
get_login_ur
l
get_provider
_client_confi
gurations
get_provider
_configurati
on_fields
get_provider
_display_co

```

```

example.\n
passwd: Success\n
...Done\n
Killing all processes
owned by
user.....Done\n
Removing
Sessions.....Done
\n
Removing Suspended
Info.....Done\n
Cleaning
Virtfs.....Done\n
\n
Removing Web
Logs.....Done\n
Removing Bandwidth
Files.....Done\n
Removing Email
Sending Limits
Cache.....Done\n
Removing DKIM
keys.....Done\n
Removing
Crontab.....Done\n
Removing HTTP Virtual
Hosts...Removed the
following non-SSL
virtual hosts:
example.com
test.example.com
doggy.example.com
fred.example.com\n
Removed the following
SSL virtual hosts:
example.com\n
...Done\n
Removing ftp Virtual
Hosts.....Done\n
Removing user's web
content directory
symlinks.....Done\n
Removing MySQL
databases and
users...Removed DB
example_wp\n
Database
\"example_wp\"
dropped\n
...Done\nRemoving
PostgreSQL databases
and users.....Done\n

```

- WHM API 1 Sections - Resellers — Reseller functions allow you to manage your cPanel and WHM reseller accounts.
- WHM API 1 Functions - acctouts — This function lists a reseller's total accounts, suspended accounts, and account creation limit.

nfigurations
get_users_authn_linked_accounts
link_user_authn_provider
set_provider_client_configurations
set_provider_display_configurations
twofactorauth_disable_policy
twofactorauth_enable_policy
twofactorauth_generate_tfa_config
twofactorauth_get_issuer
twofactorauth_get_user_configs
twofactorauth_policy_status
twofactorauth_remove_user_config
twofactorauth_set_issuer
twofactorauth_set_tfa_config
unlink_user_authn_provider
validate_login_token

▼ Backups

backup_config_get
backup_config_set
backup_data_list
backup_destination_add
backup_destination_delete

```
Removing User & Group.....Success..
.Done\nRemoving DNS Entries...example.com
=> deleted from hostname. \n
...Done\n Removing Email
Setup...Removing /etc/valiases/example.com\n Removing /etc/valiases/test.example.com\n Removing /etc/valiases/doggy.example.com\n Removing /etc/valiases/fred.example.com\n ...Done\n
Removing mailman lists.....Done\n
Updating Databases.....Done\n
Removing bandwidth limits.....Done\n
Removing Counter Data.....Done\n
Adding IP back to the IP address pool...System has 2 free ips.\n ...Done\n
Removing user's cPanel Databases & Updating.....Done\n
Reloading Services.....Done\n
Removing mail and service configs...\n
...Done\n
...Done\n
Sending Contacts.....Done\n
Updating internal databases...Updating ftp passwords for example\n Purging ftp user example\nFtp password files updated.\ Ftp vhost passwords synced\n
...Done\n
Running post removal scripts (/usr/local/cpanel/scripts/legacypostkillacct, /usr/local/cpanel/scr
```

- WHM API 1 Functions - getresellerips
— This function lists a reseller's available IP addresses.

backup_dest
ination_get

backup_dest
ination_list

backup_dest
ination_set

backup_dest
ination_valid
ate

backup_get
_transport_s
tatus

backup_list_
transported

backup_set_
list

backup_set_
list_combine
d

backup_skip
_users_all

backup_skip
_users_all_s
tatus

backup_use
r_list

convert_and
_migrate_fro
m_legacy_c
onfig

get_users_w
ith_backup_
metadata

list_cparchiv
e_files

start_backgr
ound_pkgac
t

toggle_user
_backup_sta
te

▼ cPHulk

cphulk_statu
s

create_cphu
lk_record

delete_cphu
lk_record

disable_cph
ulk

enable_cph
ulk

flush_cphulk
_login_histo
ry

```
ipts/postkillacct)...  
...Done\nAccount  
Removal  
Complete!!!...example  
account  
removed...Done\n"  
        },  
  
"result":1  
        }  
    ]  
},  
"metadata":{  
    "version":1,  
    "reason":"OK",  
    "result":1,  
  
"command":"terminater
```

flush_cphulk_login_history_for_ips
get_countries_with_known_ip_ranges
get_cphulk_brutes
get_cphulk_excessive_brutes
get_cphulk_failed_logins
get_cphulk_user_brutes
load_cphulk_config
read_cphulk_records
save_cphulk_config
set_cphulk_config_key

▼ Databases

background_mysql_upgrade_status
current_mysql_version
installable_mysql_versions
latest_available_mysql_version
list_databases_users
list_databases
list_mysql_databases_and_users
remote_mysql_create_profile
remote_mysql_create_profile_via_ssh
remote_mysql_delete_profile
remote_mysql_initiate_profile_activation

```
eseller"  
  }  
}
```

▼ Output (XML)

```
<result>  
  <data>  
    <acct>  
  
    <reason>example  
account  
removed</reason>  
  
    <user>example</user>  
    <output>  
  
    <raw>Running pre  
removal script  
(/usr/local/cpanel/scripts/prekillacct)...  
...Done  
Collecting Domain  
Name and IP...User:  
example Domain:  
example.com ...Done  
Locking account and  
setting shell to  
nologin...Locking  
password for user  
example. passwd:  
Success ...Done  
Killing all processes  
owned by  
user.....Done  
Removing  
Sessions.....Done  
Removing Suspended  
Info.....Done  
Cleaning  
Virtfs.....Done  
Removing Web  
Logs.....Done  
Removing Bandwidth  
Files.....Done  
Removing Email  
Sending Limits  
Cache.....Done  
Removing DKIM  
keys.....Done  
Removing
```

ion
remote_mysql_monitor_profile_activation
remote_mysql_read_profile
remote_mysql_read_profiles
remote_mysql_update_profile
remote_mysql_validate_profile
rename_mysql_database
rename_mysql_user
rename_postgresql_database
rename_postgresql_user
set_local_mysql_root_password
set_mysql_password
set_postgresql_password
start_background_mysql_upgrade

▼ DNS

adddns
addzonerecord
addzonerecord (Reverse DNS)
dumpzone
editzonerecord
get_nameserver_config
getzonerecord
has_local_authority

Crontab.....Done
Removing HTTP Virtual Hosts...Removed the following non-SSL virtual hosts:
example.com Removed the following SSL virtual hosts:
...Done
Removing ftp Virtual Hosts.....Done
Removing user's web content directory symlinks.....Done
Removing MySQL databases and users.....Done
Removing PostgreSQL databases and users.....Done
Removing User & Group.....Success..
.Done Removing DNS Entries...example.com => deleted from hostname. ...Done
Removing Email Setup...Removing /etc/valiases/example.com ...Done Removing mailman lists.....Done
Updating Databases.....Done
Removing bandwidth limits.....Done
Removing Counter Data.....Done Adding IP back to the IP address pool...System has 3 free ips.
...Done Removing user's cPanel Databases & Updating.....Done
Reloading Services.....Done
Removing mail and service configs...
...Done Sending Contacts.....Done
Updating internal databases...Updating

killdns
listmxs
listzones
lookupnsip
lookupnsips
removezone
record
resetzone
resolvedom
ainname
savemxs
setresolvers
update_nam
eservers_co
nfig

▼ EasyApache

ea4_get_cur
rently_instal
led_package
s

ea4_get_ea
_pkgs_state

ea4_list_pro
files

ea4_metainf
o

ea4_migrati
on

ea4_pre_mi
grate_check

ea4_recom
mendations

ea4_save_p
rofile

ea4_tomcat
85_add

ea4_tomcat
85_list

ea4_tomcat
85_rem

▼ Greylisting

cpgreylist_is
_server_net
block_truste
d

cpgreylist_li
st_entries_f
or_common
_mail_provid
er

cpgreylist_lo
ad_common
_mail_provid

```
ftp passwords for
example Purging ftp
user example Ftp
password files
updated. Ftp vhost
passwords synced
...Done Running post
removal scripts
(/usr/local/cpanel/sc
ripts/legacypostkilla
cct,
/usr/local/cpanel/scr
ipts/postkillacct)...
...Done Account
Removal
Complete!!!...example
account
removed...Done
```

</raw>

</output>

<result>1</result>

</acct>

</data>

<metadata>

<version>1</version>

<reason>OK</reason>

<result>1</result>

<command>terminateres

ers_config
 cpgreylist_s
 ave_commo
 n_mail_provi
 ders_config
 cpgreylist_st
 atus
 cpgreylist_tr
 ust_entries_
 for_common
 _mail_provid
 er
 cpgreylist_u
 ntrust_entrie
 s_for_comm
 on_mail_pro
 vider

create_cpgr
 eylist_truste
 d_host

delete_cpgr
 eylist_truste
 d_host

disable_cpgr
 eylist

enable_cpgr
 eylist

load_cpgrey
 list_config

read_cpgrey
 list_deferred
 _entries

read_cpgrey
 list_trusted_
 host

save_cpgrey
 list_config

▼ Integration

batch

cpanel

create_integ
 ration_group

create_integ
 ration_link

get_integrati
 on_link_user
 _config

list_integrati
 on_groups

list_integrati
 on_links

remove_inte
 gration_grou
 p

remove_inte

```

    <command>
      </command>
    </metadata>
  </result>

```

Note:
 Use WHM's *API Shell* interface (*WHM*
 >> *Home* >> *Development* >> *API*
Shell) to directly test WHM API calls.

Parameters

Parameter	Type	Description	Possible values	Example
user	string	Required The reseller account's username.	A valid reseller username on the server.	username
terminatereseller	Boolean	Required Whether to terminate the reseller's main account.	<ul style="list-style-type: none"> 1 — Terminate. 0 — Do not terminate. 	1

Returns

Return	Type	Description	Possible values	Example
acct	array of hashes	An array of hashes of function output.	This hash contains the reason, user, and result returns and the output hash.	
user	string	The account username. The function returns this value in the acct hash.	A valid username.	username
result	Boolean	Whether the function succeeded. The function returns this value in the acct hash.	<ul style="list-style-type: none"> 1 — Success. 0 — Failure. 	1
reason	string	A message of success or a reason for failure. The function returns this value in the acct hash.	<ul style="list-style-type: none"> username account removed An error message. 	username account removed

- gration_link
- update_inte
- gration_link
- _token
- ▼ IP Addresses
- addips
- delip
- get_public_i
- p
- get_shared_
- ip
- ipv6_disable
- _account
- ipv6_enable
- _account
- ipv6_range_
- add
- ipv6_range_
- edit
- ipv6_range_
- list
- ipv6_range_
- remove
- ipv6_range_
- usage
- listips
- nat_checkip
- nat_set_pub
- lic_ip
- setsiteip
- ▼ Mail
- disable_dki
- m
- disable_mail
- _sni
- emailtrack_s
- earch
- emailtrack_s
- tats
- emailtrack_u
- ser_stats
- enable_dkim
- enable_mail
- _sni
- ensure_dki
- m_keys_exi
- st
- exim_config
- uration_che
- ck
- expunge_m

output	hash	A hash of termination data for the reseller's accounts. The function returns this hash in the acct hash.	This hash contains the raw parameter.	
raw	string	Output from the account's removal. The function returns this value in the output hash.	One or more string values.	<ul style="list-style-type: none"> ▼ Click to view... Running pre removal script (/usr/local/cpanel/scripts/prekillacct).....Done Collecting Domain Name and IP...User: example Domain: example.com ...Done Locking account and setting shell to nologin...Locking password for user example. passwd: Success ...Done Killing all processes owned by user.....Done Removing Sessions.....Done Removing Suspended Info.....Done ..Done Cleaning Virtfs.....Done Removing Web Logs.....Done Removing Bandwidth Files.....Done Removing Email Sending Limits Cache.....Done Removing DKIM keys.....Done Removing Crontab.....Done Removing HTTP Virtual Hosts...Removed the following non-SSL virtual hosts: example.com Removed the following SSL virtual hosts: ...Done Removing ftp Virtual Hosts.....Done Removing user's web content directory symlinks...Done Removing MySQL databases and

Note:
This output may contain HTML.

ailbox_messages
expunge_messages_for_mailbox_guid
fetch_dkim_private_keys
fetch_mail_queue
generate_mobileconfig
get_mailbox_status
get_mailbox_status_list
get_unique_recipient_count_per_sender_for_user
get_unique_sender_recipient_count_per_user
get_user_email_forward_destination
hold_outgoing_email
install_dkim_private_keys
install_spf_records
is_sni_supported
list_pops_for
mail_sni_status
rebuild_mail_sni_config
release_outgoing_email
save_spamd_config
set_user_email_forward_destination
suspend_outgoing_email
unsuspend_outgoing_email

```
users.....
Done
Removing PostgreSQL
databases
and
users.....
Done
Removing User &
Group.....
.Success...
Done
Removing DNS
Entries...e
xample.com
=> deleted
from
hostname.
...Done
Removing Email
Setup...Rem
oving
/etc/valias
es/example.
com ..Done
Removing mailman
lists.....
Done
Updating Databases..
...Done
Removing bandwidth
limits.....
.Done
Removing Counter
Data.....D
one Adding
IP back to
the IP
address
pool...Syst
em has 3
free ips.
...Done
Removing user's
cPanel
Databases &
Updating...
...Done
Reloading
Services...
...Done
Removing mail and
service
configs...
...Done
Removing Logaholic
Webstats...
Id:
TQ:TaskQueu
e:129
...Done
Sending
Contacts...
...Done
Updating
internal
databases..
Updating
ftp
passwords
for example
Purging ftp
user
example Ftp
password
files
updated.
Ftp vhost
passwords
synced
...Done
Running
post
removal
scripts
(/usr/local
/cpanel/scr
ipts/legacy
postkillacc
t,
/usr/local/
cpanel/scri
pts/postkil
```

validate_current_installation_config

validate_current_dkims

validate_current_ptrs

validate_current_spfs

validate_exim_configuration_syntax

▼ Market

disable_market_provider

enable_market_provider

get_adjusted_market_providers_products

get_market_providers_commission_config

get_market_providers_list

get_market_providers_product_metadata

get_market_providers_products

set_market_product_attribute

set_market_provider_commission_id

▼ ModSecurity™

modsec_add_rule

modsec_add_vendor

modsec_assemble_config_text

modsec_batch_settings

modsec_check_rule

modsec_clone_rule

```
lacct).....  
.Done  
Account  
Removal  
Complete!!!  
...example
```

modsec_de
ploy_all_rule
_changes

modsec_de
ploy_rule_ch
anges

modsec_de
ploy_setting
s_changes

modsec_dis
able_rule

modsec_dis
able_vendor

modsec_dis
able_vendor
_configs

modsec_dis
able_vendor
_updates

modsec_dis
card_all_rul
e_changes

modsec_dis
card_rule_c
hanges

modsec_edit
_rule

modsec_en
able_vendor

modsec_en
able_vendor
_configs

modsec_en
able_vendor
_updates

modsec_get
_config_text

modsec_get
_configs

modsec_get
_configs_wit
h_changes_
pending

modsec_get
_log

modsec_get
_rules

modsec_get
_settings

modsec_get
_vendors

modsec_is_i
nstalled

modsec_ma
ke_config_a
ctive

				account removed...D one
--	--	--	--	-------------------------------

modsec_make_config_inactive

modsec_preview_vendor

modsec_remove_rule

modsec_remove_setting

modsec_remove_vendor

modsec_report_rule

modsec_set_config_text

modsec_set_setting

modsec_disable_rule

modsec_update_vendor

▼ Packages

_getpkgextensionform

add_override_features_for_user

addpkg

addpkgext

changepackage

create_feature_relist

delete_feature_relist

delpkgext

editpkg

get_available_applications

get_available_featurelists

get_feature_metadata

get_feature_names

get_featurelist_data

get_featureli

sts

get_users_f
eatures_sett
ings

getfeaturelis
t

getpkginfo

killpkg

listpkgs

manage_fea
tures

matchpkgs

read_feature
list

remove_ove
rride_featu
res_for_user

update_feat
urelist

verify_user_
has_feature

▼ PHP

convert_all_
domains_to
_fpm

get_fpm_co
unt_and_util
ization

is_conversio
n_in_progre
ss

php_get_def
ault_accoun
ts_to_fpm

php_get_ha
ndlers

php_get_im
pacted_dom
ains

php_get_ins
talled_versio
ns

php_get_old
_fpm_flag

php_get_sys
tem_default
_version

php_get_vh
osts_by_ver
sion

php_get_vh
ost_versions

php_ini_get
_content

php_ini_get
_directives

php_ini_set
_content

php_ini_set
_directives

php_set_def
ault_accoun
ts_to_fpm

php_set_ha
ndler

php_set_old
_fpm_flag

php_set_ses
sion_save_p
ath

php_set_sys
tem_default
_version

php_set_vh
ost_versions

▼ Resellers

acctcounts

get_public_c
ontact

getresellerip
s

listacIs

listresellers

resellerstats

saveacllist

set_public_c
ontact

setacIs

setresellerip
s

setresellerli
mits

setresellerm
ainip

setresellern
ameservers

setresellerp
ackagelimit

setupreselle
r

suspendres
eller

terminateres
eller

unsetuprese

ller

unsuspendr
eseller

▼ RPM

delete_rpm_
version

edit_rpm_ve
rsion

get_rpm_ver
sion_data

install_rpm_
plugin

list_rpms

package_m
anager_fixc
ache

package_m
anager_get_
build_log

package_m
anager_get_
package_inf
o

package_m
anager_is_p
erforming_a
ctions

package_m
anager_list_
packages

package_m
anager_reso
lve_actions

package_m
anager_sub
mit_actions

package_m
anager_upgr
ade

uninstall_rp
m_plugin

▼ Script Hooks

delete_hook

edit_hook

list_hooks

reorder_hoo
ks

▼ Security

accesshash

authorizessh
key

check_remo
te_ssh_conn
ection

convertopen
sshtoputty

deletesshke
y

fetch_securi
ty_advice

generatessh
keypair

importsshke
y

listsshkeys

▼ Server

Administration

add_configcl
usterserver

configureba
ckgroundpro
cesskiller

configureser
vice

cors_proxy_
get

create_user
_session

delete_confi
gclusterserv
er

enable_mon
itor_all_ena
bled_service
s

get_all_cont
act_importa
nces

get_appconf
ig_applicatio
n_list

get_applicati
on_contact_
event_import
tance

get_applicati
on_contact_
importance

get_availabl
e_profiles

get_current_
profile

get_passwor
d_strength

get_remote_
access_has
h

get_service_
config

get_service_
config_key

get_tcp4_so
ckets

get_tcp6_so
ckets

get_tweakse
tting

get_udp4_s
ockets

get_udp6_s
ockets

get_update_
availability

get_users_li
nks

getdiskusag
e

gethostname

is_role_ena
bled

list_configcl
usterservers

loadavg

nvget

nvset

personalizati
on_get

personalizati
on_set

purchase_a
_license

reboot

remove_in_
progress_ex
im_config_e
dit

restartservic
e

restore_conf
ig_from_file

restore_conf
ig_from_upl
oad

run_cpkeyclt

send_test_p
osturl

send_test_p
ushbullet_n
ote

servicestatu

s

set_applicati
on_contact_
event_imp
ortance

set_applicati
on_contact_
importance

set_primary
_servernam
e

set_service_
config_key

set_tweakse
tting

sethostname

setminimum
passwordstr
engths

start_profile
_activation

system_nee
ds_reboot

systemloada
vg

update_conf
igclusterserv
er

update_cont
act_email

verify_aim_a
ccess

verify_icq_a
ccess

verify_oscar
_access

verify_postu
rl_access

verify_pushb
ullet_access

▼ SSL

disable_aut
ossl

fetch_servic
e_ssl_comp
onents

fetch_ssl_ce
rtificates_for
_fqdns

fetch_ssl_vh
osts

fetch_vhost
_ssl_compo
nents

fetchcrtinfo
fetchsslinfo
generatessl
get_autossl
_check_schedule
get_autossl
_log
get_autossl
_logs_catalog
get_autossl
_metadata
get_autossl
_pending_queue
get_autossl
_pending_queue_for_domain
get_autossl
_pending_queue_for_user
get_autossl
_problems_for_domain
get_autossl
_problems_for_user
get_autossl
_providers
get_best_ssl
domain_for_service
install_service_ssl_certificate
installssl
listcrts
rebuildinstall
edssldb
rebuildusers
sldb
reset_autossl_provider
reset_service_ssl_certificate
set_autossl_metadata
set_autossl_metadata_key

set_autossl_
provider

start_autossl_
check_for_
all_users

start_autossl_
check_for_
one_user

▼ Styles and Themes

generate_cp
anel_plugin

list_styles

load_style

remove_log
o

remove_styl
e

save_style

set_default

▼ Support Tickets

ticket_creat
e_stub_ticke
t

ticket_get_s
upport_agre
ement

ticket_get_s
upport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revok
e

ticket_ssh_t
est

ticket_ssh_t
est_start

ticket_updat
e_service_a
greement_a
pproval

ticket_valida
te_oauth2_c
ode

ticket_whitel
ist_check

ticket_whitel
ist_setup

ticket_whitel
ist_unsetup

▼ Transfers

abort_transf
er_session

analyze_tra
nsfer_sessio
n_remote

available_tr
ansfer_mod
ules

create_remo
te_root_tran
sfer_session

create_remo
te_user_tran
sfer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transf
er_session_l
og

get_transfer
_session_st
ate

pause_trans
fer_session

remote_basi
c_credential
_check

retrieve_tran
sfer_session
_remote_an
alysis

start_transfe
r_session

transfer_mo
dule_schem
a

validate_sys
tem_user

▼ Updates

accept_eula

get_availabl
e_tiers

get_current_
lts_expiratio
n_status

get_lts_wex
pire

getlongterm
support

installed_ver
sions

set_cpanel_
updates

set_tier

update_upd
ateconf

version