

WHM API 1 Functions - get_autossl_metadata

Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Call cPanel API 2 and UAPI

Account Restoration

restore_modules_summary

restore_queue_activate

restore_queue_add_task

restore_queue_clear_all_completed_tasks

restore_queue_clear_all_failed_tasks

restore_queue_clear_all_pending_tasks

restore_queue_clear_all_tasks

restore_queue_clear_completed_tasks

restore_queue_clear_pending_tasks

restore_queue_is_active

restore_queue_list_active

restore_queue_list_completed

restore_queue

Description

This function retrieves values for the currently authenticated user's AutoSSL's metadata keys.

Examples

JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/get_autossl_metadata?api.version=1
```

XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/get_autossl_metadata?api.version=1
```

Command Line

```
whmapil get_autossl_metadata
```

Notes:

- Unless otherwise noted, you **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local/cpanel/bin/whmapil
```

Output (JSON)

```
{  "metadata": {
```

Function information

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

Notes:

- Scro
- Yc
- mi
- us
- 20
- or
- 20
-)tc

ue_list_pending
restore_queue_state
restoreaccount
verify_new_username_for_restore

▼ Accounts

accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_disk_usage
get_domain_info
getdomainowner
has_digest_auth
has_mycnf_for_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
untrack_acct

```
"command": "get_autossl_metadata",  
  "version": 1,  
  "result": 1,  
  "reason": "OK"  
},  
"data": {  
  "payload": {  
  
    "notify_autossl_expiry": "1",  
  
    "notify_autossl_renewal": "1",  
  
    "notify_autossl_expiry_coverage_user": 1,  
  
    "notify_autossl_renewal_uncovered_domains": "1",  
  
    "notify_autossl_renewal_coverage": "1",  
  
    "notify_autossl_expiry_coverage": "1",  
  
    "notify_autossl_renewal_coverage_reduced": "1",  
  
    "notify_autossl_renewal_user": 0,  
  
    "clobber_externally_signed": "1",  
  
    "notify_autossl_expiry_user": 1,  
  
    "notify_autossl_renewal_uncovered_domains_user": 1,  
  
    "notify_autossl_renewal_coverage_reduced_user": 1,  
  
    "notify_autossl_renewal_coverage_user": 1
```

Find a function

- [WHM API 1 Sections - SSL](#) — SSL functions allow you to manage SSL certificates.
- [WHM API 1 Functions - disable_autossl](#) — This function disables the Auto SSL feature.

_id
verify_new_
username

▼ Addon Domains

convert_add
on_fetch_co
nversion_de
tails

convert_add
on_fetch_do
main_details

convert_add
on_get_con
version_stat
us

convert_add
on_initiate_c
onversion

convert_add
on_list_add
on_domains

convert_add
on_list_conv
ersions

▼ Authentication

api_token_c
reate

api_token_li
st

api_token_r
evoke

api_token_u
pdate

disable_aut
hentication_
provider

disable_fai
ling_authen
tication_prov
iders

enable_auth
entication_p
rovider

get_availabl
e_authentic
ation_provid
ers

get_login_ur
l

get_provider
_client_conf
igurations

get_provider
_configurati
on_fields

get_provider
_display_co

```
}  
  }  
}
```

▼ Output (XML)

```
<root>  
  <data>  
    <payload>  
  
    <clobber_externally_s  
igned>1</clobber_exte  
rnally_signed>  
  
    <notify_autossl_expir  
y>1</notify_autossl_e  
xpiry>  
  
    <notify_autossl_expir  
y_coverage>1</notify_  
autossl_expiry_covera  
ge>  
  
    <notify_autossl_expir  
y_coverage_user>1</no  
tify_autossl_expiry_c  
overage_user>  
  
    <notify_autossl_expir  
y_user>1</notify_auto  
ssl_expiry_user>  
  
    <notify_autossl_renew  
al>1</notify_autossl_  
renewal>  
  
    <notify_autossl_renew  
al_coverage>1</notify_  
_autossl_renewal_cove  
rage>  
  
    <notify_autossl_renew  
al_coverage_reduced>1  
</notify_autossl_rene  
wal_coverage_reduced>  
  
    <notify_autossl_renew  
al_coverage_reduced_u  
ser>1</notify_autossl_  
_renewal_coverage_red  
uced_user>
```

- WHM API 1 Functions - fetch_service_ssl_components — This function lists the system's services and their associated certificates.

- WHM API 1 Functions - fetch_ssl_vhosts — This function lists the server's virtual hosts and their installed SSL certificates.

configurations

get_users_authn_linked_accounts

link_user_authn_provider

set_provider_client_configurations

set_provider_display_configurations

twofactorauth_disable_policy

twofactorauth_enable_policy

twofactorauth_generate_tfa_config

twofactorauth_get_issuer

twofactorauth_get_user_configs

twofactorauth_policy_status

twofactorauth_remove_user_config

twofactorauth_set_issuer

twofactorauth_set_tfa_config

unlink_user_authn_provider

validate_login_token

▼ Backups

backup_config_get

backup_config_set

backup_data_list

backup_destination_add

backup_destination_delete

```
<notify_autossl_renewal_coverage_user>1</notify_autossl_renewal_coverage_user>
```

```
<notify_autossl_renewal_uncovered_domains>1</notify_autossl_renewal_uncovered_domains>
```

```
<notify_autossl_renewal_uncovered_domains_user>1</notify_autossl_renewal_uncovered_domains_user>
```

```
<notify_autossl_renewal_user>0</notify_autossl_renewal_user>  
</payload>  
</data>  
<metadata>
```

```
<command>get_autossl_metadata</command>
```

```
<reason>OK</reason>
```

```
<result>1</result>
```

backup_dest
 ination_get

 backup_dest
 ination_list

 backup_dest
 ination_set

 backup_dest
 ination_vali
 date

 backup_get
 _transport_s
 tatus

 backup_list_
 transported

 backup_set_
 list

 backup_set_
 list_combine
 d

 backup_skip
 _users_all

 backup_skip
 _users_all_s
 tatus

 backup_use
 r_list

 convert_and
 _migrate_fro
 m_legacy_c
 onfig

 get_users_w
 ith_backup_
 metadata

 list_cparchiv
 e_files

 start_backgr
 ound_pkgac
 ct

 toggle_user
 _backup_sta
 te

 v cPHulk

 cphulk_statu
 s

 create_cphu
 lk_record

 delete_cphu
 lk_record

 disable_cph
 ulk

 enable_cph
 ulk

 flush_cphulk
 _login_histo
 ry

```

<version>1</version>
  </metadata>
</root>
  
```

Note:
 Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

Parameters

This function does not accept parameters.

Returns

Parameter	Type	Description	Possible values	Example
clobber_exte rnally_signe d	<i>Boolean</i>	<p>This option will allow AutoSSL to replace certificates that none of this system's AutoSSL modules issued.</p> <p>When you enable this option, AutoSSL will install certificates that replace users' Certificate Authority (CA) issued certificates if they are invalid or expire within three days.</p>	<ul style="list-style-type: none"> 1 — Replace the certificate. 0 — Do not replace the certificate. 	1
notify_autos sl_expiry	<i>Boolean</i>	<p>This option will send a notification when an AutoSSL certificate expires. This occurs when AutoSSL cannot request a new certificate.</p>	<ul style="list-style-type: none"> 1 — Notify. 0 — Do not notify. 	1

flush_cphulk
_login_histo
ry_for_ips

get_countrie
s_with_kno
wn_ip_rang
es

get_cphulk_
brutes

get_cphulk_
excessive_b
rutes

get_cphulk_
failed_logins

get_cphulk_
user_brutes

load_cphulk
_config

read_cphulk
_records

save_cphulk
_config

set_cphulk_
config_key

▼ Databases

background
_mysql_upg
rade_status

current_mys
ql_version

installable_
mysql_versi
ons

latest_availa
ble_mysql_v
ersion

list_databas
e_users

list_databas
es

list_mysql_d
atabases_a
nd_users

remote_mys
ql_create_pr
ofile

remote_mys
ql_create_pr
ofile_via_ss
h

remote_mys
ql_delete_pr
ofile

remote_mys
ql_initiate_p
rofile_activat

Note
s:

- This is a comprehensive list of available domains.

ion
remote_mysql_monitor_profile_activation
remote_mysql_read_profile
remote_mysql_read_profiles
remote_mysql_update_profile
remote_mysql_validate_profile
rename_mysql_database
rename_mysql_user
rename_postgresql_database
rename_postgresql_user
set_local_mysql_root_password
set_mysql_password
set_postgresql_password
start_background_mysql_upgrade

▼ DNS

addns
addzonerecord
addzonerecord (Reverse DNS)
dumpzone
editzonerecord
get_nameserver_config
getzonerecord
has_local_authority

(
D
C
V
)
,
o
r
i
f
t
h
e
A
u
t
o
S
S
L
p
r
o
v
i
d
e
r
h
a
s
n
o
t
i
s
s
u
e
d
a
c
c
e
r
t
i
f
i
c
a
t
e
i
n
r
e
s
p
o
n
s
e
t
o
a
r
e

killdns
listmxs
listzones
lookupnsip
lookupnsips
removezone
record
resetzone
resolvedom
ainname
savemxs
setresolvers
update_nam
eservers_co
nfig

▼ EasyApache

ea4_get_cur
rently_install
ed_package
s

ea4_get_ea
_pkgs_state

ea4_list_pro
files

ea4_metainf
o

ea4_migrati
on

ea4_pre_mi
grate_check

ea4_recom
mendations

ea4_save_p
rofile

ea4_tomcat
85_add

ea4_tomcat
85_list

ea4_tomcat
85_rem

▼ Greylisting

cpgreylist_is
_server_net
block_truste
d

cpgreylist_li
st_entries_f
or_common
_mail_provid
er

cpgreylist_lo
ad_common
_mail_provid

q
u
e
s

ers_config
cpgreylis_s
ave_commo
n_mail_provi
ders_config

cpgreylis_st
atus

cpgreylis_tr
ust_entries_
for_common
_mail_provid
er

cpgreylis_u
ntrust_entrie
s_for_comm
on_mail_pro
vider

create_cpgr
eylist_truste
d_host

delete_cpgr
eylist_truste
d_host

disable_cpgr
eylist

enable_cpgr
eylist

load_cpgrey
list_config

read_cpgrey
list_deferred
_entries

read_cpgrey
list_trusted_
host

save_cpgrey
list_config

t
.
• W
e
a
d
d
e
d
t
h
i
s
r
e
t
u
r
n
i
n
c
P
a
n
e
l
&
W
H
M
v
e
r
s
i
o
n
7
0
.

Integration

batch

cpanel

create_integ
ration_group

create_integ
ration_link

get_integrati
on_link_user
_config

list_integrati
on_groups

list_integrati
on_links

remove_inte
gration_grou
p

remove_inte

<p>gration_link</p> <p>update_inte gration_link _token</p> <p>▼ IP Addresses</p> <p>addips</p> <p>delip</p> <p>get_public_i p</p> <p>get_shared_ ip</p> <p>ipv6_disable _account</p> <p>ipv6_enable _account</p> <p>ipv6_range_ add</p> <p>ipv6_range_ edit</p> <p>ipv6_range_ list</p> <p>ipv6_range_ remove</p>	<p>notify_autos sl_expiry_co verage</p>	<p><i>Boolean</i></p>	<p>This option will send a notification if at least one currently-secured domain will lose coverage when the certificate renews.</p> <div data-bbox="734 428 873 882" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note : We added this parameter in cPanel & WHM return 68.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>
<p>listips</p> <p>nat_checkip</p> <p>nat_set_pub lic_ip</p> <p>setsiteip</p> <p>▼ Mail</p> <p>disable_dki m</p> <p>disable_mail _sni</p> <p>emailtrack_s earch</p> <p>emailtrack_s tats</p> <p>emailtrack_u ser_stats</p> <p>enable_dkim</p> <p>enable_mail _sni</p> <p>ensure_dki m_keys_exi st</p> <p>exim_config uration_che ck</p> <p>expunge_m</p>	<p>notify_autos sl_expiry_co verage_user</p>	<p><i>Boolean</i></p>	<p>This option will send a notification if at least one of a user's currently-secured domains will lose coverage when the certificate renews.</p> <div data-bbox="734 1239 873 1692" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note : We added this return in cPanel & WHM version 74.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>

<p>ailbox_messages</p> <p>expunge_messages_for_mailbox_guid</p> <p>fetch_dkim_private_keys</p> <p>fetch_mail_queue</p> <p>generate_mobileconfig</p> <p>get_mailbox_status</p> <p>get_mailbox_status_list</p> <p>get_unique_recipient_count_per_sender_for_user</p> <p>get_unique_sender_recipient_count_per_user</p> <p>get_user_email_forwarded_destination</p>	<p>notify_autossl_expiry_user</p>	<p><i>Boolean</i></p>	<p>This option will send a notification when a user's AutoSSL certificate expires. This occurs when AutoSSL cannot request a new certificate for a user.</p> <div data-bbox="734 485 873 936" style="border: 1px solid #f0e68c; padding: 5px; margin-top: 10px;"> <p>Note : We added this return in cPanel & WHM version 74.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>
<p>hold_outgoing_email</p> <p>install_dkim_private_keys</p> <p>install_spf_records</p> <p>is_sni_supported</p> <p>list_pops_for</p> <p>mail_sni_status</p> <p>rebuild_mail_sni_config</p> <p>release_outgoing_email</p> <p>save_spamd_config</p> <p>set_user_email_forwarded_destination</p> <p>suspend_outgoing_email</p> <p>unsuspend_outgoing_email</p>	<p>notify_autossl_renewal</p>	<p><i>Boolean</i></p>	<p>This option will send a notification when AutoSSL successfully renews a certificate.</p> <div data-bbox="734 1184 873 1635" style="border: 1px solid #f0e68c; padding: 5px; margin-top: 10px;"> <p>Note : We added this return in cPanel & WHM version 68.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>

<p>validate_current_installeg validate_current_dkims validate_current_ptrs validate_current_spfs validate_exim_configuration_syntax</p> <p>▼ Market</p> <p>disable_market_provider enable_market_provider get_adjusted_market_providers_products get_market_providers_commission_config get_market_providers_list get_market_providers_product_metadata get_market_providers_products set_market_product_attribute set_market_provider_commission_id</p> <p>▼ ModSecurity™</p> <p>modsec_added_rule modsec_added_vendor modsec_ensemble_config_text modsec_batch_settings modsec_check_rule modsec_close_rule</p>	<p>notify_autossl_renewal_user</p>	<p><i>Boolean</i></p>	<p>This option will send a notification when AutoSSL successfully renews a certificate for a user.</p> <div data-bbox="734 373 873 827" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note : We added this return in cPanel & WHM version 74.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>
<p>notify_autossl_renewal_coverage</p>	<p>notify_autossl_renewal_coverage</p>	<p><i>Boolean</i></p>	<p>This option will send a notification if a currently-secured domain fails DCV and the certificate has not reached its renewal period.</p> <div data-bbox="734 1184 873 1638" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note : We added this return in cPanel & WHM version 68.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>

<p>modsec_deploy_all_rule_changes</p> <p>modsec_deploy_rule_changes</p> <p>modsec_deploy_settings_changes</p> <p>modsec_disable_rule</p> <p>modsec_disable_vendor</p> <p>modsec_disable_vendor_configs</p> <p>modsec_disable_vendor_updates</p> <p>modsec_discard_all_rules_changes</p> <p>modsec_discard_rule_changes</p>	<p>notify_autossl_renewal_coverage_user</p>	<p><i>Boolean</i></p>	<p>This option will send a notification if a currently-secured domain fails DCV and the certificate has not reached its renewal period.</p> <div data-bbox="734 430 873 882" style="border: 1px solid orange; padding: 5px;"> <p>Note : We added this return in cPanel & WHM version 74.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	
<p>modsec_edit_rule</p> <p>modsec_enable_vendor</p> <p>modsec_enable_vendor_configs</p> <p>modsec_enable_vendor_updates</p> <p>modsec_get_config_text</p> <p>modsec_get_configs</p> <p>modsec_get_configs_with_changes_pending</p> <p>modsec_get_log</p> <p>modsec_get_rules</p> <p>modsec_get_settings</p> <p>modsec_get_vendors</p>	<p>notify_autossl_renewal_coverage_reduced</p>	<p><i>Boolean</i></p>	<p>This option will send a notification when AutoSSL has renewed a certificate and the new certificate lacks at least one domain that the previous certificate secured.</p> <div data-bbox="734 1323 873 1774" style="border: 1px solid orange; padding: 5px;"> <p>Note : We added this return in cPanel & WHM version 70.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>
<p>modsec_is_installed</p> <p>modsec_make_config_active</p>					

<p>modsec_make_config_inactive</p> <p>modsec_preview_vendor</p> <p>modsec_remove_rule</p> <p>modsec_remove_setting</p> <p>modsec_remove_vendor</p> <p>modsec_report_rule</p> <p>modsec_set_config_text</p> <p>modsec_set_setting</p> <p>modsec_uninstall_rule</p> <p>modsec_update_vendor</p> <p>▼ Packages</p> <p>_getpkgextensionform</p>	<p>notify_autossl_renewal_coverage_reduced_user</p>	<p><i>Boolean</i></p>	<p>This option will send a notification when AutoSSL has renewed a certificate for a user and the new certificate lacks at least one domain that the previous certificate secured.</p> <div data-bbox="734 512 873 961" style="border: 1px solid #f9e79f; padding: 5px;"> <p>Note : We added this return in cPanel & WHM version 74.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>
<p>add_override_features_for_user</p> <p>addpkg</p> <p>addpkgext</p> <p>changepackage</p> <p>create_featurelist</p> <p>delete_featurelist</p> <p>delpkgext</p> <p>editpkg</p> <p>get_available_applications</p> <p>get_available_featurelists</p> <p>get_feature_metadata</p> <p>get_feature_names</p> <p>get_featurelist_data</p> <p>get_featureli</p>	<p>notify_autossl_renewal_uncovered_domains</p>	<p><i>Boolean</i></p>	<p>This option will send a notification when AutoSSL has renewed a certificate and the new certificate lacks one or more of the website's domains.</p> <div data-bbox="734 1352 873 1801" style="border: 1px solid #f9e79f; padding: 5px;"> <p>Note : We added this return in cPanel & WHM version 70.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>

<p>sts</p> <p>get_users_features_settings</p> <p>getfeaturelist</p> <p>getpkginfo</p> <p>killpkg</p> <p>listpkgs</p> <p>manage_features</p> <p>matchpkgs</p> <p>read_featurelist</p> <p>remove_override_features_for_user</p> <p>update_featurelist</p> <p>verify_user_has_feature</p>	<p>notify_autossl_renewal_uncovered_domains_user</p>	<p><i>Boolean</i></p>	<p>This option will send a notification when AutoSSL has renewed a certificate for a user and the new certificate lacks one or more of the website's domains.</p> <div data-bbox="734 478 873 934" style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p>Note : We added this return in cPanel & WHM version 74.</p> </div>	<ul style="list-style-type: none"> • 1 — Notify. • 0 — Do not notify. 	<p>1</p>
<p>▼ PHP</p>					
<p>convert_all_domains_to_fpm</p>					
<p>get_fpm_count_and_utilization</p>					
<p>is_conversion_in_progress</p>					
<p>php_get_default_accounts_to_fpm</p>					
<p>php_get_handlers</p>					
<p>php_get_impacted_domains</p>					
<p>php_get_installed_versions</p>					
<p>php_get_old_fpm_flag</p>					
<p>php_get_system_default_version</p>					
<p>php_get_whoists_by_version</p>					
<p>php_get_whoist_versions</p>					
<p>php_ini_get_content</p>					

php_ini_get
_directives

php_ini_set
_content

php_ini_set
_directives

php_set_def
ault_accoun
ts_to_fpm

php_set_ha
ndler

php_set_old
_fpm_flag

php_set_ses
sion_save_p
ath

php_set_sys
tem_default
_version

php_set_vh
ost_versions

▼ Resellers

acctcounts

get_public_c
ontact

getresellerip
s

listacIs

listresellers

resellerstats

saveacllist

set_public_c
ontact

setacIs

setresellerip
s

setresellerli
mits

setresellerm
ainip

setresellern
ameservers

setresellerp
ackagelimit

setupreselle
r

suspendres
eller

terminateres
eller

unsetuprese

ller

unsuspendr
eseller

▼ RPM

delete_rpm_
version

edit_rpm_ve
rsion

get_rpm_ver
sion_data

install_rpm_
plugin

list_rpms

package_m
anager_fixc
ache

package_m
anager_get_
build_log

package_m
anager_get_
package_inf
o

package_m
anager_is_p
erforming_a
ctions

package_m
anager_list_
packages

package_m
anager_reso
lve_actions

package_m
anager_sub
mit_actions

package_m
anager_upgr
ade

uninstall_rp
m_plugin

▼ Script Hooks

delete_hook

edit_hook

list_hooks

reorder_hoo
ks

▼ Security

accesshash

authorizessh
key

check_remo
te_ssh_conn
ection

convertopen
sshtoputty

deletesshke
y

fetch_securi
ty_advice

generatessh
keypair

importsshke
y

listsshkeys

▼ Server

Administration

add_configcl
usterserver

configureba
ckgroundpro
cesskiller

configureser
vice

cors_proxy_
get

create_user
_session

delete_confi
gclusterserv
er

enable_mon
itor_all_ena
bled_service
s

get_all_cont
act_importa
nces

get_appconf
ig_applicatio
n_list

get_applicati
on_contact_
event_import
tance

get_applicati
on_contact_
importance

get_availabl
e_profiles

get_current_
profile

get_passwor
d_strength

get_remote_
access_has
h

get_service_
config

get_service_
config_key

get_tcp4_so
ckets

get_tcp6_so
ckets

get_tweakse
tting

get_udp4_s
ockets

get_udp6_s
ockets

get_update_
availability

get_users_li
nks

getdiskusag
e

gethostname

is_role_ena
bled

list_configcl
usterservers

loadavg

nvget

nvset

personalizati
on_get

personalizati
on_set

purchase_a
_license

reboot

remove_in_
progress_ex
im_config_e
dit

restartservic
e

restore_conf
ig_from_file

restore_conf
ig_from_upl
oad

run_cpkeyclt

send_test_p
osturl

send_test_p
ushbullet_n
ote

servicestatu

s

set_applicati
on_contact_
event_implemen
tation

set_applicati
on_contact_
importance

set_primary_
servername

set_service_
config_key

set_tweakse
tting

sethostname

setminimum
passwordstr
engths

start_profile_
activation

system_nee
ds_reboot

systemloada
vg

update_conf
igclusterserv
er

update_cont
act_email

verify_aim_a
ccess

verify_icq_a
ccess

verify_oscar_
access

verify_postu
rl_access

verify_pushb
ullet_access

▼ SSL

disable_aut
ossl

fetch_servic
e_ssl_comp
onents

fetch_ssl_ce
rtificates_for_
fqdns

fetch_ssl_vh
osts

fetch_vhost_
ssl_compo
nents

fetchcrtinfo
fetchsslinfo
generatessl
get_autossl
_check_schedule
get_autossl
_log
get_autossl
_logs_catalog
get_autossl
_metadata
get_autossl
_pending_queue
get_autossl
_pending_queue_for_domain
get_autossl
_pending_queue_for_user
get_autossl
_problems_for_domain
get_autossl
_problems_for_user
get_autossl
_providers
get_best_ssl
domain_for_service
install_service_ssl_certificate
installssl
listcrts
rebuildinstall
edssldb
rebuildusers
sldb
reset_autossl_provider
reset_service_ssl_certificate
set_autossl_metadata
set_autossl_metadata_key

set_autossl_
provider

start_autossl_
check_for_
all_users

start_autossl_
check_for_
one_user

▼ Styles and Themes

generate_cp
anel_plugin

list_styles

load_style

remove_log
o

remove_styl
e

save_style

set_default

▼ Support Tickets

ticket_creat
e_stub_ticke
t

ticket_get_s
upport_agre
ement

ticket_get_s
upport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revok
e

ticket_ssh_t
est

ticket_ssh_t
est_start

ticket_updat
e_service_a
greement_a
pproval

ticket_valida
te_oauth2_c
ode

ticket_whitel
ist_check

ticket_whitel
ist_setup

ticket_whitel
ist_unsetup

▼ Transfers

abort_transf
er_session

analyze_tra
nsfer_sessio
n_remote

available_tr
ansfer_mod
ules

create_remo
te_root_tran
sfer_session

create_remo
te_user_tran
sfer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transf
er_session_l
og

get_transfer
_session_st
ate

pause_trans
fer_session

remote_basi
c_credential
_check

retrieve_tran
sfer_session
_remote_an
alysis

start_transfe
r_session

transfer_mo
dule_schem
a

validate_sys
tem_user

▼ Updates

accept_eula

get_availabl
e_tiers

get_current_
lts_expiratio
n_status

get_lts_wex
pire

getlongterm
support

installed_ver
sions

set_cpanel_
updates

set_tier

update_upd
ateconf

version