

Create a New Account - Settings

(WHM >> Home >> Account Functions >> Create a New Account)

[<< Back - Package](#)

If your chosen package includes Package Extensions, proceed to [Package Extensions >>](#)

If your chosen package does **not** include Package Extensions, proceed to [Reseller Settings >>](#)

Create a New Account

[Introduction](#)

[Domain Information](#)

[Package](#)

[Manual Resource Options](#)

[Settings](#)

[Package Extensions](#)

[Reseller Settings](#)

[DNS Settings](#)

[Mail Routing Settings](#)

Related

documentation

[How to Access cPanel & WHM Services](#)

[How to Copy an Addon Domain to a New Account](#)

[How To Create A WHM Reseller Without An Associated Domain](#)

Overview

To modify the settings for a new account, select the options that you wish to apply to the account.

Important:

To access **all** of the options listed below, you **must** select *Select Options Manually* under the *Package* heading.

Setting

Option	Description
--------	-------------

<p><i>Dedicated IP</i></p>	<p>Assigns the new account a static IP address. Other accounts do not share the IP address unless you specifically configure other accounts to use the same IP address.</p> <div data-bbox="475 310 784 457" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note: We strongly recommend this option for reseller accounts.</p> </div> <ul style="list-style-type: none"> • After you select the <i>Dedicated IP</i> checkbox, select the IP address from the <i>Select the IP Address</i> menu, or select <i>Auto Assign</i> to allow the system to assign an IP address automatically. • Unreserved IP addresses populate this menu. For more information about reserved IP addresses, read our Show Edit Reserved IPs documentation. <div data-bbox="475 829 784 1024" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note: If you create a package with this option enabled, you cannot change this option later.</p> </div>
<p><i>Shell Access</i></p>	<p>Allows the user access to the server through the command line interface.</p>
<p><i>CGI Access</i></p>	<p>Allows the new account to execute CGI scripts.</p>
<p><i>Digest Authentication for Web Disk</i></p>	<p>Enables Digest Authentication support for Web Disk access over a clear text or unencrypted connection.</p> <div data-bbox="475 1367 784 1738" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Notes:</p> <ul style="list-style-type: none"> • You must select this option if your server uses a self-signed certificate. • Users with Windows Vista®, Windows® 7, and Windows® 8 operating systems require that you select this option. </div>

<p><i>cPanel Theme</i></p>	<p>Assigns the theme for the user's cPanel account.</p> <div data-bbox="472 212 786 457" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note: You can select the default style for new accounts in WHM's <i>Customization</i> interface (<i>WHM >> Home >> cPanel >> Customization</i>).</p> </div>
<p><i>Locale</i></p>	<p>Assigns the new account's language. Select the locale from the <i>Locale</i> menu.</p>
<p><i>Enable Apache SpamAssassin™</i></p>	<p>Enable or disable Apache SpamAssassin's <i>Spam Filters</i> on the new cPanel account.</p> <div data-bbox="472 695 786 1073" style="border: 1px solid #f0e68c; padding: 5px;"> <p>Note: You cannot modify this setting if you enable the <i>Apache SpamAssassin™</i>: <i>Forced Global ON</i> setting in WHM's <i>Exim Configuration Manager</i> interface (<i>WHM >> Home >> Service Configuration >> Exim Configuration Manager</i>).</p> </div>

<< Back - Package

If your chosen package includes Package Extensions, proceed to [Package Extensions >>](#)

If your chosen package does **not** include Package Extensions, proceed to [Reseller Settings >>](#)

Additional documentation

Suggested documentation [For cPanel users](#) [For WHM users](#) [For developers](#)

- [The wwwacct Script](#)
- [Create a New Account - Settings](#)
- [Create a New Account](#)
- [Create a New Account - Package](#)
- [Create a New Account - Domain Information](#)

- [User Manager](#)

- [How to Create a Demo cPanel Account](#)
- [How to Create a WHM Reseller Without An Associated Domain](#)
- [The wwwacct Script](#)
- [Create a New Account - Settings](#)
- [Create a New Account](#)

- WHM API 1 Functions - createacct
- WHM API 0 Functions - createacct
- WHM API 1 Functions - resellerstats
- WHM API 1 Functions - quota_enabled
- WHM API 1 Functions - get_disk_usage