

# WHM API 1 Functions - listcrts

## Guide to WHM API 1

Return Data  
Filter Output  
Sort Output  
Paginate Output  
Output Columns  
Call cPanel API 2 and UAPI

Account Restoration  
restore\_modules\_summary  
restore\_queue\_activate  
restore\_queue\_add\_task  
restore\_queue\_clear\_all\_completed\_tasks  
restore\_queue\_clear\_all\_failed\_tasks  
restore\_queue\_clear\_all\_pending\_tasks  
restore\_queue\_clear\_all\_tasks  
restore\_queue\_clear\_completed\_task  
restore\_queue\_clear\_pending\_task  
restore\_queue\_is\_active  
restore\_queue\_list\_active  
restore\_queue\_list\_completed

## Description

This function lists the server's domains with installed SSL certificates.

## Examples

### JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/listcrts?api.version=1&registered=1&user=username
```

### XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/listcrts?api.version=1&registered=1&user=username
```

### Command Line

```
whmapil listcrts  
registered=1  
user=username
```

#### Notes:

- Unless otherwise noted, you **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local  
/cpanel/bin/whmapil
```

## Function information

## About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

#### Notes:

- Scro
- Ycmt

restore\_queue\_list\_pending  
restore\_queue\_state  
restoreaccount  
verify\_new\_username\_for\_restore

Accounts

accountsummary  
applist  
createacct  
domainuserdata  
editquota  
forcepasswordchange  
get\_disk\_usage  
get\_domain\_info  
getdomainowner  
has\_digest\_auth  
has\_mycnf\_for\_cpuser  
limitbw  
list\_users  
listaccts  
listlockedaccounts  
listsuspended  
modifyacct  
myprivs  
passwd  
quota\_enabled  
removeacct  
set\_digest\_auth  
showbw  
suspendacct  
unsuspendacct

Output (JSON)



Find a function

- Leech Protection
- SMTP Restrictions
- Shell Fork Bomb Protection
- Generate an SSL Certificate and Signing Request

untrack\_acct\_id  
verify\_new\_username  
▼ Addon Domains  
convert\_addon\_fetch\_conversion\_details  
convert\_addon\_fetch\_domain\_details  
convert\_addon\_get\_conversion\_status  
convert\_addon\_initiate\_conversion  
convert\_addon\_list\_addon\_domains  
convert\_addon\_list\_conversions  
▼ Authentication  
api\_token\_create  
api\_token\_list  
api\_token\_revoke  
api\_token\_update  
disable\_authentication\_provider  
disable\_failing\_authentication\_providers  
enable\_authentication\_provider  
get\_available\_authentication\_providers  
get\_login\_url  
get\_provider\_client\_configurations  
get\_provider\_configuration\_fields  
get\_provider

```
{  
  "data": {  
    "crt": [  
      {  
  
        "is_self_signed": 1,  
  
        "validation_type": "dv",  
        ,  
  
        "signature_algorithm":  
        "sha256WithRSAEncryption",  
        "registered":  
        1,  
  
        "issuer.organizationName": "Acme, Inc.",  
  
        "modulus_length":  
        "2048",  
        "not_after":  
        "1400343187",  
        "domain":  
        "example.com",  
        "domains": [  
        "example.com"  
        ],  
  
        "domain_owners": [  
        "example"  
        ],  
        "id":  
        "example._com_d13b4_3  
62b9_1400343187_b05e5  
c3e443dda9a8869c4cf74  
57829e",  
  
        "friendly_name":  
        "TestCertificate"  
        }  
        ]  
      },  
      "metadata": {  
        "version": 1,  
        "reason": "OK",  
        "result": 1,  
        "command":  
        "listcrts"  
      }  
    ]  
  }  
}
```

\_display\_co  
nfigurations  
  
get\_users\_a  
uthn\_linked  
\_accounts  
  
link\_user\_au  
thn\_provider  
  
set\_provider  
\_client\_confi  
gurations  
  
set\_provider  
\_display\_co  
nfigurations  
  
twofactoraut  
h\_disable\_p  
olicy  
  
twofactoraut  
h\_enable\_p  
olicy  
  
twofactoraut  
h\_generate\_  
tfa\_config  
  
twofactoraut  
h\_get\_issue  
r  
  
twofactoraut  
h\_get\_user\_  
configs  
  
twofactoraut  
h\_policy\_sta  
tus  
  
twofactoraut  
h\_remove\_u  
ser\_config  
  
twofactoraut  
h\_set\_issuer  
  
twofactoraut  
h\_set\_tfa\_c  
onfig  
  
unlink\_user\_  
authn\_provi  
der  
  
validate\_logi  
n\_token

▼ Backups

backup\_conf  
ig\_get  
  
backup\_conf  
ig\_set  
  
backup\_dat  
e\_list  
  
backup\_dest  
ination\_add  
  
backup\_dest  
ination\_dele  
te

▼ Output (XML)

```
<result>
  <data>
    <crt>

      <is_self_signed>1</is
      _self_signed>

      <validation_type>dv</
      validation_type>

      <signature_algorithm>
      sha256WithRSAEncrypti
      on</signature_algorit
      hm>

      <registered>1</regist
      ered>

      <issuer.organizationN
      ame>Acme,
      Inc.</issuer.organiza
      tionName>

      <modulus_length>2048<
      /modulus_length>

      <not_after>1400343187
      </not_after>

      <domain>example.com</
      domain>

      <domains>example.com<
      /domains>

      <domain_owners>exampl
      e</domain_owners>
        <id>
          example._com_d13b4_36
          2b9_1400343187_b05e5c
          3e443dda9a8869c4cf745
          7829e
        </id>

      <friendly_name>TestCe
      rtificate</friendly_n
      ame>
    </crt>
  </data>
</result>
```

backup\_destination\_get

backup\_destination\_list

backup\_destination\_set

backup\_destination\_validate

backup\_get\_transport\_status

backup\_list\_transported

backup\_set\_list

backup\_set\_list\_combined

backup\_skip\_users\_all

backup\_skip\_users\_all\_status

backup\_user\_list

convert\_and\_migrate\_from\_legacy\_config

get\_users\_with\_backup\_metadata

list\_cparchive\_files

start\_background\_package

toggle\_user\_backup\_state

▼ cPHulk

cphulk\_status

create\_cphulk\_record

delete\_cphulk\_record

disable\_cphulk

enable\_cphulk

flush\_cphulk\_login\_history

<metadata>

<version>1</version>

<reason>OK</reason>

<result>1</result>

<command>listcrts</co

flush\_cphulk\_login\_history\_for\_ips

get\_countries\_with\_known\_ip\_ranges

get\_cphulk\_brutes

get\_cphulk\_excessive\_brutes

get\_cphulk\_failed\_logins

get\_cphulk\_user\_brutes

load\_cphulk\_config

read\_cphulk\_records

save\_cphulk\_config

set\_cphulk\_config\_key

#### ▼ Databases

background\_mysql\_upgrade\_status

current\_mysql\_version

installable\_mysql\_versions

latest\_available\_mysql\_version

list\_database\_users

list\_databases

list\_mysql\_databases\_and\_users

remote\_mysql\_create\_profile

remote\_mysql\_create\_profile\_via\_ssh

remote\_mysql\_delete\_profile

remote\_mysql\_initiate\_profile\_activation

```
mmand>
  </metadata>
</result>
```

#### Note:

Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

## Parameters

Parameter	Type	Description	Possible values	Example
registered	<i>Boolean</i>	Whether to limit the results to certificates registered with a certificate authority (CA).  This parameter defaults to 0.	<ul style="list-style-type: none"><li>1 — Registered certificates <b>only</b>.</li><li>0 — All certificates</li></ul>	1
user	<i>string</i>	The user's username.  If you do not use this parameter, the function returns certificates for all accounts on the server.	A valid username.	username

## Returns

Return	Type	Description	Possible values	Example
--------	------	-------------	-----------------	---------

ion  remote_mysql_monitor_profile_activation  remote_mysql_read_profile  remote_mysql_read_profiles  remote_mysql_update_profile	<code>crt</code>	<i>hash</i>	A hash of each certificate's information.	The hash includes the domain, is_self_signed, registered, issuer.organizationName, modulus_length, not_after, id, signature_algorithm, validation_type, and friendly_name returns, and the domains and domain_owners arrays.	
remote_mysql_validate_profile  rename_mysql_database	<code>is_self_signed</code>	<i>Boolean</i>	Whether the certificate is self-signed.  The function returns this value in the crt hash.	<ul style="list-style-type: none"> <li>1 — Self-signed.</li> <li>0 — <b>Not</b> self-signed.</li> </ul>	1
rename_mysql_user  rename_postgresql_database  rename_postgresql_user  set_local_mysql_root_password  set_mysql_password  set_postgresql_password  start_background_mysql_upgrade	<code>validation_type</code>	<i>string</i>	The certificate's validation type.  <div style="border: 1px solid orange; padding: 5px; width: fit-content; margin: 10px auto;"> <p><b>Note</b> : We introduced this return in cPanel &amp; WHM version 56.</p> </div> The function returns this value in the crt hash.	<ul style="list-style-type: none"> <li>ev — Extended Validation.</li> <li>ov — Organization Validation.</li> <li>dv — Domain Validation.</li> <li>undef — The system could not parse and determine the certificate's validation type.</li> </ul>	dv

▼ DNS

- adddns
- addzonerecord
- addzonerecord (Reverse DNS)
- dumpzone
- editzonerecord
- get\_nameserver\_config
- getzonerecord
- has\_local\_authority

killdns  
listmxs  
listzones  
lookupnsip  
lookupnsips  
removezone  
record  
resetzone  
resolvedomainname  
savemxs  
setresolvers  
update\_nameservers\_config

▼ EasyApache

ea4\_get\_currently\_installed\_packages  
ea4\_get\_ea\_pkgs\_state  
ea4\_list\_profiles  
ea4\_maintain  
ea4\_migration  
ea4\_pre\_migrate\_check  
ea4\_recommendations  
ea4\_save\_profile  
ea4\_tomcat85\_add  
ea4\_tomcat85\_list  
ea4\_tomcat85\_remove

▼ Greylisting

cpgreylist\_server\_network\_block\_trusted  
cpgreylist\_list\_entries\_for\_common\_mail\_provider  
cpgreylist\_load\_common\_mail\_provider

signature_algorithm	string	The signature algorithm of the certificate.  <b>Note</b> : We introduced this return in cPanel & WHM version 56.  The function returns this value in the crt hash.	A valid OID hash algorithm name.	sha256WithRSAEncryption
registered	Boolean	Whether the certificate is registered with a CA.  The function returns this value in the crt hash.	<ul style="list-style-type: none"> <li>1 — Registered</li> <li>0 — <b>Not</b> registered</li> </ul>	1
issuer_organizationName	string	The organization name of the certificate's issuer.  The function returns this value in the crt hash.	A valid string.	Acme, Inc.
modulus_length	integer	The certificate's modulus length in bits.  The function returns this value in the crt hash.	A positive integer that measures the length in bits.	2048
not_after	integer	When the certificate expires.  The function returns this value in the crt hash.	A date in Unix time format.	1400343187
domain	string	The certificate's primary domain.  The function returns this value in the crt hash.	A valid domain name.	example.com



ers\_config  
 cpgreylist\_save\_common\_mail\_providers\_config  
 cpgreylist\_status  
 cpgreylist\_trust\_entries\_for\_common\_mail\_provider  
 cpgreylist\_untrust\_entries\_for\_common\_mail\_provider  
 create\_cpgreylist\_trusted\_host  
 delete\_cpgreylist\_trusted\_host  
 disable\_cpgreylist  
 enable\_cpgreylist  
 load\_cpgreylist\_config  
 read\_cpgreylist\_deferred\_entries  
 read\_cpgreylist\_trusted\_host  
 save\_cpgreylist\_config

domains	array	<p>The domain or domains that the certificate covers.</p> <p>The function returns this array in the <code>cert</code> hash.</p>	An array of valid domains.	example.com
domain_owners	array	<p>The owners of the domain or domains that the certificate covers.</p> <p>The function returns this array in the <code>cert</code> hash.</p>	An array of valid usernames.	example
id	string	<p>The certificate's ID.</p> <p>The function returns this value in the <code>cert</code> hash.</p>	A valid string.	<p>Click to view...</p> <pre>example ._com_d1 3b4_362b 9_140034 3187_b05 e5c3e443 dda9a886 9c4cf745 7829e</pre>
friendly_name	string	<p>The certificate's friendly name.</p> <p>The function returns this value in the <code>cert</code> hash.</p>	A valid string.	TestCertificate

Integration

batch  
 cpanel  
 create\_integration\_group  
 create\_integration\_link  
 get\_integration\_link\_user\_config  
 list\_integration\_groups  
 list\_integration\_links  
 remove\_integration\_group  
 remove\_inte

gration\_link

update\_inte  
gration\_link  
\_token

▼ IP Addresses

addips

delip

get\_public\_i  
p

get\_shared\_  
ip

ipv6\_disable  
\_account

ipv6\_enable  
\_account

ipv6\_range\_  
add

ipv6\_range\_  
edit

ipv6\_range\_  
list

ipv6\_range\_  
remove

ipv6\_range\_  
usage

listips

nat\_checkip

nat\_set\_pub  
lic\_ip

setsiteip

▼ Mail

disable\_dki  
m

disable\_mail  
\_sni

emailtrack\_s  
earch

emailtrack\_s  
tats

emailtrack\_u  
ser\_stats

enable\_dkim

enable\_mail  
\_sni

ensure\_dki  
m\_keys\_exi  
st

exim\_config  
uration\_che  
ck

expunge\_m

ailbox\_messages  
expunge\_messages\_for\_mailbox\_guid  
fetch\_dkim\_private\_keys  
fetch\_mail\_queue  
generate\_mobileconfig  
get\_mailbox\_status  
get\_mailbox\_status\_list  
get\_unique\_recipient\_count\_per\_sender\_for\_user  
get\_unique\_sender\_recipient\_count\_per\_user  
get\_user\_email\_forward\_destination  
hold\_outgoing\_email  
install\_dkim\_private\_keys  
install\_spf\_records  
is\_sni\_supported  
list\_pops\_for  
mail\_sni\_status  
rebuild\_mail\_sni\_config  
release\_outgoing\_email  
save\_spamd\_config  
set\_user\_email\_forward\_destination  
suspend\_outgoing\_email  
unsuspend\_outgoing\_email

validate\_currency\_installed\_exim\_config

validate\_currency\_dkims

validate\_currency\_ptrs

validate\_currency\_spfs

validate\_exim\_configuration\_syntax

▼ Market

disable\_market\_provider

enable\_market\_provider

get\_adjusted\_market\_providers\_products

get\_market\_providers\_commission\_config

get\_market\_providers\_list

get\_market\_providers\_product\_metadata

get\_market\_providers\_products

set\_market\_product\_attribute

set\_market\_provider\_commission\_id

▼ ModSecurity™

modsec\_add\_rule

modsec\_add\_vendor

modsec\_assemble\_config\_text

modsec\_batch\_settings

modsec\_check\_rule

modsec\_clone\_rule

modsec\_de  
ploy\_all\_rule  
\_changes

modsec\_de  
ploy\_rule\_ch  
anges

modsec\_de  
ploy\_setting  
s\_changes

modsec\_dis  
able\_rule

modsec\_dis  
able\_vendor

modsec\_dis  
able\_vendor  
\_configs

modsec\_dis  
able\_vendor  
\_updates

modsec\_dis  
card\_all\_rul  
e\_changes

modsec\_dis  
card\_rule\_c  
hanges

modsec\_edit  
\_rule

modsec\_en  
able\_vendor

modsec\_en  
able\_vendor  
\_configs

modsec\_en  
able\_vendor  
\_updates

modsec\_get  
\_config\_text

modsec\_get  
\_configs

modsec\_get  
\_configs\_wit  
h\_changes\_  
pending

modsec\_get  
\_log

modsec\_get  
\_rules

modsec\_get  
\_settings

modsec\_get  
\_vendors

modsec\_is\_i  
nstalled

modsec\_ma  
ke\_config\_a  
ctive

modsec\_make\_config\_inactive

modsec\_preview\_vendor

modsec\_remove\_rule

modsec\_remove\_setting

modsec\_remove\_vendor

modsec\_report\_rule

modsec\_set\_config\_text

modsec\_set\_setting

modsec\_disable\_rule

modsec\_update\_vendor

▼ Packages

\_getpkgextensionform

add\_override\_features\_for\_user

addpkg

addpkgext

changepackage

create\_feature\_relist

delete\_feature\_relist

delpkgext

editpkg

get\_available\_applications

get\_available\_featurelists

get\_feature\_metadata

get\_feature\_names

get\_featurelist\_data

get\_featureli

sts

get\_users\_f  
eatures\_sett  
ings

getfeaturelis  
t

getpkginfo

killpkg

listpkgs

manage\_fea  
tures

matchpkgs

read\_feature  
list

remove\_ove  
rride\_feature  
s\_for\_user

update\_feat  
urelist

verify\_user\_  
has\_feature

▼ PHP

convert\_all\_  
domains\_to  
\_fpm

get\_fpm\_co  
unt\_and\_util  
ization

is\_conversio  
n\_in\_progre  
ss

php\_get\_def  
ault\_accoun  
ts\_to\_fpm

php\_get\_ha  
ndlers

php\_get\_im  
pacted\_dom  
ains

php\_get\_ins  
talled\_versio  
ns

php\_get\_old  
\_fpm\_flag

php\_get\_sys  
tem\_default  
\_version

php\_get\_vh  
osts\_by\_ver  
sion

php\_get\_vh  
ost\_versions

php\_ini\_get  
\_content

php\_ini\_get  
\_directives

php\_ini\_set  
\_content

php\_ini\_set  
\_directives

php\_set\_def  
ault\_accoun  
ts\_to\_fpm

php\_set\_ha  
ndler

php\_set\_old  
\_fpm\_flag

php\_set\_ses  
sion\_save\_p  
ath

php\_set\_sys  
tem\_default  
\_version

php\_set\_vh  
ost\_versions

▼ Resellers

acctcounts

get\_public\_c  
ontact

getresellerip  
s

listacIs

listresellers

resellerstats

saveacllist

set\_public\_c  
ontact

setacIs

setresellerip  
s

setresellerli  
mits

setresellerm  
ainip

setresellern  
ameservers

setresellerp  
ackagelimit

setupreselle  
r

suspendres  
eller

terminateres  
eller

unsetuprese



ller

unsuspendr  
eseller

▼ RPM

delete\_rpm\_  
version

edit\_rpm\_ve  
rsion

get\_rpm\_ver  
sion\_data

install\_rpm\_  
plugin

list\_rpms

package\_m  
anager\_fixc  
ache

package\_m  
anager\_get\_  
build\_log

package\_m  
anager\_get\_  
package\_inf  
o

package\_m  
anager\_is\_p  
erforming\_a  
ctions

package\_m  
anager\_list\_  
packages

package\_m  
anager\_reso  
lve\_actions

package\_m  
anager\_sub  
mit\_actions

package\_m  
anager\_upgr  
ade

uninstall\_rp  
m\_plugin

▼ Script Hooks

delete\_hook

edit\_hook

list\_hooks

reorder\_hoo  
ks

▼ Security

accesshash

authorizessh  
key

check\_remo  
te\_ssh\_conn  
ection

convertopen  
sshtoputty

deletesshke  
y

fetch\_securi  
ty\_advice

generatessh  
keypair

importsshke  
y

listsshkeys

▼ Server

Administration

add\_configcl  
usterserver

configureba  
ckgroundpro  
cesskiller

configureser  
vice

cors\_proxy\_  
get

create\_user  
\_session

delete\_confi  
gclusterserv  
er

enable\_mon  
itor\_all\_ena  
bled\_service  
s

get\_all\_cont  
act\_importa  
nces

get\_appconf  
ig\_applicatio  
n\_list

get\_applicati  
on\_contact\_  
event\_import  
tance

get\_applicati  
on\_contact\_  
importance

get\_availabl  
e\_profiles

get\_current\_  
profile

get\_passwor  
d\_strength

get\_remote\_  
access\_has  
h

get\_service\_  
config

get\_service\_  
config\_key

get\_tcp4\_so  
ckets

get\_tcp6\_so  
ckets

get\_tweakse  
tting

get\_udp4\_s  
ockets

get\_udp6\_s  
ockets

get\_update\_  
availability

get\_users\_li  
nks

getdiskusag  
e

gethostname

is\_role\_ena  
bled

list\_configcl  
usterservers

loadavg

nvget

nvset

personalizati  
on\_get

personalizati  
on\_set

purchase\_a  
\_license

reboot

remove\_in\_  
progress\_ex  
im\_config\_e  
dit

restartservic  
e

restore\_conf  
ig\_from\_file

restore\_conf  
ig\_from\_upl  
oad

run\_cpkeyclt

send\_test\_p  
osturl

send\_test\_p  
ushbullet\_n  
ote

servicestatu

s

set\_applicati  
on\_contact\_  
event\_imp  
ortance

set\_applicati  
on\_contact\_  
importance

set\_primary  
\_servernam  
e

set\_service\_  
config\_key

set\_tweakse  
tting

sethostname

setminimum  
passwordstr  
engths

start\_profile  
\_activation

system\_nee  
ds\_reboot

systemloada  
vg

update\_conf  
igclusterserv  
er

update\_cont  
act\_email

verify\_aim\_a  
ccess

verify\_icq\_a  
ccess

verify\_oscar  
\_access

verify\_postu  
rl\_access

verify\_pushb  
ullet\_access

▼ SSL

disable\_aut  
ossl

fetch\_servic  
e\_ssl\_comp  
onents

fetch\_ssl\_ce  
rtificates\_for  
\_fqdns

fetch\_ssl\_vh  
osts

fetch\_vhost  
\_ssl\_compo  
nents

fetchcrtinfo  
fetchsslinfo  
generatessl  
get\_autossl  
\_check\_schedule  
get\_autossl  
\_log  
get\_autossl  
\_logs\_catalog  
get\_autossl  
\_metadata  
get\_autossl  
\_pending\_queue  
get\_autossl  
\_pending\_queue\_for\_domain  
get\_autossl  
\_pending\_queue\_for\_user  
get\_autossl  
\_problems\_for\_domain  
get\_autossl  
\_problems\_for\_user  
get\_autossl  
\_providers  
get\_best\_ssl  
domain\_for\_service  
install\_service\_ssl\_certificate  
installssl  
listcrts  
rebuildinstall  
edssldb  
rebuildusers  
sldb  
reset\_autossl\_provider  
reset\_service\_ssl\_certificate  
set\_autossl\_metadata  
set\_autossl\_metadata\_key

set\_autossl\_  
provider

start\_autossl\_  
check\_for\_  
all\_users

start\_autossl\_  
check\_for\_  
one\_user

▼ Styles and Themes

generate\_cp  
anel\_plugin

list\_styles

load\_style

remove\_log  
o

remove\_styl  
e

save\_style

set\_default

▼ Support Tickets

ticket\_creat  
e\_stub\_ticke  
t

ticket\_get\_s  
upport\_agre  
ement

ticket\_get\_s  
upport\_info

ticket\_grant

ticket\_list

ticket\_remov  
e\_closed

ticket\_revok  
e

ticket\_ssh\_t  
est

ticket\_ssh\_t  
est\_start

ticket\_updat  
e\_service\_a  
greement\_a  
pproval

ticket\_valida  
te\_oauth2\_c  
ode

ticket\_whitel  
ist\_check

ticket\_whitel  
ist\_setup

ticket\_whitel  
ist\_unsetup

▼ Transfers

abort\_transf  
er\_session

analyze\_tra  
nsfer\_sessio  
n\_remote

available\_tr  
ansfer\_mod  
ules

create\_remo  
te\_root\_tran  
sfer\_session

create\_remo  
te\_user\_tran  
sfer\_session

delete\_accou  
nt\_archives

enqueue\_tra  
nsfer\_item

fetch\_transf  
er\_session\_l  
og

get\_transfer  
\_session\_st  
ate

pause\_trans  
fer\_session

remote\_basi  
c\_credential  
\_check

retrieve\_tran  
sfer\_session  
\_remote\_an  
alysis

start\_transfe  
r\_session

transfer\_mo  
dule\_schem  
a

validate\_sys  
tem\_user

▼ Updates

accept\_eula

get\_availabl  
e\_tiers

get\_current\_  
lts\_expiratio  
n\_status

get\_lts\_wex  
pire

getlongterm  
support

installed\_ver  
sions

set\_cpanel\_  
updates

set\_tier

update\_upd  
ateconf

version