

cPanel Features List

Files Databases Domains Email Metrics Security Software Advanced Preferences Applications

File Manager

Use the *File Manager* interface to manage your files. This feature allows you to upload, create, remove, and edit files without the need for FTP or other third-party applications.

Images

Use the *Images* interface to manage your images. You can view and resize images, or use this feature to convert image file types.

Directory Privacy

Use the *Directory Privacy* interface to limit access to certain resources on your website. Enable this feature to password-protect specific directories that you do not want to allow visitors to access.

Disk Usage

Use the *Disk Usage* interface to scan your disk and view a graphical overview of your account's available space. This feature can help you to manage your disk space usage.

Web Disk

Use the *Web Disk* feature to access to your website's files as if they were a local drive on your computer.

FTP Accounts

Use the *FTP Accounts* interface to manage File Transfer Protocol (FTP) accounts.

FTP Connections

Use the *FTP Connections* interface to view current connections to your site via FTP. Terminate FTP connections to prevent unauthorized or unwanted file access.

Anonymous FTP

Use the *Anonymous FTP* interface to allow users to connect to your FTP directory without a password. Use of this feature may cause security risks.

Backup

Use the *Backup* interface to back up your website. This feature allows you to download a zipped copy of your cPanel account's contents

(home directory, databases, email forwarders, and email filters) to your computer.

Backup Wizard

Use the [Backup Wizard](#) interface as a step-by-step guide to assist you in backup creation.

Git™ Version Control

Use the [Git Version Control](#) interface to host Git repositories on your cPanel account.

File and Directory

Restoration

Use the [File and Directory Restoration](#) interface to restore items from backed-up files.

phpMyAdmin

phpMyAdmin is a third-party tool that you can use to manipulate MySQL databases. For more information about how to use phpMyAdmin, visit the [phpMyAdmin website](#).

MySQL® Databases

Use the [MySQL Databases](#) interface to manage large amounts of information on your websites. Many web-based applications (for example, bulletin boards, content management systems, and online retail shops) require database access.

MySQL® Database Wizard

Use the [MySQL Database Wizard](#) interface to manage large amounts of information on your websites with a step-by-step guide. Many web-based applications (for example, bulletin boards, content management systems, and online retail shops) require database access.

Remote MySQL®

Use the [Remote MySQL](#) interface to configure databases that users can access remotely. Use this feature if you want to allow applications (for example, bulletin boards, shopping carts, or guestbooks) on other servers to access your databases.

PostgreSQL® Databases

Use the [PostgreSQL Databases](#) interface to manage large amounts of information on your websites. Many web-based applications (for example, bulletin boards, content management systems, and online retail shops) require database access.

PostgreSQL® Database

Wizard

To simultaneously create a database and the account that will access it, use the [PostgreSQL Database Wizard](#) interface. Many web-based applications (for example, bulletin boards, content management systems, and online retail shops) require database access.

phpPgAdmin

phpPgAdmin is a third-party tool that you can use to manipulate PostgreSQL databases. For more information about how to use phpPgAdmin, visit the [phpPgAdmin website](#).

Warning:

Some versions of PostgreSQL are ANSI SQL-92 compliant and do **not** support recursive grants, wildcard grants, or future grants. To allow multiple users to access your PostgreSQL tables, click *Synchronize Grants* in this interface after you add a table.

Site Publisher

Use the [Site Publisher](#) interface to quickly create simple websites from a variety of templates. You can use this feature, for example, to ensure that visitors can find your contact information while you design a more elaborate website.

Domains

Use the [Domains](#) interface to create and manage multiple domains for your account.

Addon Domains

Use the [Addon Domains](#) interface to add more domains to your account. Each addon domain possesses its own files and will appear as a separate website to your visitors.

Subdomains

[Subdomains](#) represent subsections of your website that can exist as a new website without a new domain name. Use this interface to create memorable URLs for different content

areas of your site. For example, you can create a subdomain for your blog that visitors can access through `blog.example.com` and `www.example.com/blog`.

Aliases

Use the [Aliases](#) interface to create domain aliases. Domain [Aliases](#) allow you to point additional domain names to your account's existing domains. This allows users to reach your website if they enter the pointed domain URL in their browsers.

Redirects

Use the [Redirects](#) interface to make a specific webpage redirect to another webpage and display its contents. This allows users to access a page with a long URL through a page with shorter, more memorable URL.

Zone Editor

Use the [Zone Editor](#) interface to add, edit, and remove A, AAAA, CNAME, SRV, MX, and TXT DNS records.

Note:

This interface combines the functions of the *Simple Zone Editor* and *Advanced Zone Editor* interfaces. We **removed** the *Simple Zone Editor* and *Advanced Zone Editor* interfaces in cPanel & WHM version 72.

Email Accounts

Use the [Email Accounts](#) interface to manage the email account for your domains.

Forwarders

Use the [Forwarders](#) interface to allow you to forward any incoming email from one address to another. For example, if your cPanel account owns both `joe@example.com` and `joseph@example.com`, you could forward `joe@example.com` to `joseph@example.com` and eliminate the need to check both accounts.

Email Routing

Use the [Email Routing](#) interface to route a

domain's incoming mail to a specific server.

Autoresponders

Use the *Autoresponders* interface to send automated emails to anyone who sends mail to a specific email account. You may wish to use this feature if, for example, you are on vacation, are unavailable, or have a generic message that you wish to send from a support email address.

Default Address

Use the *Default Address* interface to set up a default address, or catch-all address, that receives any mail that users send to an invalid email address for the domain.

Mailing Lists

Use the *Mailing Lists* interface to create a single email address to send email to multiple email addresses.

Track Delivery

Use the *Track Delivery* interface to review email delivery attempts. You can also use this feature to trace an email's delivery route. For example, use this feature if you need to locate problems with email delivery.

Global Email Filters

Use the *Global Email Filters* interface to create email filters for all of your cPanel account's email accounts.

Email Filters

Use the *Email Filters* interface to create email filters for a specific email address. You can use this feature to avoid spam, redirect mail, or pipe messages to a program.

Email Deliverability

Use the *Email Deliverability* interface to identify problems with DKIM, SPF, and PTR records. These records make other mail servers more likely to accept emails that your users send.

Address Importer

Use the *Address Importer* interface to import files in order to create multiple email addresses or forwarders simultaneously.

Spam Filters

Use the *Spam Filters* interface to configure Apache SpamAssassin™, an anti-spam platform with the ability to filter, identify, classify,

and block unsolicited bulk emails.

Archive

Use the [Archive](#) interface to save incoming, outgoing, or mailing list emails for a specified amount of time.

Encryption

Use the [Encryption](#) interface to configure GnuPG. GnuPG is a publicly available encryption scheme that uses the public key approach. With GnuPG, messages use a public key to encrypt messages that only a private key can decrypt.

BoxTrapper

Use the [BoxTrapper](#) interface to protect your inbox from spam. BoxTrapper requires all email senders who are not on your whitelist to reply to a verification email before you can receive their messages.

Calendars and Contacts

Use the [Calendars and Contacts](#) interface to configure your calendars and contact applications. For more information, read our [How to Set Up Calendars and Contacts](#) documentation.

Note:

This feature does **not** function with the iOS® Reminder application if your server uses a self-signed SSL certificate, and does **not** support Horde's Free/Busy system for third-party applications.

Configure Greylisting

Use the [Configure Greylisting](#) interface to manage Greylisting for each domain on your account. Greylisting defends email users against spam.

Email DiskUsage

Use the [Email Disk Usage](#) interface to view all of your mailboxes and quickly remove old emails or large messages.

Visitors

Use the [Visitors](#) interface to view the most recent entries in the Apache log for a given domain.

Errors

Use the [Errors](#) interface to display up to 300 of the most recent errors for your site. This data can help you find broken links, missing files, and other problems.

Bandwidth

Use the [Bandwidth](#) interface to view your site's monthly and overall bandwidth usage.

Raw Access

Use the [Raw Access](#) interface to view visitors to your website without graphs, charts, or other graphics. Download a zipped version of your server's access log to quickly access your site's visitors.

Awstats

Use the [Awstats](#) interface to view AWStats metrics. AWStats is a third-party program that produces visual statistics about visitors to your site.

Analog Stats

Use the [Analog Stats](#) interface to view Analog Stats metrics. Analog Stats is a metrics program that produces a simple summary of visitors to your site.

Webalizer

Use the [Webalizer](#) interface to view Webalizer metrics. Webalizer is a metrics program that produces a variety of charts and graphs about visitors to your site.

Webalizer FTP

Use the [Webalizer FTP](#) interface to view Webalizer metrics for FTP. Webalizer produces a variety of charts and graphs about visitors that used the FTP protocol to access your site.

Metrics Editor

Use the [Metrics Editor](#) interface to select the metrics programs that you want to run on each domain.

SSH Access

Use the [SSH Access](#) interface to securely connect to your sever remotely through the command line.

IP Blocker

Use the [IP Blocker](#) interface to prevent access to your site from a range of IP addresses. If you enter a fully qualified domain name, this feature will attempt to resolve it to an IP address.

SSL/TLS

Use the [SSL/TLS](#) interface to manage SSL/TLS keys, certificates, and signing requests, and to enhance your website's security.

Hotlink Protection

Use the [Hotlink Protection](#) interface to prevent hotlinks to your websites. A hotlink occurs when another site embeds content from your site and uses your bandwidth to serve the files.

Leech Protection

Use the [Leech Protection](#) interface to set a maximum number of logins that can occur within a two-hour time limit. This feature can help you manage users who wish to publicly post their passwords to a restricted area of your site.

Security Policy

Use the [Security Policy](#) interface to configure the security questions that cPanel displays when you attempt to log in to your account from an unrecognized IP address.

ModSecurity

Use the [ModSecurity](#) interface to enable or disable ModSecurity™ for your domains.

Two-Factor Authentication

Use the [Two-Factor Authentication](#) interface to configure an improved security measure that requires two forms of identification to log in. If you disable this feature, you must **also** remove any existing 2FA user configurations.

SSL/TLS Wizard

Use the [SSL/TLS Wizard](#) interface to easily purchase and install SSL certificates for domains on your account. It also lists purchased certificates that an SSL certificate provider has not delivered.

SSL/TLS Status

Use the [SSL/TLS Status](#) interface to view, upgrade, or renew your SSL certificates.

PHP PEAR Packages

Use the [PHP PEAR Packages](#) interface to manage collections of functions that allow you

to perform tasks in PHP. You **must** install a PEAR package before you can use it in a PHP program.

Perl Modules

Use the *Perl Modules* interface to manage collections of functions that allow you to perform tasks in Perl. You **must** install a Perl module before you can use it in a Perl program.

RubyGems

Use the *RubyGems* interface to manage collections of functions that allow you to perform tasks in Ruby. You **must** install a RubyGem before you can use it inside a Ruby program.

Ruby on Rails

Use the *Ruby on Rails* interface to create and deploy a Ruby on Rails application from your cPanel account.

Site Software

Use the *Site Software* interface to add useful software to your website. The software that is available to you depends on your hosting provider's settings for your account.

Optimize Website

Use the *Optimize Website* interface to tweak the way Apache serves responses and enhance the performance of your website.

MultiPHP Manager

Use the *MultiPHP Manager* interface to easily manage the PHP configuration of your accounts.

MultiPHP INI Editor

Use the *MultiPHP INI Editor* interface to configure your PHP settings.

Application Manager

Use the *Application Manager* interface quickly deploy and easily maintain Ruby applications.

Note:

You will **only** see this interface if you configured *Ruby via Mod_Passenger* in EasyApache 4.

Terminal

Use the *Terminal* interface to connect to your account via the command-line.

WebHost Manager

Use this link to access the *WebHost Manager*® (*WHM*®) interface.

Cron Jobs

Use the *Cron Jobs* interface to automate certain commands or scripts on your site to run at a specific time. For example, you could set a cron job to delete temporary files every week to free up disk space.

Track DNS

Use the *Track DNS* interface to look up an IP address or trace the route from your computer to your web server. This feature can help you to verify that you have properly configured your websites' DNS.

Indexes

Use the *Indexes* interface to customize the way in which directories display when a visitor attempts to access them. Typically, visitors will see an Apache index page for that directory.

Error Pages

Use the *Error Pages* interface to configure messages in order to inform visitors that the web server cannot access your site. For example, a visitor who enters a nonexistent URL will see a 404 error.

Apache Handlers

Use the *Apache Handlers* interface to control how the Apache web server manages certain file types and extensions for your site. You can manually add the handler and extension to configure Apache to handle a new file type with an existing handler.

MIME Types

Use the *MIME Types* interface to configure how cPanel relays information to the browser about how to handle specific file extensions. For example, on most servers, the `text/html` MIME type equates to the `.htm`, `.html`, and `.sh` `tml` extensions, which causes the browser to interpret those files as HTML files.

Virus Scanner

Use the *Virus Scanner* interface to scan for

viruses and security weaknesses. After you identify a potential security threat, this feature will prompt you to take the appropriate action.

API Shell

Use the *API Shell* interface to run cPanel API functions within the cPanel interface. API functions may change or delete data on your server, which can cause your server to fail.

Password & Security

Use the *Password & Security* interface to change your cPanel account's password, and to manage your External Authentication accounts.

Change Language

Use the *Change Language* interface to select the language in which the cPanel interface displays.

Change Style

Use the *Change Style* interface to select the style in which the cPanel interface displays.

Contact Information

Use the *Contact Information* interface to set your contact information and configure your notification preferences.

User Manager

Use the *User Manager* interface to add, manage, and delete your subaccounts. This interface allows you to link service accounts to subaccounts, and to manage each subaccount's access to email, FTP, and Web Disk.

Account Preferences

Use the *Account Preferences* interface to change the location of your system alert notifications on the screen.

Note:

This interface only appears in the *User Preferences* menu on the Navigation Bar.

WordPress Manager

The *WordPress Manager* interface allows you to manage the WordPress® installations on your cPanel account.

Note:

To access this interface, you **must** install the WordPress cPAddon in the *Install cPAddons Site Software* interface (*WHM >> Home >> cPanel >> Install cPAddons Site Software*).