

Raw Access

(cPanel >> Home >> Metrics >> Raw Access)

Overview

Raw access logs are text files that contain information about your website's visitors and the content on your website that they have accessed. This feature allows you to download a zipped version of your access log.

Configure Logs

This section allows you to configure cPanel to automatically archive logs and when to automatically delete them.

- Select the *Archive log files in your home directory after the system processes statistics* checkbox to move log files to the `/home` directory after the system processes your website's statistics.

Note:

By default, the system automatically processes website statistics approximately every 24 hours. However, your system administrator may change the process frequency or manually request a statistics run.

- Select the *Remove the previous month's archived logs from your home directory at the end of each month* checkbox to remove the previous month's logs at the end of each month.
- Click **Save** to store your changes.

Download Current Raw Access Logs

This section lists the domains on your account, as well as the log information.

- **Domain** — A list of the domains on your account. To access a domain's raw access log, perform the following steps:
 1. Click the desired link to download that domain's raw access log. The log file will automatically download to your computer.
 2. Unzip the file to view it.
- **Last Update** — The date of the most recent update to the log file.
- **Disk Usage** — The amount of disk space that the log files uses.
- **Linked Domains** — A list of the domains that are parked on top of the domain.

Archived Raw Logs

This section lists the archived logs that your `/home` directory contains.

Note:

The system **only** updates the archive at the end of each month. For more information, read our [cPanel Log Rotation Configuration](#) documentation.

- Click the filename to download an archived log file.
- You can also view the log file through the command line in your `/home/username` directory. Use your preferred text editor to open the `access-logs` file.

Note:

If no archived log files exist, this directory will remain empty.

In This Document

Related Documentation

- [Webalizer FTP](#)
- [Webalizer](#)
- [Visitors](#)
- [Metrics Editor](#)
- [Errors](#)

For Hosting Providers

- [Apparent Discrepancies in Bandwidth Usage Statistics](#)
- [Tweak Settings - Logging](#)
- [Tweak Settings - Stats Programs](#)
- [Tweak Settings - Stats and Logs](#)
- [Tweak Settings - Development](#)