Tweak Settings - Redirection

(*Home* >> *Server Configuration* >> *Tweak Settings*)

> Choose the closest matched domain for which that the system has a valid certificate when redirecting from non-SSL to SSL URLs.
> Formerly known as "Always redirect to SSL/TLS"
> Non-SSL redirect destination
> SSL redirect destination
> Logout redirection URL

> **Note:**
> When a user accesses cPanel, WHM, or Webmail on an SSL/TLS port with the HTTP protocol, the web server redirects the user to the URL of the server's hostname with the HTTPS protocol. For example, if the server's hostname is `host.examplehost.com`, `http://www.example.com:2083` will direct the user to the `https://host.examplehost.com:2083` location.

Choose the closest matched domain for which that the system has a valid certificate when redirecting from non-SSL to SSL URLs. Formerly known as "Always redirect to SSL/TLS"

This setting allows you to redirect users to the proper SSL/TLS ports when they visit specific URLs. This setting defaults to *On*.

When you enable this setting, the system will attempt to redirect in the following order:

1. Redirect to the *Origin Domain Name* if an installed certificate secures that domain an installed certificate.
2. Redirect to a wildcard domain that matches the name on the main service certificate.
3. If no domain matches the domains on any certificate, then redirect to `https://` protocol for the domain.

> **Warnings:**
> - If you disable this option, users may send their passwords to these links **without** encryption. We **strongly** recommend that you do **not** disable this option.
> - The *Require SSL* option in the *Security* section of the *Tweak Settings* interface forces SSL direction by default. We recommend that you do **not** change this setting.
> - The system will redirect users who navigate to the `/cpanel`, `/webmail`, or `/whm` paths of their domain to a respective port, but will not be redirected if they enter the corresponding subodmain. For example:
>   - When a user accesses `www.example.com/cpanel`, `www.example.com/webmail`, or `www.example.com/whm`, they will be redirected to `www.example.com:2083`, `www.example.com:2096`, or `www.example.com:2087` respectively.
>   - This rule does not apply when a user accesses `cpanel.example.com`, `webmail.example.com`, or `whm.example.com`.

> **Note:**
> cPanel's *Calendars and Contacts* interface (*Home* >> *Email* >> *Calendars and Contacts*) **requires** that your third-party client supports redirection.

Non-SSL redirect destination

> **Note:**
> If you enable A*lways redirect to SSL/TLS*, the system ignores this setting.

This setting allows you to specify how to redirect users who access cPanel & WHM via the `/cpanel`, `/webmail`, or `/whm` paths without SSL. Select one of the following options:

- *Hostname* — Redirects users to the server's hostname (for example, `host.example.com:2082`, where `host.example.com` represents the server's hostname).
- *Origin Domain Name* — Redirects a user to their main domain (for example, `example.com:2082`, where `example.com` represents the user's domain).

This setting defaults to *Origin Domain Name* .

SSL redirect destination

> **Note:**
> If you enable A*lways redirect to SSL/TLS*, the system ignores this setting.

This setting allows you to specify how to redirect users who access cPanel & WHM via the `/cpanel`, `/webmail`, or `/whm` paths with SSL. Select one of the following options:

- *SSL Certificate Name* — Redirects users to the domain that the website's SSL certificate secures. You can view this certificate in WHM's *Manage Service SSL Certificates* interface (*Home >> Service Configuration >> Manage Service SSL Certificates*).
- *Hostname* — Redirects users to the server's hostname (for example, `host.example.com:2083`, where `host.example.com` represents the server's hostname).
- *Origin Domain Name* — Redirects a user to their main domain (for example, `example.com:2083`, where `example.com` represents the user's domain).

This setting defaults to *SSL Certificate Name*.

Logout redirection URL

This setting allows you to redirect users to a specific URL after they log out of cPanel.

This setting defaults to *No redirection*.