

cPanel API 1 Functions - LeechProtect::enable

Guide to cPanel API 1

Return Data

cPanel Tags
(deprecated)

Bandwidth:
displaybandwidth

er

Bandwidth: displaybandwidth

Bandwidth: displaybandwidth

Bandwidth: displaybandwidth

▼ BoxTrapper

BoxTrapper: changestatus

BoxTrapper: cleanconfigfilelist

BoxTrapper: editmsg

BoxTrapper: fetchconfigfile

BoxTrapper: getboxconfdir

BoxTrapper: listmessages

BoxTrapper: logcontrols

BoxTrapper: messageaction

BoxTrapper: multi-messageaction

BoxTrapper: resetmsg

BoxTrapper: saveconfigfile

BoxTrapper: saveconf

BoxTrapper: showautowhitelist

BoxTrapper: showemails

BoxTrapper: showfromname

BoxTrapper: showlog

Description

This function enables leech protection on a directory.

Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

Important:

In cPanel & WHM version 76 and later, when you disable the `WebServerRole`, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
$enable_leech =  
$cpanel->api1('LeechP  
rotect', 'enable',  
array('/home/username  
/public_html/protecte  
d_directory/', '100', '  
http://elsewhere.exam  
ple.com/', 'user@exam  
ple.com', '0') ); //  
Call the function.
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

Function information

About this module

The LeechProtect module allows you to protect your site's images from inclusion on external sites.

About cPanel API 1

BoxTrapper:: show message
BoxTrapper:: show queue
BoxTrapper:: show queuesearch
BoxTrapper:: show queuetime
BoxTrapper:: status
BoxTrapper:: statusbutton

Branding

Branding:: file
Branding:: image
Branding:: killing
Branding:: setbrandingpkg
Branding:: setmyacctspkg
Branding:: setupdirs
Branding:: tempsetbrandingpkg

Cgi

Cgi:: backuplink
Cgi:: displayurchin
Cgi:: phpmyadminlink

Chkservd

Chkservd:: getexport
Chkservd:: getexport_ssl

ClamScanner

ClamScanner:: bars

cPAddons

cPAddons:: mainpg

Cron

Cron:: crontab_perms

CustInfo

CustInfo:: getemail

Denylp

Denylp:: adddenyip
Denylp:: deldenyip
Denylp:: listdenyips

LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.  
my $enable_leech =  
$cpliveapi->apil('LeechProtect', 'enable',  
['/home/username/public_html/protected_directory/', '100', 'http://elsewhere.example.com/', 'user@example.com', '0']); # Call the function.
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

cPanel Tag System (deprecated)

Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel  
Module="LeechProtect:  
:enable (  
$FORM('dir', 'numhits'  
, 'badurl', 'email', kil  
lcompro'))">
```

cPanel API 1 accesses information about cPanel accounts.

Warning: cPanel API **deprecated**. We **strongly** recommend cPanel API or UAPI instead.

Notes:

- The `int`
- The `url`

Find a function

- DiskUsage: show manager
- Email: addautoresponder
 - Email: addforward
 - Email: addfilter
 - Email: addlist
 - Email: addmx
 - Email: addpop
 - Email: addspam
 - Email: addspamblock
 - Email: addspamfilter
 - Email: changemx
 - Email: checkfastmail
 - Email: checkpipeword
 - Email: clearspambox
 - Email: delautoresponder
 - Email: deldforward
 - Email: delfilter
 - Email: dellist
 - Email: delmx
 - Email: delpop
 - Email: delspam
 - Email: delspamblock
 - Email: disable_spam_autodelete
 - Email: editquota
 - Email: enable_spam_autodelete
 - Email: getaging
 - Email: getarsbody
 - Email: getarscharset
 - Email: getarsfrom
 - Email: getarshtml
 - Email: getarsinterval

Command Line

```

cpapil
--user=username
LeechProtect enable
/home/username/public_html/protected_directory/ 100
http://elsewhere.example.com/
user@example.com 0

```

Notes:

- You **must** URI-encode these values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```

/usr/local/cpanel/bin/cpapil

```

Output (plaintext)

```

LeechProtection
enabled for
public_html/protected_directory

```

Parameters

Parameter	Type	Description	Possible values	Example
dir	string	Required The directory's path.	A valid full file path.	/home/username/public_html/protected_directory/

- [cPanel API 1 Modules - LeechProtect - The LeechProtect module allows you to protect your site's images from inclusion on external sites.](#)
- [cPanel API 1 Functions - LeechProtect::disable - This function disables leech protection for a directory.](#)

Email: [getarsstart](#)
 Email: [getarsstop](#)
 Email: [getarssubject](#)
 Email: [getmailserver](#)
 Email: [getmailserveruser](#)
 Email: [getpopquota](#)
 Email: [has_spam_as_acl](#)
 Email: [has_spam_autodelete](#)
 Email: [listmaildomains](#)
 Email: [listmaildomainsopt](#)
 Email: [listmaildomainsoptndef](#)
 Email: [mainacctdiskused](#)
 Email: [passwdlist](#)
 Email: [passwdpop](#)
 Email: [setmxaccept](#)
 Email: [spamboxstatus](#)
 Email: [spamstatus](#)
 Email: [tracefilter](#)

▼ [Fileman](#)

Fileman: [changeperm](#)
 Fileman: [delfile](#)
 Fileman: [dofileop](#)
 Fileman: [emptytrash](#)
 Fileman: [extractfile](#)
 Fileman: [fileimg](#)
 Fileman: [fmmkdir](#)
 Fileman: [fmmkfile](#)
 Fileman: [fmpushfile](#)
 Fileman: [fmrename](#)
 Fileman: [fmsavefile](#)
 Fileman: [fmsaveht](#)

numhits	<i>integer</i>	The number of times that a user can log in to a resource before leech protection triggers. This parameter defaults to 4 .	A positive integer.	100
badurl	<i>string</i>	Required A URL to redirect visitors to when leech protection triggers.	A valid URL that exists.	http://elsewhere.example.com/
email	<i>string</i>	An email address to alert when leech protection triggers.	A valid email address.	user@example.com
killcompro	<i>string</i>	Whether to disable the account that triggers leech protection.	<ul style="list-style-type: none"> 1 — Disable. 0 — Do not disable. 	0

Returns

This function returns a confirmation message.

- [cPanel API 1 Functions - LeechProtect::enable](#) — This function enables leech protection on a directory.
- [cPanel API 1 Functions - LeechProtect::setup](#) — This function queries values that the system in a directory's .leechprotect configuration file.

mfile

Fileman::fullbackup

Fileman::getfile

Fileman::htmleditor

Fileman::killdir

Fileman::listfiles

Fileman::listfullbackups

Fileman::listtemplates

Fileman::restoreaf

Fileman::restoredb

Fileman::restorefile

Fileman::restorefiles

Fileman::savehtmlfile

Fileman::showperm

Fileman::uploadfiles

Fileman::viewfile

Frontpage

FrontPage::addfp

FrontPage::delfp

FrontPage::fpstatus

Ftp

Ftp::addftp

Ftp::delftp

Ftp::ftpquota

Ftp::ftpservname

Ftp::ftpstatslogin

Ftp::get_anonftp

Ftp::get_anonftpin

Ftp::get_welcomemsg

Ftp::getftpquota

Ftp::kill_ftp_session

Ftp::listftpstatsurl

Ftp::passwdfp

- cPanel API 1 Functions - LeechProtect: how passwordfile — This function retrieves the password file's location.

Ftp:: set_anonftp

Ftp:: set_anonftpin

Ftp:: set_welcome
msg

▼ Gpg

Gpg:: deletekey

Gpg:: exportkey

Gpg:: exportsecret
key

Gpg:: genkey

Gpg:: importkeys

▼ Htaccess

Htaccess:: checkpr
otected

Htaccess:: del_use
r

Htaccess:: getinde
x

Htaccess:: htdirls

Htaccess:: number
_of_users

Htaccess:: phpsele
ctable

Htaccess:: resnam
e

Htaccess:: set_pas
s

Htaccess:: set_pro
tect

Htaccess:: setinde
x

Htaccess:: setphpr
eference

Htaccess:: showus
ers

▼ ImageManager

ImageManager:: c
onvert

ImageManager:: di
mensions

ImageManager:: h
dimension

ImageManager:: s
cale

ImageManager:: th
umbnail

ImageManager:: w
dimension

▼ LastLogin

LastLogin:: lastlogi
n

▼ LeechProtect

LeechProtect:: disable

LeechProtect:: enable

LeechProtect:: setup

LeechProtect:: showpasswdfile

LeechProtect:: status

▼ LogManager

LogManager:: listdownloads

LogManager:: save settings

LogManager:: show settings

▼ MagicRevision

MagicRevision:: uri

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: del_handler

Mime:: del_hotlink

Mime:: del_mime

Mime:: del_redirect

Mime:: linkallownull

Mime:: linkenable

Mime:: linkexts

Mime:: linkrurl

Mime:: linkurls

▼ Mysql

Mysql:: adddb

Mysql:: addhost

Mysql:: adduser

Mysql:: adduserdb

Mysql:: checkdb

Mysql:: deldb

Mysql:: delhost

Mysql:: deluser

Mysql:: deluserdb

Mysql:: gethost
Mysql:: initcache
Mysql:: listdbs
Mysql:: listdbsopt
Mysql:: listusers
Mysql:: listusersopt
Mysql:: number_of
_dbs
Mysql:: number_of
_users
Mysql:: repairdb
Mysql:: routines
Mysql:: updatepriv
s

▼ Net

Net:: dnslookup
Net:: dnszone
Net:: sethastracero
ute

▼ News

News:: displaynew
s

▼ NVData

NVData:: set

▼ OptimizeWS

OptimizeWS:: load
optimizesettings
OptimizeWS:: load
optimizesettings (b
ytes)
OptimizeWS:: opti
mizews

▼ Park

Park:: disabledir
ect
Park:: getredirectu
rl
Park:: park
Park:: setredirectur
l
Park:: unpark

▼ Postgres

Postgres:: adddb
Postgres:: adduser
Postgres:: adduser
db
Postgres:: deldb
Postgres:: deluser

Postgres:: deluser
db

Postgres:: initcach
e

Postgres:: listdbso
pt

Postgres:: listusers
opt

Postgres:: number
_of_dbs

Postgres:: number
_of_users

▼ ProxyUtils

ProxyUtils:: proxya
ddress

▼ Resellers

Resellers:: accoun
tlistopt

Resellers:: themeli
stopt

▼ Serverinfo

Serverinfo:: servic
estatus

▼ SetLang

SetLang:: listlangs
opt

SetLang:: setlang

▼ SpamAssassin

SpamAssassin:: co
nfig

SpamAssassin:: sa
veconfig

▼ SSH

SSH:: getport

▼ SSL

SSL:: delete

SSL:: deletectr

SSL:: deletecsr

SSL:: deletekey

SSL:: genctr

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedsta
tus

SSL:: uploadcrt

SSL:: uploadkey

▼ StatManager

StatManager:: doF
orm

StatManager:: upd
ateUserConfig

▼ Stats

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandw
idth

Stats:: webalizer

Stats:: webalizerftp

▼ SubDomain

SubDomain:: adds
ubdomain

SubDomain:: cplist
subdomains

SubDomain:: disab
lesubrd

SubDomain:: listsu
bdomainsop

SubDomain:: setsu
burl

▼ UI

UI:: confirm

UI:: redirect

UI:: showresult