

Manage2 API Functions - Extend One-Time Licenses

[Guide to the Manage2 API](#)

[Return Data](#)

[cPanel Licensing PHP Class](#)

[cPanel Licensing Perl Module](#)

[Authentication Methods](#)

[Add Group](#)

[Add Licenses](#)

[Add a Pickup Phrase](#)

[Cancel a License Transfer](#)

[Change Group Information](#)

[Change a License IP Address](#)

[Change a License Package](#)

[Display Groups](#)

[Expire Licenses](#)

[Extend One-Time Licenses](#)

[Fetch Risk Data](#)

[Group Update](#)

[List License Information](#)

[List Package Information](#)

[Look Up a License ID](#)

[Raw Lookup](#)

[Reactivate Expired Licenses](#)

[Register Key-Based Authentication](#)

[Request a License Transfer](#)

Description

This function extends one-time licenses for one year.

Examples

XML

```
https://manage2.cpanel.net/XMLonetimeext.cgi?ip=127.0.0.1
```

JSON

```
https://manage2.cpanel.net/XMLonetimeext.cgi?output=json&ip=127.0.0.1
```

YAML

```
https://manage2.cpanel.net/XMLonetimeext.cgi?output=yaml&ip=127.0.0.1
```

```
<?php
include("cpl.inc.php");
$cpl = new cPanelLicensing("barney@example.com", "12345luggage");
$lisc = $cpl->extendOnetime(array( "ip" => "127.0.0.11" ));
?>
```

```
use cPanelLicensing;
my $licenseManager = new cPanelLicensing(user => 'barney@example.com', pass => '12345luggage');
$licenseManager->extend_onetime_updates ( 'ip' => '127.0.0.1' );
```

```
{
  "version": 0.1,
  "status": 0,
  "reason": "Dispatched notification Updates have been extended for the license on ip: 127.0.0.11. The old updates expiration time was: Mon Jul 11 03:27:02 2011 GMT. The new updates expiration time is: Tue Jul 10 03:27:02 2012 GMT. If your updates have already expired, you should run /usr/local/cpanel/cpkeyclt to reenable updates."
}
```

Function information

API Version: [Manage2 API Methods](#)
Methods: GET, POST
Required Parameters: ip
Return Format: JSON, XML, YAML

About the Manage2 API

The Manage2 API automates license management procedures.

Find a function

Related functions

```
<XMLonetimeext reason="
  Dispatched notification Updates have been extended for
the license on
ip: 127.0.0.11. The old updates expiration time was: Mon
Jul 11
03:27:02 2011 GMT. The new updates expiration time is:
Tue Jul 10
03:27:02 2012 GMT. If your updates have already expired,
you should run
/usr/local/cpanel/cpkeyc1t to reenable updates. " status="
1" version="0.1"/>
```

```
---
reason: Dispatched notification Updates have been
extended for the license on
ip: 127.0.0.11. The old updates expiration time was: Mon
Jul 11
03:27:02 2011 GMT. The new updates expiration time is:
Tue Jul 10
03:27:02 2012 GMT. If your updates have already expired,
you should run
/usr/local/cpanel/cpkeyc1t to reenable updates.
status: 0
version: 0.1
```

- [Manage2 API Functions - List Package Information](#) — This function returns the Manage2 account's packages.
- [Manage2 API Functions - Look Up License ID](#) — This function returns an IP address's license ID.
- [Manage2 API Functions - Raw Lookup](#) — This function returns an IP address's license information.
- [Manage2 API Functions - Add Licenses](#) — This function adds a new license to a Manage2 account.
- [Manage2 API Functions - Add a Pickup Phrase](#) — This function creates a pickup phrase that you use to authenticate with the Manage2 API.

Parameters

Parameter	Type	Description	Possible values	Example
ip	<i>string</i>	Required The license account's IP address.	A valid IP address on the server. The List License Information function returns a list of possible values.	127.0.0.11

Returns

Return	Type	Description	Possible values	Example
reason	<i>string</i>	The function's result.	A string value.	<pre>Dispatched notification Updates have been extended for the license on ip: 127.0.0.11. The old updates expiration time was: Mon Jul 11 03:27:02 2011 GMT. The new updates expiration time is: Tue Jul 10 03:27:02 2012 GMT. If your updates have already expired, you should run /usr/local/cpanel /cpkeyc1t to reenable updates.</pre>

status	<i>Boolean</i>	Whether the function succeeded.	<ul style="list-style-type: none">• 1 — Success• 0 — Failure.	1
version	<i>numeric</i>	Internal information that the Manage2 API uses.	A numeric value.	0.1