

cPanel API 1 Functions - Email::getaging

Guide to cPanel API 1

Return Data

cPanel Tags
(deprecated)

Bandwidth:: [display
bwheader](#)

Bandwidth:: [display
bw](#)

Bandwidth:: [display
day](#)

Bandwidth:: [display
mainbwheader](#)

BoxTrapper:: [chang
estatus](#)

BoxTrapper:: [cleanc
fgfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchcf
gfile](#)

BoxTrapper:: [getbox
confdir](#)

BoxTrapper:: [listms
gs](#)

BoxTrapper:: [logcon
trols](#)

BoxTrapper:: [messa
geaction](#)

BoxTrapper:: [multim
essageaction](#)

BoxTrapper:: [reset
msg](#)

BoxTrapper:: [savecf
gfile](#)

BoxTrapper:: [savec
onf](#)

BoxTrapper:: [showa
utowhitelist](#)

BoxTrapper:: [showe
mails](#)

BoxTrapper:: [showfr
omname](#)

BoxTrapper:: [showl
og](#)

BoxTrapper:: [show
message](#)

BoxTrapper:: [showq
ueue](#)

BoxTrapper:: [showq
ueusearch](#)

Description



Warning:

This function will NOT work on modern cPanel & WHM servers.

- We removed support for email aging [in 2006](#).
- This documentation is provided as a reference to update existing code **ONLY**.

This function checks an email account's aging setting.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

Function information

Module:

Email

API

Version:

n:

[cPanel API 1](#)

Available in:

cPanel 70 and earlier

Methods:

Methods:

GET, POST

Required

Parameters:

email

Return

Format:

s:

integer

About this module

The Email module modifies cPanel email account settings.

About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [U API](#) instead.



Notes:

BoxTrapper:: [show ueuetime](#)

BoxTrapper:: [status](#)

BoxTrapper:: [status button](#)

Branding:: [file](#)

Branding:: [image](#)

Branding:: [killing](#)

Branding:: [setbrandingpkg](#)

Branding:: [setmyacctspkg](#)

Branding:: [setupdirs](#)

Branding:: [tempsetbrandingpkg](#)

Cgi:: [backuplink](#)

Cgi:: [displayurchin](#)

Cgi:: [phpmyadminlink](#)

Chkserverd:: [getximpport](#)

Chkserverd:: [getximpport_ssl](#)

ClamScanner:: [bars](#)

cPAddons:: [mainpg](#)

Cron:: [crontab_perms](#)

CustInfo:: [getemail](#)

Denylp:: [adddenyip](#)

Denylp:: [deldenyip](#)

Denylp:: [listdenyips](#)

DiskUsage:: [showmanager](#)

Email:: [addautoresponder](#)

Email:: [addforward](#)

Email:: [addfilter](#)

Email:: [addlist](#)

Email:: [addmx](#)

Email:: [addpop](#)

Email:: [addspam](#)

Email:: [addspambox](#)

Email:: [addspamfilter](#)

Email:: [changemx](#)

Email:: [checkfastmail](#)

Email:: [checkpipefwd](#)

Examples

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.
$email_aging_setting = $cpanel->apil('Email', 'getaging', array('user@example.com') ); // Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.
my $email_aging_setting = $cpliveapi->apil('Email', 'getaging', ['user@example.com'] ); # Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).



Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="Email::getaging( $FORM('email') )">
```

```
cpapil --user=username Email getaging user@example.com
```



Notes:

- You **must** [URI-encode](#) these values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```
/usr/local/cpanel/bin/cpapil
```

• These functions may require a feature list. To view the available features lists on a cPanel server, view the WHM's [Feature List](#).

• Unless you ca

Email: [clearspambox](#)

Email: [delautoresponse](#)

Email: [deldforward](#)

Email: [delfilter](#)

Email: [dellist](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [delspam](#)

Email: [delspambox](#)

Email: [disable_spam_autodelete](#)

Email: [editquota](#)

Email: [enable_spam_autodelete](#)

Email: [getaging](#)

Email: [getarsbody](#)

Email: [getarscharset](#)

Email: [getarsfrom](#)

Email: [getarshtml](#)

Email: [getarsinterval](#)

Email: [getarsstart](#)

Email: [getarsstop](#)

Email: [getarssubject](#)

Email: [getmailserver](#)

Email: [getmailserveruser](#)

Email: [getpopquota](#)

Email: [has_spam_as_acl](#)

Email: [has_spam_autodelete](#)

Email: [listmaildomains](#)

Email: [listmaildomainsopt](#)

Email: [listmaildomainsoptndef](#)

Email: [mainacctdiskused](#)

Email: [passwdlist](#)

Email: [passwdpop](#)

Email: [setmxaccept](#)

Email: [spamboxstatus](#)

Parameters

Parameter	Type	Description	Possible values	Example
email	<i>string</i>	Required The email address.	A valid email address on the server.	user@example.com

Returns

This function returns the email account's aging setting, as an integer.

Il
thi
s
A
P
I
vi
a
th
e
W
H
M
A
P
I
,
you
m
u
st
us
e
th
e
a
p
p
r
o
p
r
i
a
t
e
c
P
a
n
el
p
or
ts
(
2
0
82
o
r
2
0
83
).
Y
o
u
ca
n
al
so
ca
ll
so
m
e
fu
nc
tio
ns
vi
a
c
P
a
n
el'
s
W
e
b
m
ail
p
or

Email: [spamstatus](#)

Email: [tracefilter](#)

Fileman: [changeperm](#)

Fileman: [delfile](#)

Fileman: [dofileop](#)

Fileman: [emptytrash](#)

Fileman: [extractfile](#)

Fileman: [fileimg](#)

Fileman: [fmmkdir](#)

Fileman: [fmmkfile](#)

Fileman: [fmpushfile](#)

Fileman: [fmrename](#)

Fileman: [fmsavefile](#)

Fileman: [fmsavehtmlfile](#)

Fileman: [fullbackup](#)

Fileman: [getfile](#)

Fileman: [htmleditor](#)

Fileman: [killdir](#)

Fileman: [listfiles](#)

Fileman: [listfullbackups](#)

Fileman: [listtemplates](#)

Fileman: [restoreaf](#)

Fileman: [restoredb](#)

Fileman: [restorefile](#)

Fileman: [restorefiles](#)

Fileman: [savehtmlfile](#)

Fileman: [showperm](#)

Fileman: [uploadfiles](#)

Fileman: [viewfile](#)

FrontPage: [addfp](#)

FrontPage: [delfp](#)

FrontPage: [fpstatus](#)

Ftp: [addftp](#)

Ftp: [delftp](#)

Ftp: [ftpquota](#)

Ftp: [ftpservname](#)

Ftp: [ftpstatslogin](#)

Ftp: [get_anonftp](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

Find a function

Related functions

- [cPanel API 1 Modules - Email](#) — The `Email` module modifies cPanel email account settings.
- [cPanel API 1 Functions - Email: addautoresponder](#) — This function creates an autoresponder for an email account.
- [cPanel API 1 Functions - Email: addforward](#) — This function adds a domain-level email forwarder.
- [cPanel API 1 Functions - Email: addlist](#) — This function adds a Mailman mailing list.
- [cPanel API 1 Functions - Email: addmx](#) — This function adds an MX entry to a domain's DNS zone file.

Ftp:: [get_anonftp](#)
Ftp:: [get_welcomemsg](#)
Ftp:: [getftpquota](#)
Ftp:: [kill_ftp_session](#)
Ftp:: [listftpstatsurl](#)
Ftp:: [passwdftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_welcomemsg](#)
Gpg:: [deletekey](#)
Gpg:: [exportkey](#)
Gpg:: [exportsecretkey](#)
Gpg:: [genkey](#)
Gpg:: [importkeys](#)
Htaccess:: [checkprotected](#)
Htaccess:: [del_user](#)
Htaccess:: [getindex](#)
Htaccess:: [htdirs](#)
Htaccess:: [number_of_users](#)
Htaccess:: [phpselectable](#)
Htaccess:: [resname](#)
Htaccess:: [set_pass](#)
Htaccess:: [set_protect](#)
Htaccess:: [setindex](#)
Htaccess:: [setphpreference](#)
Htaccess:: [showusers](#)
ImageManager:: [convert](#)
ImageManager:: [dimensions](#)
ImageManager:: [hdimension](#)
ImageManager:: [scale](#)
ImageManager:: [thumbnail](#)
ImageManager:: [widthimension](#)
LastLogin:: [lastlogin](#)

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add_handler](#)

Mime:: [add_hotlink](#)

Mime:: [add_mime](#)

Mime:: [add_redirect](#)

Mime:: [del_handler](#)

Mime:: [del_hotlink](#)

Mime:: [del_mime](#)

Mime:: [del_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number_of_dbs](#)

Mysql:: [number_of_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings\(bytes\)](#)

OptimizeWS:: [optimizezews](#)

Park:: [disablereirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number_of_dbs](#)

Postgres:: [number_of_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso
pt

SetLang:: setlang

SpamAssassin:: con
fig

SpamAssassin:: sav
econfig

SSH:: getport

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcnname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo
rm

StatManager:: updat
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu
bdomain

SubDomain:: cplots
ubdomains

SubDomain:: disabl
esubrd

SubDomain:: [listsub](#)
domainsop

SubDomain:: [setsub](#)
[url](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)