

cPanel API 1 Functions - StatManager::updateUserConfig

Guide to cPanel API 1

[Return Data](#)

[cPanel Tags \(deprecated\)](#)

Bandwidth:: [display bwheader](#)

Bandwidth:: [display bw](#)

Bandwidth:: [display day](#)

Bandwidth:: [display mainbwheader](#)

BoxTrapper:: [change status](#)

BoxTrapper:: [clean configfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchconfigfile](#)

BoxTrapper:: [getbox configdir](#)

BoxTrapper:: [listmsg](#)

BoxTrapper:: [logcontrols](#)

BoxTrapper:: [messageaction](#)

BoxTrapper:: [multimessageaction](#)

BoxTrapper:: [resetmsg](#)

BoxTrapper:: [saveconfigfile](#)

BoxTrapper:: [saveconfig](#)

BoxTrapper:: [showautowhitelist](#)

BoxTrapper:: [showemails](#)

BoxTrapper:: [showfromname](#)

BoxTrapper:: [showlog](#)

BoxTrapper:: [showmessage](#)

BoxTrapper:: [showqueue](#)

BoxTrapper:: [showqueuesearch](#)

Description

This function enables or disables a statistics program for a domain.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.



Important:

In cPanel & WHM version 76 and later, when you disable the `webServer` role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

Function information

Module:
StatManager

API Version:
cPanel API 1

Available in:
cPanel 11+

Methods:
GET, POST

Required Parameters:
STATSPROGRAM-DOMAIN.COM

Return Format:
(none)

About this module

The `StatManager` module allows you to manage statistics programs.

About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [U API](#) instead.



Notes:

BoxTrapper:: [showqueue](#)
 BoxTrapper:: [status](#)
 BoxTrapper:: [status](#)
 button
 Branding:: [file](#)
 Branding:: [image](#)
 Branding:: [killimg](#)
 Branding:: [setbranding](#)
 pkg
 Branding:: [setmyacct](#)
 pkg
 Branding:: [setup](#)
 dirs
 Branding:: [tempset](#)
 brandingpkg
 Cgi:: [backup](#)
 link
 Cgi:: [display](#)
 urchin
 Cgi:: [phpmyadmin](#)
 link
 Chkserverd:: [get](#)
 xim
 port
 Chkserverd:: [get](#)
 xim
 port_ssl
 ClamScanner:: [bars](#)
 cPAddons:: [main](#)
 pg
 Cron:: [crontab](#)
 _per
 ms
 CustInfo:: [get](#)
 email
 Denylp:: [add](#)
 denyip
 Denylp:: [del](#)
 denyip
 Denylp:: [list](#)
 denyips
 DiskUsage:: [show](#)
 manager
 Email:: [add](#)
 autoresp
 onder
 Email:: [add](#)
 forward
 Email:: [add](#)
 filter
 Email:: [add](#)
 list
 Email:: [add](#)
 mx
 Email:: [add](#)
 pop
 Email:: [add](#)
 spam
 Email:: [add](#)
 spambox
 Email:: [add](#)
 spamfilter
 Email:: [change](#)
 mx
 Email:: [check](#)
 fastmail
 Email:: [check](#)
 pipefwd

```
$cpanel = new CPANEL(); // Connect to cPanel - only do
this once.
$doform_statmanager = $cpanel->apil
('StatManager','updateUserConfig', array('WEBALIZER-
EXAMPLE.COM') ); // Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to
cPanel - only do this once.
my $doform_statmanager = $cpliveapi->apil
('StatManager','updateUserConfig', ['WEBALIZER-EXAMPLE.
COM'] ); # Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).



Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="SubDomain::updateUserConfig( $FORM
('WEBALIZER-EXAMPLE.COM') )">
```

```
cpapil --user=username StatManager updateUserConfig yes
```



Notes:

- Unless otherwise noted, you **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local/cpanel/bin/whmapil
```

This function does not return output.

• These functions may require a feature list. To view the available features lists on a cPanel server, view the WHM's [Feature Manager](#) interface. • Unless you can

Email: [clearspambox](#)

Email: [delautoresponse](#)

Email: [deldforward](#)

Email: [delfilter](#)

Email: [dellist](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [delspam](#)

Email: [delspambox](#)

Email: [disable_spam_autodelete](#)

Email: [editquota](#)

Email: [enable_spam_autodelete](#)

Email: [getaging](#)

Email: [getarsbody](#)

Email: [getarscharset](#)

Email: [getarsfrom](#)

Email: [getarshtml](#)

Email: [getarsinterval](#)

Email: [getarsstart](#)

Email: [getarsstop](#)

Email: [getarssubject](#)

Email: [getmailserver](#)

Email: [getmailserveruser](#)

Email: [getpopquota](#)

Email: [has_spam_as_acl](#)

Email: [has_spam_autodelete](#)

Email: [listmaildomains](#)

Email: [listmaildomainsopt](#)

Email: [listmaildomainsoptndef](#)

Email: [mainacctdiskused](#)


Email: [passwdlist](#)

Email: [passwdpop](#)

Email: [setmxaccept](#)

Email: [spamboxstatus](#)

Parameters

Parameter	Type	Description	Possible values	Example
STATSPROGRAM-DOMAIN.COM	<i>string</i>	<p>Required</p> <p>The statistics program and its domain.</p> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p> Note:</p> <p>The parameter's name is the statistics program's name in capital letters, a hyphen (-), the domain name in capital letters.</p> </div>	<ul style="list-style-type: none"> • yes — Enabled. • no — Disabled. 	WEBALIZER-EXAMPLE.COM=yes

Returns

This function does not return output.

If this API violates the WHM API, you must use the appropriate cPanel ports (2082 or 2083). You can also call some functions via cPanel's Webmail por

Email:: [spamstatus](#)
Email:: [tracefilter](#)
Fileman:: [changeperm](#)
Fileman:: [delfile](#)
Fileman:: [dofileop](#)
Fileman:: [emptytrash](#)
Fileman:: [extractfile](#)
Fileman:: [fileimg](#)
Fileman:: [fmmkdir](#)
Fileman:: [fmmkfile](#)
Fileman:: [fmpushfile](#)
Fileman:: [fmrename](#)
Fileman:: [fmsavefile](#)
Fileman:: [fmsavehtmlfile](#)
Fileman:: [fullbackup](#)
Fileman:: [getfile](#)
Fileman:: [htmleditor](#)
Fileman:: [killdir](#)
Fileman:: [listfiles](#)
Fileman:: [listfullbackups](#)
Fileman:: [listtemplates](#)
Fileman:: [restoreaf](#)
Fileman:: [restoredb](#)
Fileman:: [restorefile](#)
Fileman:: [restorefiles](#)
Fileman:: [savehtmlfile](#)
Fileman:: [showperm](#)
Fileman:: [uploadfiles](#)
Fileman:: [viewfile](#)
FrontPage:: [addfp](#)
FrontPage:: [delfp](#)
FrontPage:: [fpstatus](#)
Ftp:: [addftp](#)
Ftp:: [delftp](#)
Ftp:: [ftpquota](#)
Ftp:: [ftpservname](#)
Ftp:: [ftpstatslogin](#)
Ftp:: [get_anonftp](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

Find a function

Related functions

- [cPanel API 1 Modules - Stats](#) — The `Stats` module retrieves statistics and bandwidth information for the domain.
- [cPanel API 1 Functions - Stats::analoglist](#) — This function displays the domain's Analog statistics.
- [cPanel API 1 Functions - Stats::awstats](#) — This function retrieves the relative URL path to a domain's AWStats data.
- [cPanel API 1 Functions - Stats::bwbar](#) — This function retrieves a graphical bar that indicates bandwidth usage for the account's domains.
- [cPanel API 1 Functions - Stats::errlog](#) — This function displays the last few entries from the domain's error log.

Ftp:: [get_anonftp](#)
Ftp:: [get_welcomemsg](#)
Ftp:: [getftpquota](#)
Ftp:: [kill_ftp_session](#)
Ftp:: [listftpstatsurl](#)
Ftp:: [passwdftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_welcomemsg](#)
Gpg:: [deletekey](#)
Gpg:: [exportkey](#)
Gpg:: [exportsecretkey](#)
Gpg:: [genkey](#)
Gpg:: [importkeys](#)
Htaccess:: [checkprotected](#)
Htaccess:: [del_user](#)
Htaccess:: [getindex](#)
Htaccess:: [htdirs](#)
Htaccess:: [number_of_users](#)
Htaccess:: [phpselectable](#)
Htaccess:: [resname](#)
Htaccess:: [set_pass](#)
Htaccess:: [set_protect](#)
Htaccess:: [setindex](#)
Htaccess:: [setphpreference](#)
Htaccess:: [showusers](#)
ImageManager:: [convert](#)
ImageManager:: [dimensions](#)
ImageManager:: [hdimension](#)
ImageManager:: [scale](#)
ImageManager:: [thumbnail](#)
ImageManager:: [widthimension](#)
LastLogin:: [lastlogin](#)

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add_handler](#)

Mime:: [add_hotlink](#)

Mime:: [add_mime](#)

Mime:: [add_redirect](#)

Mime:: [del_handler](#)

Mime:: [del_hotlink](#)

Mime:: [del_mime](#)

Mime:: [del_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number_of_dbs](#)

Mysql:: [number_of_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings](#) (bytes)

OptimizeWS:: [optimizezews](#)

Park:: [disableredirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number_of_dbs](#)

Postgres:: [number_of_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso
pt

SetLang:: setlang

SpamAssassin:: con
fig

SpamAssassin:: sav
econfig

SSH:: getport

SSL:: delete

SSL:: deletectr

SSL:: deletectsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcnname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo
rm

StatManager:: updat
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu
bdomain

SubDomain:: cplots
ubdomains

SubDomain:: disabl
esubrd

SubDomain:: [listsub](#)
domainsop

SubDomain:: [setsub](#)
[url](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)