

cPanel API 1 Functions - MagicRevision::uri

Guide to cPanel API 1

[Return Data](#)

[cPanel Tags \(deprecated\)](#)

Bandwidth:: [display bwheader](#)

Bandwidth:: [display bw](#)

Bandwidth:: [display day](#)

Bandwidth:: [display mainbwheader](#)

BoxTrapper:: [change status](#)

BoxTrapper:: [clean configfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchconfigfile](#)

BoxTrapper:: [getbox confdir](#)

BoxTrapper:: [listmsg](#)

BoxTrapper:: [logcontrols](#)

BoxTrapper:: [messageaction](#)

BoxTrapper:: [multimessageaction](#)

BoxTrapper:: [resetmsg](#)

BoxTrapper:: [saveconfigfile](#)

BoxTrapper:: [saveconf](#)

BoxTrapper:: [showautowhitelist](#)

BoxTrapper:: [showemails](#)

BoxTrapper:: [showfromname](#)

BoxTrapper:: [showlog](#)

BoxTrapper:: [showmessage](#)

BoxTrapper:: [showqueue](#)

BoxTrapper:: [showqueuesearch](#)

Description

This function returns a URI fragment with the location of the cached version of the file.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

Examples

Function information

Module:
MagicRevision
API Version:
[cPanel API 1](#)
Available in:
cPanel 11+
Methods:
GET, POST
Required Parameters:
filename
Return Format:
plaintext

About this module

The MagicRevision module manages the cached versions of the Magic URL cPanel subsystem.

About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [UAPI](#) instead.



Notes:

BoxTrapper:: [showqueue](#)
 BoxTrapper:: [status](#)
 BoxTrapper:: [status](#)
 button
 Branding:: [file](#)
 Branding:: [image](#)
 Branding:: [killing](#)
 Branding:: [setbrandingpkg](#)
 Branding:: [setmyacctspkg](#)
 Branding:: [setupdirs](#)
 Branding:: [tempsetbrandingpkg](#)
 Cgi:: [backuplink](#)
 Cgi:: [displayurchin](#)
 Cgi:: [phpmyadminlink](#)
 Chkserverd:: [getximpport](#)
 Chkserverd:: [getximpport_ssl](#)
 ClamScanner:: [bars](#)
 cPAddons:: [mainpg](#)
 Cron:: [crontab_permissions](#)
 CustInfo:: [getemail](#)
 Denylp:: [adddenyip](#)
 Denylp:: [deldenyip](#)
 Denylp:: [listdenyips](#)
 DiskUsage:: [showmanager](#)
 Email:: [addautoresponder](#)
 Email:: [addforward](#)
 Email:: [addfilter](#)
 Email:: [addlist](#)
 Email:: [addmx](#)
 Email:: [addpop](#)
 Email:: [addspam](#)
 Email:: [addspambox](#)
 Email:: [addspamfilter](#)
 Email:: [changemx](#)
 Email:: [checkfastmail](#)
 Email:: [checkpipefwd](#)

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.
$fetch_uri = $cpanel->apil('MagicRevision', 'uri', array('images/example.gif')); // Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.
my $fetch_uri = $cpliveapi->apil('MagicRevision','uri', ['images/example.gif']); # Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).



Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="MagicRevision::uri( $FORM('filename') )">
```

```
cpapil --user=username MagicRevision uri images/example.gif
```



Notes:

- You **must** [URI-encode](#) these values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```
/usr/local/cpanel/bin/cpapil
```

```
cPanel_magic_revision_0/frontend/paper_lantern/images/example.gif
```

• These functions may require a feature list. To view the available features listed on a cPanel release, visit the WHM's [Feature Matrix](#) interface. • Unless you can

Email: [clearspambox](#)

Email: [delautoresponse](#)

Email: [delforward](#)

Email: [delfilter](#)

Email: [dellist](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [delspam](#)

Email: [delspambox](#)

Email: [disable_spam_autodelete](#)

Email: [editquota](#)

Email: [enable_spam_autodelete](#)

Email: [getaging](#)

Email: [getarsbody](#)

Email: [getarscharset](#)

Email: [getarsfrom](#)

Email: [getarshtml](#)

Email: [getarsinterval](#)

Email: [getarsstart](#)

Email: [getarsstop](#)

Email: [getarssubject](#)

Email: [getmailserver](#)

Email: [getmailserveruser](#)

Email: [getpopquota](#)

Email: [has_spam_as_acl](#)

Email: [has_spam_autodelete](#)

Email: [listmaildomains](#)

Email: [listmaildomainsopt](#)

Email: [listmaildomainsoptndef](#)

Email: [mainacctdiskused](#)

Email: [passwdlist](#)

Email: [passwdpop](#)

Email: [setmxaccept](#)

Email: [spamboxstatus](#)

Parameters

Parameter	Type	Description	Possible values	Example
filename	<i>string</i>	Required The filename to query.	A valid file location, relative to the user's Document Root web directory. The file is typically an <code>img</code> , <code>css</code> , or <code>js</code> file.	<code>images/example.gif</code>

Returns

The location of the cache version of the specified file, relative to the base web directory.

Il
thi
s
A
P
I
vi
a
th
e
W
H
M
A
P
I
,
you
m
u
st
us
e
th
e
a
p
p
r
o
p
r
i
e
t
c
P
a
n
e
l
p
o
r
t
s
(
2
0
8
2
o
r
2
0
8
3
).
Y
o
u
c
a
n
a
l
s
o
c
a
l
l
s
o
m
e
f
u
n
c
t
i
o
n
s
v
i
a
c
t
a
n
e
l
s
W
e
b
m
a
i
l
p
o
r

Email: [spamstatus](#)

Email: [tracefilter](#)

Fileman: [changeperm](#)

Fileman: [delfile](#)

Fileman: [dofileop](#)

Fileman: [emptytrash](#)

Fileman: [extractfile](#)

Fileman: [fileimg](#)

Fileman: [fmmkdir](#)

Fileman: [fmmkfile](#)

Fileman: [fmpushfile](#)

Fileman: [fmrename](#)

Fileman: [fmsavefile](#)

Fileman: [fmsavehtmlfile](#)

Fileman: [fullbackup](#)

Fileman: [getfile](#)

Fileman: [htmleditor](#)

Fileman: [killdir](#)

Fileman: [listfiles](#)

Fileman: [listfullbackups](#)

Fileman: [listtemplates](#)

Fileman: [restoreaf](#)

Fileman: [restoredb](#)

Fileman: [restorefile](#)

Fileman: [restorefiles](#)

Fileman: [savehtmlfile](#)

Fileman: [showperm](#)

Fileman: [uploadfiles](#)

Fileman: [viewfile](#)

FrontPage: [addfp](#)

FrontPage: [delfp](#)

FrontPage: [fpstatus](#)

Ftp: [addftp](#)

Ftp: [delftp](#)

Ftp: [ftpquota](#)

Ftp: [ftpservname](#)

Ftp: [ftpstatslogin](#)

Ftp: [get_anonftp](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

Find a function

Related functions

- [cPanel API 1 Modules - Fileman](#) — The Fileman module provides access to file functions.
- [cPanel API 1 Functions - Fileman: changeperm](#) — This function changes a file's permissions.
- [cPanel API 1 Functions - Fileman: delfile](#) — This function deletes a file and backs it up in the /trash directory.
- [cPanel API 1 Functions - Fileman: dofileop](#) — This function moves or copies a file to a different directory.
- [cPanel API 1 Functions - Fileman: emptytrash](#) — This function deletes the user's /trash directory's contents.

Ftp:: [get_anonftp](#)
Ftp:: [get_welcomemsg](#)
Ftp:: [getftpquota](#)
Ftp:: [kill_ftp_session](#)
Ftp:: [listftpstatsurl](#)
Ftp:: [passwdftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_welcomemsg](#)
Gpg:: [deletekey](#)
Gpg:: [exportkey](#)
Gpg:: [exportsecretkey](#)
Gpg:: [genkey](#)
Gpg:: [importkeys](#)
Htaccess:: [checkprotected](#)
Htaccess:: [del_user](#)
Htaccess:: [getindex](#)
Htaccess:: [htdirs](#)
Htaccess:: [number_of_users](#)
Htaccess:: [phpselectable](#)
Htaccess:: [resname](#)
Htaccess:: [set_pass](#)
Htaccess:: [set_protect](#)
Htaccess:: [setindex](#)
Htaccess:: [setphpreference](#)
Htaccess:: [showusers](#)
ImageManager:: [convert](#)
ImageManager:: [dimensions](#)
ImageManager:: [hdimension](#)
ImageManager:: [scale](#)
ImageManager:: [thumbnail](#)
ImageManager:: [widthimension](#)
LastLogin:: [lastlogin](#)

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add_handler](#)

Mime:: [add_hotlink](#)

Mime:: [add_mime](#)

Mime:: [add_redirect](#)

Mime:: [del_handler](#)

Mime:: [del_hotlink](#)

Mime:: [del_mime](#)

Mime:: [del_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number_of_dbs](#)

Mysql:: [number_of_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings\(bytes\)](#)

OptimizeWS:: [optimizezews](#)

Park:: [disablereirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number_of_dbs](#)

Postgres:: [number_of_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso
pt

SetLang:: setlang

SpamAssassin:: con
fig

SpamAssassin:: sav
econfig

SSH:: getport

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcnname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo
rm

StatManager:: updat
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu
bdomain

SubDomain:: cplots
ubdomains

SubDomain:: disabl
esubrd

SubDomain:: [listsub](#)
domainsop

SubDomain:: [setsub](#)
[url](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)