

_WHMAPI1Menu

Guide to WHM API 1

[Return Data](#)

[Filter Output](#)

[Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Call cPanel API 2 and UAPI](#)

[restore_modules_summary](#)

[restore_queue_activate](#)

[restore_queue_add_task](#)

[restore_queue_clear_all_completed_tasks](#)

[restore_queue_clear_all_failed_tasks](#)

[restore_queue_clear_all_pending_tasks](#)

[restore_queue_clear_all_tasks](#)

[restore_queue_clear_completed_task](#)

[restore_queue_clear_pending_task](#)

[restore_queue_is_active](#)

[restore_queue_list_active](#)

[restore_queue_list_completed](#)

[restore_queue_list_pending](#)

[restore_queue_state](#)

[restoreaccount](#)

[verify_new_username_for_restore](#)

[accountssummary](#)

[applist](#)

[createacct](#)

[domainuserdata](#)

[editquota](#)

[forcepasswordchange](#)

[get_disk_usage](#)

[get_domain_info](#)

[getdomainowner](#)

[has_digest_auth](#)

[has_mycnf_for_cpuser](#)

[limitbw](#)

[list_users](#)

[listaccts](#)

[listlockedaccounts](#)

listsuspended
modifyacct
myprivs
passwd
quota_enabled
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
untrack_acct_id
verify_new_username
convert_addon_fetch_conversion_details
convert_addon_fetch_domain_details
convert_addon_get_conversion_status
convert_addon_initiate_conversion
convert_addon_list_addon_domains
convert_addon_list_conversions
api_token_create
api_token_list
api_token_revoke
api_token_update
disable_authentication_provider
disable_failing_authentication_providers
enable_authentication_provider
get_available_authentication_providers
get_login_url
get_provider_client_configurations
get_provider_configuration_fields
get_provider_display_configurations
get_users_authn_linked_accounts
link_user_authn_provider
set_provider_client_configurations
set_provider_display_configurations
twofactorauth_disable_policy
twofactorauth_enable_policy
twofactorauth_generate_tfa_config
twofactorauth_get_issuer
twofactorauth_get_user_configs
twofactorauth_policy_status

twofactorauth_remove_user_config
twofactorauth_set_issuer
twofactorauth_set_tfa_config
unlink_user_authn_provider
validate_login_token
backup_config_get
backup_config_set
backup_date_list
backup_destination_add
backup_destination_delete
backup_destination_get
backup_destination_list
backup_destination_set
backup_destination_validate
backup_get_transport_status
backup_list_transported
backup_set_list
backup_set_list_combined
backup_skip_users_all
backup_skip_users_all_status
backup_user_list
convert_and_migrate_from_legacy_config
get_users_with_backup_metadata
list_cparchive_files
start_background_pkgacct
toggle_user_backup_state
cphulk_status
create_cphulk_record
delete_cphulk_record
disable_cphulk
enable_cphulk
flush_cphulk_login_history
flush_cphulk_login_history_for_ips
get_countries_with_known_ip_ranges
get_cphulk_brutes
get_cphulk_excessive_brutes
get_cphulk_failed_logins
get_cphulk_user_brutes
load_cphulk_config
read_cphulk_records

save_cphulk_config
set_cphulk_config_key
background_mysql_upgrade_status
current_mysql_version
installable_mysql_versions
latest_available_mysql_version
list_database_users
list_databases
list_mysql_databases_and_users
remote_mysql_create_profile
remote_mysql_create_profile_via_ssh
remote_mysql_delete_profile
remote_mysql_initiate_profile_activation
remote_mysql_monitor_profile_activation
remote_mysql_read_profile
remote_mysql_read_profiles
remote_mysql_update_profile
remote_mysql_validate_profile
rename_mysql_database
rename_mysql_user
rename_postgresql_database
rename_postgresql_user
set_local_mysql_root_password
set_mysql_password
set_postgresql_password
start_background_mysql_upgrade
adddns
addzonerecord
addzonerecord (Reverse DNS)
dumpzone
editzonerecord
get_nameserver_config
getzonerecord
has_local_authority
killdns
listmxs
listzones
lookupnsip
lookupnsips
removezonerecord

resetzone
resolvedomainname
savemxs
setresolvers
update_nameservers_config
ea4_get_currently_installed_packages
ea4_get_ea_pkgs_state
ea4_list_profiles
ea4_metainfo
ea4_migration
ea4_pre_migrate_check
ea4_recommendations
ea4_save_profile
ea4_tomcat85_add
ea4_tomcat85_list
ea4_tomcat85_rem
cpgreylis_is_server_netblock_trusted
cpgreylis_list_entries_for_common_mail_provider
cpgreylis_load_common_mail_providers_config
cpgreylis_save_common_mail_providers_config
cpgreylis_status
cpgreylis_trust_entries_for_common_mail_provider
cpgreylis_untrust_entries_for_common_mail_provider
create_cpgreylis_trusted_host
delete_cpgreylis_trusted_host
disable_cpgreylis
enable_cpgreylis
load_cpgreylis_config
read_cpgreylis_deferred_entries
read_cpgreylis_trusted_host
save_cpgreylis_config
batch
cpanel
create_integration_group
create_integration_link
get_integration_link_user_config
list_integration_groups
list_integration_links
remove_integration_group
remove_integration_link

update_integration_link_token
addips
delip
get_public_ip
get_shared_ip
ipv6_disable_account
ipv6_enable_account
ipv6_range_add
ipv6_range_edit
ipv6_range_list
ipv6_range_remove
ipv6_range_usage
listips
nat_checkip
nat_set_public_ip
setsiteip
disable_dkim
disable_mail_sni
emailtrack_search
emailtrack_stats
emailtrack_user_stats
enable_dkim
enable_mail_sni
ensure_dkim_keys_exist
exim_configuration_check
expunge_mailbox_messages
expunge_messages_for_mailbox_guid
fetch_dkim_private_keys
fetch_mail_queue
generate_mobileconfig
get_mailbox_status
get_mailbox_status_list
get_unique_recipient_count_per_sender_for_user
get_unique_sender_recipient_count_per_user
get_user_email_forward_destination
hold_outgoing_email
install_dkim_private_keys
install_spf_records
is_sni_supported
list_pops_for

mail_sni_status
rebuild_mail_sni_config
release_outgoing_email
save_spamd_config
set_user_email_forward_destination
suspend_outgoing_email
unsuspend_outgoing_email
validate_current_installed_exim_config
validate_current_dkims
validate_current_ptrs
validate_current_spfs
validate_exim_configuration_syntax
disable_market_provider
enable_market_provider
get_adjusted_market_providers_products
get_market_providers_commission_config
get_market_providers_list
get_market_providers_product_metadata
get_market_providers_products
set_market_product_attribute
set_market_provider_commission_id
modsec_add_rule
modsec_add_vendor
modsec_assemble_config_text
modsec_batch_settings
modsec_check_rule
modsec_clone_rule
modsec_deploy_all_rule_changes
modsec_deploy_rule_changes
modsec_deploy_settings_changes
modsec_disable_rule
modsec_disable_vendor
modsec_disable_vendor_configs
modsec_disable_vendor_updates
modsec_discard_all_rule_changes
modsec_discard_rule_changes
modsec_edit_rule
modsec_enable_vendor
modsec_enable_vendor_configs
modsec_enable_vendor_updates

modsec_get_config_text
modsec_get_configs
modsec_get_configs_with_changes_pending
modsec_get_log
modsec_get_rules
modsec_get_settings
modsec_get_vendors
modsec_is_installed
modsec_make_config_active
modsec_make_config_inactive
modsec_preview_vendor
modsec_remove_rule
modsec_remove_setting
modsec_remove_vendor
modsec_report_rule
modsec_set_config_text
modsec_set_setting
modsec_undisable_rule
modsec_update_vendor
_getpkgextensionform
add_override_features_for_user
addpkg
addpkgext
changepackage
create_featurelist
delete_featurelist
delpkgext
editpkg
get_available_applications
get_available_featurelists
get_feature_metadata
get_feature_names
get_featurelist_data
get_featurelists
get_users_features_settings
getfeaturelist
getpkginfo
killpkg
listpkgs
manage_features

matchpkgs
read_featurelist
remove_override_features_for_user
update_featurelist
verify_user_has_feature
convert_all_domains_to_fpm
get_fpm_count_and_utilization
is_conversion_in_progress
php_get_default_accounts_to_fpm
php_get_handlers
php_get_impacted_domains
php_get_installed_versions
php_get_old_fpm_flag
php_get_system_default_version
php_get_vhosts_by_version
php_get_vhost_versions
php_ini_get_content
php_ini_get_directives
php_ini_set_content
php_ini_set_directives
php_set_default_accounts_to_fpm
php_set_handler
php_set_old_fpm_flag
php_set_session_save_path
php_set_system_default_version
php_set_vhost_versions
acctcounts
get_public_contact
getresellerips
listacIs
listresellers
resellerstats
saveacllist
set_public_contact
setacIs
setresellerips
setresellerlimits
setresellermainip
setresellernameservers
setresellerpackagelimit

setupreseller
suspendreseller
terminatereseller
unsetupreseller
unsuspendreseller
delete_rpm_version
edit_rpm_version
get_rpm_version_data
install_rpm_plugin
list_rpms
package_manager_fixcache
package_manager_get_build_log
package_manager_get_package_info
package_manager_is_performing_actions
package_manager_list_packages
package_manager_resolve_actions
package_manager_submit_actions
package_manager_upgrade
uninstall_rpm_plugin
delete_hook
edit_hook
list_hooks
reorder_hooks
accesshash
authorizesshkey
check_remote_ssh_connection
convertopensshtoputty
deletesshkey
fetch_security_advice
generatesshkeypair
importsshkey
listsshkeys
add_configclusterserver
configurebackgroundprocesskiller
configureservice
cors_proxy_get
create_user_session
delete_configclusterserver
enable_monitor_all_enabled_services
get_all_contact_importances

get_appconfig_application_list
get_application_contact_event_importance
get_application_contact_importance
get_available_profiles
get_current_profile
get_password_strength
get_remote_access_hash
get_service_config
get_service_config_key
get_tcp4_sockets
get_tcp6_sockets
get_tweaksetting
get_udp4_sockets
get_udp6_sockets
get_update_availability
get_users_links
getdiskusage
gethostname
is_role_enabled
list_configclusterservers
loadavg
nvget
nvset
personalization_get
personalization_set
purchase_a_license
reboot
remove_in_progress_exim_config_edit
restartservice
restore_config_from_file
restore_config_from_upload
run_cpkeyctl
send_test_posturl
send_test_pushbullet_note
servicestatus
set_application_contact_event_importance
set_application_contact_importance
set_primary_servername
set_service_config_key
set_tweaksetting

sethostname
setminimumpasswordstrengths
start_profile_activation
system_needs_reboot
systemloadavg
update_configclusterserver
update_contact_email
verify_aim_access
verify_icq_access
verify_oscar_access
verify_posturl_access
verify_pushbullet_access
disable_autossl
fetch_service_ssl_components
fetch_ssl_certificates_for_fqdns
fetch_ssl_vhosts
fetch_vhost_ssl_components
fetchcrtinfo
fetchsslinfo
generatessl
get_autossl_check_schedule
get_autossl_log
get_autossl_logs_catalog
get_autossl_metadata
get_autossl_pending_queue
get_autossl_pending_queue_for_domain
get_autossl_pending_queue_for_user
get_autossl_problems_for_domain
get_autossl_problems_for_user
get_autossl_providers
get_best_ssldomain_for_service
install_service_ssl_certificate
installssl
listcrts
rebuildinstalledssldb
rebuilduserssldb
reset_autossl_provider
reset_service_ssl_certificate
set_autossl_metadata
set_autossl_metadata_key

set_autossl_provider
start_autossl_check_for_all_users
start_autossl_check_for_one_user
generate_cpanel_plugin
list_styles
load_style
remove_logo
remove_style
save_style
set_default
ticket_create_stub_ticket
ticket_get_support_agreement
ticket_get_support_info
ticket_grant
ticket_list
ticket_remove_closed
ticket_revoke
ticket_ssh_test
ticket_ssh_test_start
ticket_update_service_agreement_approval
ticket_validate_oauth2_code
ticket_whitelist_check
ticket_whitelist_setup
ticket_whitelist_unsetup
abort_transfer_session
analyze_transfer_session_remote
available_transfer_modules
create_remote_root_transfer_session
create_remote_user_transfer_session
delete_account_archives
enqueue_transfer_item
fetch_transfer_session_log
get_transfer_session_state
pause_transfer_session
remote_basic_credential_check
retrieve_transfer_session_remote_analysis
start_transfer_session
transfer_module_schema
validate_system_user
accept_eula

get_available_tiers

get_current_lts_expiration_status

get_lts_wexpire

getlongtermsupport

installed_versions

set_cpanel_updates

set_tier

update_updateconf

version