

cPanel API 1 Functions - Stats::lastvisitors

Guide to cPanel API 1

Return Data

cPanel Tags
(deprecated)

Bandwidth:: display
bwheader

Bandwidth:: display
bw

Bandwidth:: display
day

Bandwidth:: display
mainbwheader

BoxTrapper:: chang
estatus

BoxTrapper:: cleanc
fgfilelist

BoxTrapper:: editmsg

BoxTrapper:: fetchc
gfile

BoxTrapper:: getbox
confdir

BoxTrapper:: listms
gs

BoxTrapper:: logcon
trols

BoxTrapper:: messa
geaction

BoxTrapper:: multim
essageaction

BoxTrapper:: reset
msg

BoxTrapper:: savec
gfile

BoxTrapper:: savec
onf

BoxTrapper:: showa
utowhitelist

BoxTrapper:: showe
mails

BoxTrapper:: showfr
omname

BoxTrapper:: showl
og

BoxTrapper:: show
message

BoxTrapper:: showq
ueue

BoxTrapper:: showq
ueuesearch

Description

This function retrieves a list of a domain's most recent visitors.



Warning:

cPanel API 1 is **deprecated**. Do not use this function. Instead, we **strongly** recommend that you use the following newer functions:

- **UAPI (recommended)** — *None*.
- **cPanel API 2** — `Stats::lastvisitors` — This function retrieves a domain's last visitors.

Examples

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.  
$get_lastvisitors = $cpanel->apil('Stats','lastvisitors',  
array('example.com','0','/path/to/thelogfile.log','5') );  
// Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.  
my $get_lastvisitors = $cpliveapi->apil  
( 'Stats','lastvisitors', [ 'example.com','0','/path/to  
/thelogfile.log','5' ] ); # Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).



Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="Stats::lastvisitors($FORM  
( 'domain','ssl','file','numlines' )">
```

Function information

Module:
Stats
API Version:
cPanel API 1
Available in:
cPanel 11+
Methods:
GET, POST
Required Parameters:
domain,
numlines
Return Format:
HTML

About this module

The `Stats` module retrieves statistics and bandwidth information for the domain.

About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [UAPI](#) instead.



Notes:

BoxTrapper:: [showq ueuetime](#)

BoxTrapper:: [status](#)

BoxTrapper:: [status button](#)

Branding:: [file](#)

Branding:: [image](#)

Branding:: [killing](#)

Branding:: [setbrandingpkg](#)

Branding:: [setmyacctspkg](#)

Branding:: [setupdirs](#)

Branding:: [tempsetbrandingpkg](#)

Cgi:: [backuplink](#)

Cgi:: [displayurchin](#)

Cgi:: [phpmyadminlink](#)

Chkserverd:: [getexim port](#)

Chkserverd:: [getexim port_ssl](#)

ClamScanner:: [bars](#)

cPAddons:: [mainpg](#)

Cron:: [crontab_permissions](#)

CustInfo:: [getemail](#)

Denylp:: [adddenyip](#)

Denylp:: [deldenyip](#)

Denylp:: [listdenyips](#)

DiskUsage:: [showmanager](#)

Email:: [addautoresponder](#)

Email:: [addforward](#)

Email:: [addfilter](#)

Email:: [addlist](#)

Email:: [addmx](#)

Email:: [addpop](#)

Email:: [addspam](#)

Email:: [addspambox](#)

Email:: [addspamfilter](#)

Email:: [changemx](#)

Email:: [checkfastmail](#)

Email:: [checkpipefwd](#)

```
cpapil --user=username Stats lastvisitors example.com 0 /path/to/thelogfile.log 5
```



Notes:

- Unless otherwise noted, you **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local/cpanel/bin/whmapil
```

```
/tmp/$user/webalizerftp/index.html
```

Parameters

| Parameter | Type | Description | Possible Values | Example |
|-----------|----------------|---|---|-------------------------|
| domain | <i>string</i> | Required The domain name. | A valid domain name. | example.com |
| ssl | <i>Boolean</i> | Whether to display the normal or SSL log file. This value defaults to 0. | <ul style="list-style-type: none"> • 1 — Display the SSL log file. • 0 — Display the normal log file. | 0 |
| file | <i>string</i> | The path to the log file. This value defaults to the correct file path. | A valid absolute file path. | /path/to/thelogfile.log |
| numlines | <i>integer</i> | Required The number of recent visitors to view. | A valid integer. | 5 |

Returns

This function displays HTML that contains information about the latest visitors to the specified domain.

• These functions may require a feature list. To view the available features listed on a cPanel server, view the WHM's [Feature Manager](#) interface.

• Unless you can

Email: [clearspambox](#)
Email: [delautoresponder](#)
Email: [deldforward](#)
Email: [delfilter](#)
Email: [dellist](#)
Email: [delmx](#)
Email: [delpop](#)
Email: [delspam](#)
Email: [delspambox](#)
Email: [disable_spam_autodelete](#)
Email: [editquota](#)
Email: [enable_spam_autodelete](#)
Email: [getaging](#)
Email: [getarsbody](#)
Email: [getarscharset](#)
Email: [getarsfrom](#)
Email: [getarshtml](#)
Email: [getarsinterval](#)
Email: [getarsstart](#)
Email: [getarsstop](#)
Email: [getarssubject](#)
Email: [getmailserver](#)
Email: [getmailserveruser](#)
Email: [getpopquota](#)
Email: [has_spam_as_acl](#)
Email: [has_spam_autodelete](#)
Email: [listmaildomains](#)
Email: [listmaildomainsopt](#)
Email: [listmaildomainsoptndef](#)
Email: [mainacctdiskused](#)
Email: [passwdlist](#)
Email: [passwdpop](#)
Email: [setmxaccept](#)
Email: [spamboxstatus](#)

Il
thi
s
A
P
I
vi
a
th
e
W
H
M
A
P
I
,
you
m
u
st
us
e
th
e
a
p
p
r
o
p
r
i
a
t
e
c
P
a
n
el
p
or
ts
(
2
0
82
o
r
2
0
83
).
Y
o
u
ca
n
al
so
ca
ll
so
m
e
fu
nc
tio
ns
vi
a
c
P
a
n
el'
s
W
e
b
m
ail
p
or

Email:: [spamstatus](#)
Email:: [tracefilter](#)
Fileman:: [changeperm](#)
Fileman:: [delfile](#)
Fileman:: [dofileop](#)
Fileman:: [emptytrash](#)
Fileman:: [extractfile](#)
Fileman:: [fileimg](#)
Fileman:: [fmmkdir](#)
Fileman:: [fmmkfile](#)
Fileman:: [fmpushfile](#)
Fileman:: [fmrename](#)
Fileman:: [fmsavefile](#)
Fileman:: [fmsavehtmlfile](#)
Fileman:: [fullbackup](#)
Fileman:: [getfile](#)
Fileman:: [htmleditor](#)
Fileman:: [killdir](#)
Fileman:: [listfiles](#)
Fileman:: [listfullbackups](#)
Fileman:: [listtemplates](#)
Fileman:: [restoreaf](#)
Fileman:: [restoredb](#)
Fileman:: [restorefile](#)
Fileman:: [restorefiles](#)
Fileman:: [savehtmlfile](#)
Fileman:: [showperm](#)
Fileman:: [uploadfiles](#)
Fileman:: [viewfile](#)
FrontPage:: [addfp](#)
FrontPage:: [delfp](#)
FrontPage:: [fpstatus](#)
Ftp:: [addftp](#)
Ftp:: [delftp](#)
Ftp:: [ftpquota](#)
Ftp:: [ftpservname](#)
Ftp:: [ftpstatslogin](#)
Ftp:: [get_anonftp](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

Find a function

Related functions

- [cPanel API 1 Modules - Stats](#) — The `stats` module retrieves statistics and bandwidth information for the domain.
- [cPanel API 1 Functions - Stats::analoglist](#) — This function displays the domain's Analog statistics.
- [cPanel API 1 Functions - Stats::awstats](#) — This function retrieves the relative URL path to a domain's AWStats data.
- [cPanel API 1 Functions - Stats::bwbar](#) — This function retrieves a graphical bar that indicates bandwidth usage for the account's domains.
- [cPanel API 1 Functions - Stats::errlog](#) — This function displays the last few entries from the domain's error log.

Ftp:: [get_anonftp](#)
Ftp:: [get_welcomemsg](#)
Ftp:: [getftpquota](#)
Ftp:: [kill_ftp_session](#)
Ftp:: [listftpstatsurl](#)
Ftp:: [passwdftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_welcomemsg](#)
Gpg:: [deletekey](#)
Gpg:: [exportkey](#)
Gpg:: [exportsecretkey](#)
Gpg:: [genkey](#)
Gpg:: [importkeys](#)
Htaccess:: [checkprotected](#)
Htaccess:: [del_user](#)
Htaccess:: [getindex](#)
Htaccess:: [htdirs](#)
Htaccess:: [number_of_users](#)
Htaccess:: [phpselectable](#)
Htaccess:: [resname](#)
Htaccess:: [set_pass](#)
Htaccess:: [set_protect](#)
Htaccess:: [setindex](#)
Htaccess:: [setphpreference](#)
Htaccess:: [showusers](#)
ImageManager:: [convert](#)
ImageManager:: [dimensions](#)
ImageManager:: [hdimension](#)
ImageManager:: [scale](#)
ImageManager:: [thumbnail](#)
ImageManager:: [widthimension](#)
LastLogin:: [lastlogin](#)

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add_handler](#)

Mime:: [add_hotlink](#)

Mime:: [add_mime](#)

Mime:: [add_redirect](#)

Mime:: [del_handler](#)

Mime:: [del_hotlink](#)

Mime:: [del_mime](#)

Mime:: [del_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number_of_dbs](#)

Mysql:: [number_of_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings\(bytes\)](#)

OptimizeWS:: [optimizezews](#)

Park:: [disablereirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number_of_dbs](#)

Postgres:: [number_of_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso
pt

SetLang:: setlang

SpamAssassin:: con
fig

SpamAssassin:: sav
econfig

SSH:: getport

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcnname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo
rm

StatManager:: updat
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu
bdomain

SubDomain:: cplots
ubdomains

SubDomain:: disabl
esubrd

SubDomain:: [listsub](#)
domainsop

SubDomain:: [setsub](#)
[url](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)