

# cPanel API 1 Functions - UI::showresult

## Guide to cPanel API 1

[Return Data](#)

[cPanel Tags \(deprecated\)](#)

Bandwidth:: [display bwheader](#)

Bandwidth:: [display bw](#)

Bandwidth:: [display day](#)

Bandwidth:: [display mainbwheader](#)

BoxTrapper:: [change status](#)

BoxTrapper:: [clean configfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchconfigfile](#)

BoxTrapper:: [getbox configdir](#)

BoxTrapper:: [listmsg](#)

BoxTrapper:: [logcontrols](#)

BoxTrapper:: [messageaction](#)

BoxTrapper:: [multimessageaction](#)

BoxTrapper:: [resetmsg](#)

BoxTrapper:: [saveconfigfile](#)

BoxTrapper:: [saveconfig](#)

BoxTrapper:: [showutowhitelist](#)

BoxTrapper:: [showemails](#)

BoxTrapper:: [showfromname](#)

BoxTrapper:: [showlog](#)

BoxTrapper:: [showmessage](#)

BoxTrapper:: [showqueue](#)

BoxTrapper:: [showqueueesearch](#)

## Description

This function prints a function's results within `div` tags.



### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

## Examples

## Function information

**Module:**  
UI  
**API Version:**  
[cPanel API 1](#)  
**Available in:**  
cPanel 11+  
**Methods:**  
GET, POST  
**Required Parameters:**  
`resultkey`  
**Return Formats:**  
HTML

## About this module

The UI module provides user interface functionality.

## About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.



### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [UI API](#) instead.



### Notes:

BoxTrapper:: [showqueue](#)  
 BoxTrapper:: [status](#)  
 BoxTrapper:: [status button](#)  
 Branding:: [file](#)  
 Branding:: [image](#)  
 Branding:: [killing](#)  
 Branding:: [setbrandingpkg](#)  
 Branding:: [setmyacctspkg](#)  
 Branding:: [setupdirs](#)  
 Branding:: [tempsetbrandingpkg](#)  
 Cgi:: [backuplink](#)  
 Cgi:: [displayurchin](#)  
 Cgi:: [phpmyadminlink](#)  
 Chkserverd:: [getximpport](#)  
 Chkserverd:: [getximpport\\_ssl](#)  
 ClamScanner:: [bars](#)  
 cPAddons:: [mainpg](#)  
 Cron:: [crontab\\_perms](#)  
 CustInfo:: [getemail](#)  
 Denylp:: [adddenyip](#)  
 Denylp:: [deldenyip](#)  
 Denylp:: [listdenyips](#)  
 DiskUsage:: [showmanager](#)  
 Email:: [addautoresponder](#)  
 Email:: [addforward](#)  
 Email:: [addfilter](#)  
 Email:: [addlist](#)  
 Email:: [addmx](#)  
 Email:: [addpop](#)  
 Email:: [addspam](#)  
 Email:: [addspambox](#)  
 Email:: [addspamfilter](#)  
 Email:: [changemx](#)  
 Email:: [checkfastmail](#)  
 Email:: [checkpipefwd](#)

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.
$ui_display = $cpanel->apil('UI','showresult', array('resultkey')); // Call the function.
```



**Note:**

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.
my $ui_display = $cpliveapi->apil('UI','showresult', ['resultkey']); # Call the function.
```



**Note:**

For more information, read our [Guide to the LiveAPI System](#).



**Warning:**

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="UI::showresult( $FORM('resultkey'))">
```

```
cpapil --user=username UI showresult $Cpanel::Form
```



**Notes:**

- You **must** [URI-encode](#) these values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```
/usr/local/cpanel/bin/cpapil
```

```
<div>The contents of the result form data parameter</div>
```

• These functions may require a feature list. To view the available features lists on a cPanel server, view WHM's [Feature Manager](#).  
 • Unless you ca

Email: [clearspambox](#)

Email: [delautoresponse](#)

Email: [delforward](#)

Email: [delfilter](#)

Email: [dellist](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [delspam](#)

Email: [delspambox](#)

Email: [disable\\_spam\\_autodelete](#)

Email: [editquota](#)

Email: [enable\\_spam\\_autodelete](#)

Email: [getaging](#)

Email: [getarsbody](#)

Email: [getarscharset](#)

Email: [getarsfrom](#)

Email: [getarshtml](#)

Email: [getarsinterval](#)

Email: [getarsstart](#)

Email: [getarsstop](#)

Email: [getarssubject](#)

Email: [getmailserver](#)

Email: [getmailserveruser](#)

Email: [getpopquota](#)

Email: [has\\_spam\\_as\\_acl](#)

Email: [has\\_spam\\_autodelete](#)

Email: [listmaildomains](#)

Email: [listmaildomainsopt](#)

Email: [listmaildomainsoptndef](#)

Email: [mainacctdiskused](#)

Email: [passwdlist](#)

Email: [passwdpop](#)

Email: [setmxaccept](#)

Email: [spamboxstatus](#)

## Parameters

Parameter	Type	Description	Possible values	Example
resultkey	string	<b>Required</b> The name of the function for which to display results.	A valid <code>\$Cpanel::Form</code> value.  <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p><b>Note:</b></p> <ul style="list-style-type: none"> <li>This value <b>must</b> match the <code>\$Cpanel::FORM</code> value for the same name.</li> <li>You <b>must</b> call the function with the same form variable name.</li> </ul> </div>	<code>\$Cpanel::Form</code>

## Form Data

Parameter	Type	Description	Possible values	Example
error	Boolean	Whether to display div class errors or the function's results.	<ul style="list-style-type: none"> <li>1 — Display div class errors.</li> <li>0 — Display result of the function.</li> </ul>	0
result	string	The parameter to display in the output.	A string value.	The contents of the result form data parameter.
resultkey	string	The name of the function for which to display results.	A valid <code>\$Cpanel::Form</code> value.	<code>\$Cpanel::Form</code>

## Returns

This function returns the `result` form parameter, in `div` tags.

If this API violates the WHM API, you must use the appropriate cPanel network (2008 or 20080208 or 20080308). You can also call some functions via cPanel's Webmail por

Email: [spamstatus](#)  
Email: [tracefilter](#)  
Fileman: [changeperm](#)  
Fileman: [delfile](#)  
Fileman: [dofileop](#)  
Fileman: [emptytrash](#)  
Fileman: [extractfile](#)  
Fileman: [fileimg](#)  
Fileman: [fmmkdir](#)  
Fileman: [fmmkfile](#)  
Fileman: [fmpushfile](#)  
Fileman: [fmrename](#)  
Fileman: [fmsavefile](#)  
Fileman: [fmsavehtmlfile](#)  
Fileman: [fullbackup](#)  
Fileman: [getfile](#)  
Fileman: [htmleditor](#)  
Fileman: [killdir](#)  
Fileman: [listfiles](#)  
Fileman: [listfullbackups](#)  
Fileman: [listtemplates](#)  
Fileman: [restoreaf](#)  
Fileman: [restoredb](#)  
Fileman: [restorefile](#)  
Fileman: [restorefiles](#)  
Fileman: [savehtmlfile](#)  
Fileman: [showperm](#)  
Fileman: [uploadfiles](#)  
Fileman: [viewfile](#)  
FrontPage: [addfp](#)  
FrontPage: [delfp](#)  
FrontPage: [fpstatus](#)  
Ftp: [addftp](#)  
Ftp: [delftp](#)  
Ftp: [ftpquota](#)  
Ftp: [ftpservname](#)  
Ftp: [ftpstatslogin](#)  
Ftp: [get\\_anonftp](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

## Find a function

## Related functions

- [cPanel API 1 Modules - UI](#) — The UI module provides user interface functionality.
- [cPanel API 1 Functions - UI::confirm](#) — This function displays the `$Cpanel::FORM` elements and values in HTML input tags.
- [cPanel API 1 Functions - UI::redirect](#) — This function creates an HTML redirect string.
- [cPanel API 1 Functions - UI::showresult](#) — This function prints a function's results within `div` tags.
- [cPanel API 1 Functions - UI::showresult](#) — This function prints a function's results within `div` tags.

Ftp:: [get\\_anonftpin](#)

Ftp:: [get\\_welcomemsg](#)

Ftp:: [getftpquota](#)

Ftp:: [kill\\_ftp\\_session](#)

Ftp:: [listftpstatsurl](#)

Ftp:: [passwdftp](#)

Ftp:: [set\\_anonftp](#)

Ftp:: [set\\_anonftpin](#)

Ftp:: [set\\_welcomemsg](#)

Gpg:: [deletekey](#)

Gpg:: [exportkey](#)

Gpg:: [exportsecretkey](#)

Gpg:: [genkey](#)

Gpg:: [importkeys](#)

Htaccess:: [checkprotected](#)

Htaccess:: [del\\_user](#)

Htaccess:: [getindex](#)

Htaccess:: [htdirs](#)

Htaccess:: [number\\_of\\_users](#)

Htaccess:: [phpselectable](#)

Htaccess:: [resname](#)

Htaccess:: [set\\_pass](#)

Htaccess:: [set\\_protect](#)

Htaccess:: [setindex](#)

Htaccess:: [setphpreference](#)

Htaccess:: [showusers](#)

ImageManager:: [convert](#)

ImageManager:: [dimensions](#)

ImageManager:: [hdimension](#)

ImageManager:: [scale](#)

ImageManager:: [thumbnail](#)

ImageManager:: [widthimension](#)

LastLogin:: [lastlogin](#)

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add\\_handler](#)

Mime:: [add\\_hotlink](#)

Mime:: [add\\_mime](#)

Mime:: [add\\_redirect](#)

Mime:: [del\\_handler](#)

Mime:: [del\\_hotlink](#)

Mime:: [del\\_mime](#)

Mime:: [del\\_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number\\_of\\_dbs](#)

Mysql:: [number\\_of\\_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings\(bytes\)](#)

OptimizeWS:: [optimizezews](#)

Park:: [disablereirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number\\_of\\_dbs](#)

Postgres:: [number\\_of\\_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso  
pt

SetLang:: setlang

SpamAssassin:: con  
fig

SpamAssassin:: sav  
econfig

SSH:: getport

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat  
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo  
rm

StatManager:: updat  
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi  
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu  
bdomain

SubDomain:: cplots  
ubdomains

SubDomain:: disabl  
esubrd



SubDomain:: [listsub](#)  
domainsop

SubDomain:: [setsub](#)  
url

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)