

cPanel API 1 Functions - LeechProtect::showpasswdfile

Guide to cPanel API 1

[Return Data](#)

[cPanel Tags \(deprecated\)](#)

Bandwidth:: [display bwheader](#)

Bandwidth:: [display bw](#)

Bandwidth:: [display day](#)

Bandwidth:: [display mainbwheader](#)

BoxTrapper:: [change status](#)

BoxTrapper:: [clean fgfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchcfgfile](#)

BoxTrapper:: [getbox confdir](#)

BoxTrapper:: [listmsg](#)

BoxTrapper:: [logcontrols](#)

BoxTrapper:: [messageaction](#)

BoxTrapper:: [multimessageaction](#)

BoxTrapper:: [resetmsg](#)

BoxTrapper:: [savecfgfile](#)

BoxTrapper:: [saveconf](#)

BoxTrapper:: [showutowhitelist](#)

BoxTrapper:: [showemails](#)

BoxTrapper:: [showfromname](#)

BoxTrapper:: [showlog](#)

BoxTrapper:: [showmessage](#)

BoxTrapper:: [showqueue](#)

BoxTrapper:: [showqueuesearch](#)

Description

This function retrieves the `passwd` file's location.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.



Important:

In cPanel & WHM version 76 and later, when you disable the `WebServer` role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.
$locate_passwd = $cpanel->apil
('LeechProtect','showpasswdfile', array('/home/username/public_html/protected_directory/')); // Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.
my $locate_passwd = $cpliveapi->apil
('LeechProtect','showpasswdfile', ['/home/username/public_html/protected_directory/']); # Call the function.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).



Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="LeechProtect::showpasswdfile($FORM('dir'))">
```

Function information

Module: LeechProtect
API Version: [cPanel API 1](#)
Available in: cPanel 11+
Methods: GET, POST
Required Parameters: `dir`
Return Format: plaintext

About this module

The LeechProtect module protects images from inclusion on external sites.

About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.



Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [U API](#) instead.



Notes:

BoxTrapper:: [showqueue](#)

BoxTrapper:: [status](#)

BoxTrapper:: [status button](#)

Branding:: [file](#)

Branding:: [image](#)

Branding:: [killimg](#)

Branding:: [setbrandingpkg](#)

Branding:: [setmyacctspkg](#)

Branding:: [setupdirs](#)

Branding:: [tempsetbrandingpkg](#)

Cgi:: [backuplink](#)

Cgi:: [displayurchin](#)

Cgi:: [phpmyadminlink](#)

Chkserverd:: [getximpport](#)

Chkserverd:: [getximpport_ssl](#)

ClamScanner:: [bars](#)

cPAddons:: [mainpg](#)

Cron:: [crontab_perms](#)

CustInfo:: [getemail](#)

Denylp:: [adddenyip](#)

Denylp:: [deldenyip](#)

Denylp:: [listdenyips](#)

DiskUsage:: [showmanager](#)

Email:: [addautoresponder](#)

Email:: [addforward](#)

Email:: [addfilter](#)

Email:: [addlist](#)

Email:: [addmx](#)

Email:: [addpop](#)

Email:: [addspam](#)

Email:: [addspambox](#)

Email:: [addspamfilter](#)

Email:: [changemx](#)

Email:: [checkfastmail](#)

Email:: [checkpipefwd](#)

```
cpapil --user=username LeechProtect showpasswdfile /home/username/public_html/protected_directory/
```



Notes:

- You **must** [URI-encode](#) these values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```
/usr/local/cpanel/bin/cpapil
```

```
/home/user/.htpasswd/public_html/test/passwd
```

Parameters

Parameter	Type	Description	Possible values	Example
<code>dir</code>	<i>string</i>	Required The directory's name.	A valid absolute directory path.	<code>/home/username/public_html/protected_directory/</code>

Returns

This function returns an absolute path to the desired `passwd` file.

• This function may require a feature list. To view the available features lists on a cPanel server, view WHM's [Feature Manager](#) interface. • Unless you ca

Email: [clearspambox](#)
Email: [delautoresponder](#)
Email: [deldforward](#)
Email: [delfilter](#)
Email: [dellist](#)
Email: [delmx](#)
Email: [delpop](#)
Email: [delspam](#)
Email: [delspambox](#)
Email: [disable_spam_autodelete](#)
Email: [editquota](#)
Email: [enable_spam_autodelete](#)
Email: [getaging](#)
Email: [getarsbody](#)
Email: [getarscharset](#)
Email: [getarsfrom](#)
Email: [getarshtml](#)
Email: [getarsinterval](#)
Email: [getarsstart](#)
Email: [getarsstop](#)
Email: [getarssubject](#)
Email: [getmailserver](#)
Email: [getmailserveruser](#)
Email: [getpopquota](#)
Email: [has_spam_as_acl](#)
Email: [has_spam_autodelete](#)
Email: [listmaildomains](#)
Email: [listmaildomainsopt](#)
Email: [listmaildomainsoptndef](#)
Email: [mainacctdiskused](#)
Email: [passwdlist](#)
Email: [passwdpop](#)
Email: [setmxaccept](#)
Email: [spamboxstatus](#)

Il
thi
s
A
P
I
vi
a
th
e
W
H
M
A
P
I
,
you
m
u
st
us
e
th
e
a
p
p
r
o
p
r
i
a
t
e
c
P
a
n
el
p
or
ts
(
2
0
82
o
r
2
0
83
).
Y
o
u
ca
n
al
so
ca
ll
so
m
e
fu
nc
tio
ns
vi
a
c
P
a
n
el'
s
W
e
b
m
ail
p
or

Email:: [spamstatus](#)

Email:: [tracefilter](#)

Fileman:: [changeperm](#)

Fileman:: [delfile](#)

Fileman:: [dofileop](#)

Fileman:: [emptytrash](#)

Fileman:: [extractfile](#)

Fileman:: [fileimg](#)

Fileman:: [fmmkdir](#)

Fileman:: [fmmkfile](#)

Fileman:: [fmpushfile](#)

Fileman:: [fmrename](#)

Fileman:: [fmsavefile](#)

Fileman:: [fmsavehtmlfile](#)

Fileman:: [fullbackup](#)

Fileman:: [getfile](#)

Fileman:: [htmleditor](#)

Fileman:: [killdir](#)

Fileman:: [listfiles](#)

Fileman:: [listfullbackups](#)

Fileman:: [listtemplates](#)

Fileman:: [restoreaf](#)

Fileman:: [restoredb](#)

Fileman:: [restorefile](#)

Fileman:: [restorefiles](#)

Fileman:: [savehtmlfile](#)

Fileman:: [showperm](#)

Fileman:: [uploadfiles](#)

Fileman:: [viewfile](#)

FrontPage:: [addfp](#)

FrontPage:: [delfp](#)

FrontPage:: [fpstatus](#)

Ftp:: [addftp](#)

Ftp:: [delftp](#)

Ftp:: [ftpquota](#)

Ftp:: [ftpservname](#)

Ftp:: [ftpstatslogin](#)

Ftp:: [get_anonftp](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

Find a function

Related functions

- [cPanel API 1 Modules - LeechProtect](#) — The LeechProtect module allows you to protect your site's images from inclusion on external sites.
- [cPanel API 1 Functions - LeechProtect::disable](#) — This function disables leech protection for a directory.
- [cPanel API 1 Functions - LeechProtect::enable](#) — This function enables leech protection on a directory.
- [cPanel API 1 Functions - LeechProtect::setup](#) — This function queries values that the system in a directory's `.leechprotect` configuration file.
- [cPanel API 1 Functions - LeechProtect::showpasswdfile](#) — This function retrieves the `passwd` file's location.

Ftp:: [get_anonftp](#)
Ftp:: [get_welcomemsg](#)
Ftp:: [getftpquota](#)
Ftp:: [kill_ftp_session](#)
Ftp:: [listftpstatsurl](#)
Ftp:: [passwdftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_anonftp](#)
Ftp:: [set_welcomemsg](#)
Gpg:: [deletekey](#)
Gpg:: [exportkey](#)
Gpg:: [exportsecretkey](#)
Gpg:: [genkey](#)
Gpg:: [importkeys](#)
Htaccess:: [checkprotected](#)
Htaccess:: [del_user](#)
Htaccess:: [getindex](#)
Htaccess:: [htdirs](#)
Htaccess:: [number_of_users](#)
Htaccess:: [phpselectable](#)
Htaccess:: [resname](#)
Htaccess:: [set_pass](#)
Htaccess:: [set_protect](#)
Htaccess:: [setindex](#)
Htaccess:: [setphpreference](#)
Htaccess:: [showusers](#)
ImageManager:: [convert](#)
ImageManager:: [dimensions](#)
ImageManager:: [hdimension](#)
ImageManager:: [scale](#)
ImageManager:: [thumbnail](#)
ImageManager:: [widthimension](#)
LastLogin:: [lastlogin](#)

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add_handler](#)

Mime:: [add_hotlink](#)

Mime:: [add_mime](#)

Mime:: [add_redirect](#)

Mime:: [del_handler](#)

Mime:: [del_hotlink](#)

Mime:: [del_mime](#)

Mime:: [del_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number_of_dbs](#)

Mysql:: [number_of_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings](#)
(bytes)

OptimizeWS:: [optimizezews](#)

Park:: [disablereirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number_of_dbs](#)

Postgres:: [number_of_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso
pt

SetLang:: setlang

SpamAssassin:: con
fig

SpamAssassin:: sav
econfig

SSH:: getport

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: genCRT

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcnname

SSL:: install

SSL:: installedhost

SSL:: listkeysOPT

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo
rm

StatManager:: updat
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu
bdomain

SubDomain:: cplots
ubdomains

SubDomain:: disabl
esubrd

SubDomain:: [listsub](#)
domainsop

SubDomain:: [setsub](#)
[url](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)