

# cPanel API 1 Functions - Ftp::set\_welcomemsg

## Guide to cPanel API 1

[Return Data](#)

[cPanel Tags](#)  
(deprecated)

Bandwidth:: [display bwheader](#)

Bandwidth:: [display bw](#)

Bandwidth:: [display day](#)

Bandwidth:: [display mainbwheader](#)

BoxTrapper:: [change status](#)

BoxTrapper:: [clean configfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchconfigfile](#)

BoxTrapper:: [getbox configdir](#)

BoxTrapper:: [listmsg](#)

BoxTrapper:: [logcontrols](#)

BoxTrapper:: [messageaction](#)

BoxTrapper:: [multimessageaction](#)

BoxTrapper:: [resetmsg](#)

BoxTrapper:: [saveconfigfile](#)

BoxTrapper:: [saveconfig](#)

BoxTrapper:: [showautowhitelist](#)

BoxTrapper:: [showmails](#)

BoxTrapper:: [showfromname](#)

BoxTrapper:: [showlog](#)

BoxTrapper:: [showmessage](#)

BoxTrapper:: [showqueue](#)

BoxTrapper:: [showqueuesearch](#)

## Description

This function changes the anonymous FTP welcome message.



### Warning:

cPanel API 1 is **deprecated**. Do not use this function. Instead, we **strongly** recommend that you use the following newer functions:

- **UAPI (recommended)** — [Ftp::set\\_welcome\\_message](#) — This function sets the FTP welcome message.
- **cPanel API 2** — *None*.

## Function information

### Module:

Ftp

API

Version:

[cPanel API 1](#)

Available in:

cPanel 11+

Methods:

GET, POST

Required

Parameters:

message

Return

Format:

(none)

## About this module

The `Ftp` module manages FTP users, connections, and services.

## About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.



### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [UAPI](#) instead.



### Notes:

BoxTrapper:: [showqueue](#)  
 BoxTrapper:: [status](#)  
 BoxTrapper:: [status](#)  
 button  
 Branding:: [file](#)  
 Branding:: [image](#)  
 Branding:: [killing](#)  
 Branding:: [setbranding](#)  
 pkg  
 Branding:: [setmyacct](#)  
 tspkg  
 Branding:: [setupdirs](#)  
 Branding:: [tempsetting](#)  
 randingpkg  
 Cgi:: [backuplink](#)  
 Cgi:: [displayurchin](#)  
 Cgi:: [phpmyadminlink](#)  
 Chkservd:: [getximp](#)  
 port  
 Chkservd:: [getximp](#)  
 port\_ssl  
 ClamScanner:: [bars](#)  
 cPAddons:: [mainpg](#)  
 Cron:: [crontab\\_per](#)  
 ms  
 CustInfo:: [getemail](#)  
 Denylp:: [adddenyip](#)  
 Denylp:: [deldenyip](#)  
 Denylp:: [listdenyips](#)  
 DiskUsage:: [showman](#)  
 anager  
 Email:: [addautoresp](#)  
 onder  
 Email:: [addforward](#)  
 Email:: [addfilter](#)  
 Email:: [addlist](#)  
 Email:: [addmx](#)  
 Email:: [addpop](#)  
 Email:: [addspam](#)  
 Email:: [addspambox](#)  
 Email:: [addspamfilter](#)  
 Email:: [changemx](#)  
 Email:: [checkfastmail](#)  
 Email:: [checkpipefwd](#)

## Examples

```
$cpanel = new CPANEL(); // Connect to cPanel - only do
this once.
$ftp_welcomemsg = $cpanel->apil('Ftp', 'set_welcomemsg',
array('Someone set us up the bomb') ); // Call the
function.
```



### Note:

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to
cPanel - only do this once.
my $ftp_welcomemsg = $cpliveapi->apil('Ftp',
'set_welcomemsg', ['Someone set us up the bomb!']); #
Call the function.
```



### Note:

For more information, read our [Guide to the LiveAPI System](#).



### Warning:

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="Ftp::set_welcomemsg( $FORM('message'))">
```

```
cpapil --user=username Ftp set_welcomemsg "Message"
```



### Note:

For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.

*This function does not return output.*

## Parameters

Parameter	Type	Description	Possible values	Example
-----------	------	-------------	-----------------	---------

• These functions may require a feature list. To view the available features list on a cPanel server, view the WHM's [Feature Manager](#) interface. • Unless you can

Email: [clearspambox](#)

Email: [delautoresponse](#)

Email: [deldforward](#)

Email: [delfilter](#)

Email: [dellist](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [delspam](#)

Email: [delspambox](#)

Email: [disable\\_spam\\_autodelete](#)

Email: [editquota](#)

Email: [enable\\_spam\\_autodelete](#)

Email: [getaging](#)

Email: [getarsbody](#)

Email: [getarscharset](#)

Email: [getarsfrom](#)

Email: [getarshtml](#)

Email: [getarsinterval](#)

Email: [getarsstart](#)

Email: [getarsstop](#)

Email: [getarssubject](#)

Email: [getmailserver](#)

Email: [getmailserveruser](#)

Email: [getpopquota](#)

Email: [has\\_spam\\_as\\_acl](#)

Email: [has\\_spam\\_autodelete](#)

Email: [listmaildomains](#)

Email: [listmaildomainsopt](#)

Email: [listmaildomainsoptndef](#)

Email: [mainacctdiscused](#)

Email: [passwdlist](#)

Email: [passwdpop](#)

Email: [setmxaccept](#)

Email: [spamboxstatus](#)

message	<i>string</i>	<b>Required</b> The new anonymous FTP welcome message.	A valid string.	Message
---------	---------------	---	-----------------	---------

## Returns

This function does not return output.

Il  
thi  
s  
A  
P  
I  
v  
i  
a  
th  
e  
W  
H  
M  
A  
P  
I  
,  
you  
m  
u  
s  
t  
u  
s  
e  
th  
e  
a  
p  
p  
r  
o  
p  
r  
i  
a  
t  
e  
c  
P  
a  
n  
e  
l  
p  
o  
r  
t  
s  
(  
2  
0  
8  
2  
o  
r  
2  
0  
8  
3  
).  
Y  
o  
u  
c  
a  
n  
a  
l  
s  
o  
c  
a  
l  
l  
s  
o  
m  
e  
f  
u  
n  
c  
t  
i  
o  
n  
s  
v  
i  
a  
c  
P  
a  
n  
e  
l'  
s  
W  
e  
b  
m  
a  
i  
l  
p  
o  
r

Email: [spamstatus](#)  
Email: [tracefilter](#)  
Fileman: [changeperm](#)  
Fileman: [delfile](#)  
Fileman: [dofileop](#)  
Fileman: [emptytrash](#)  
Fileman: [extractfile](#)  
Fileman: [fileimg](#)  
Fileman: [fmmkdir](#)  
Fileman: [fmmkfile](#)  
Fileman: [fmpushfile](#)  
Fileman: [fmrename](#)  
Fileman: [fmsavefile](#)  
Fileman: [fmsavehtmlfile](#)  
Fileman: [fullbackup](#)  
Fileman: [getfile](#)  
Fileman: [htmleditor](#)  
Fileman: [killdir](#)  
Fileman: [listfiles](#)  
Fileman: [listfullbackups](#)  
Fileman: [listtemplates](#)  
Fileman: [restoreaf](#)  
Fileman: [restoredb](#)  
Fileman: [restorefile](#)  
Fileman: [restorefiles](#)  
Fileman: [savehtmlfile](#)  
Fileman: [showperm](#)  
Fileman: [uploadfiles](#)  
Fileman: [viewfile](#)  
FrontPage: [addfp](#)  
FrontPage: [delfp](#)  
FrontPage: [fpstatus](#)  
Ftp: [addftp](#)  
Ftp: [delftp](#)  
Ftp: [ftpquota](#)  
Ftp: [ftpservername](#)  
Ftp: [ftpstatslogin](#)  
Ftp: [get\\_anonftp](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

## Find a function

## Related functions

- [cPanel API 1 Modules - Ftp](#) — The `Ftp` module manages FTP users, connections, and services.
- [cPanel API 1 Functions - Ftp::addftp](#) — This function creates a new FTP account.
- [cPanel API 1 Functions - Ftp::delftp](#) — This function deletes an FTP account.
- [cPanel API 1 Functions - Ftp::ftpquota](#) — This function sets an account's FTP quota.
- [cPanel API 1 Functions - Ftp::ftpservername](#) — This function retrieves the server's FTP daemon.

Ftp:: [get\\_anonftpin](#)

Ftp:: [get\\_welcomemsg](#)

Ftp:: [getftpquota](#)

Ftp:: [kill\\_ftp\\_session](#)

Ftp:: [listftpstatsurl](#)

Ftp:: [passwdftp](#)

Ftp:: [set\\_anonftp](#)

Ftp:: [set\\_anonftpin](#)

Ftp:: [set\\_welcomemsg](#)

Gpg:: [deletekey](#)

Gpg:: [exportkey](#)

Gpg:: [exportsecretkey](#)

Gpg:: [genkey](#)

Gpg:: [importkeys](#)

Htaccess:: [checkprotected](#)

Htaccess:: [del\\_user](#)

Htaccess:: [getindex](#)

Htaccess:: [htdirs](#)

Htaccess:: [number\\_of\\_users](#)

Htaccess:: [phpselectable](#)

Htaccess:: [resname](#)

Htaccess:: [set\\_pass](#)

Htaccess:: [set\\_protect](#)

Htaccess:: [setindex](#)

Htaccess:: [setphpreference](#)

Htaccess:: [showusers](#)

ImageManager:: [convert](#)

ImageManager:: [dimensions](#)

ImageManager:: [hdimension](#)

ImageManager:: [scale](#)

ImageManager:: [thumbnail](#)

ImageManager:: [widthimension](#)

LastLogin:: [lastlogin](#)

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add\\_handler](#)

Mime:: [add\\_hotlink](#)

Mime:: [add\\_mime](#)

Mime:: [add\\_redirect](#)

Mime:: [del\\_handler](#)

Mime:: [del\\_hotlink](#)

Mime:: [del\\_mime](#)

Mime:: [del\\_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number\\_of\\_dbs](#)

Mysql:: [number\\_of\\_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings\(bytes\)](#)

OptimizeWS:: [optimizezews](#)

Park:: [disablereirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number\\_of\\_dbs](#)

Postgres:: [number\\_of\\_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso  
pt

SetLang:: setlang

SpamAssassin:: con  
fig

SpamAssassin:: sav  
econfig

SSH:: getport

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat  
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo  
rm

StatManager:: updat  
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi  
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu  
bdomain

SubDomain:: cplots  
ubdomains

SubDomain:: disabl  
esubrd



SubDomain:: [listsub](#)  
domainsop

SubDomain:: [setsub](#)  
[url](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)