

# Manage Reseller's IP Delegation

(WHM >> Home >> Resellers >> Manage Reseller's IP Delegation)

[Overview](#)  
[Open Delegation](#)  
[Restricted Delegation](#)  
[Additional documentation](#)

## Overview

This interface allows you to control a reseller's access to the server's IP addresses.



**Note:**

You can **share** an IP address between multiple resellers, but you can only **dedicate** an IP address to one user.

## Open Delegation

The *Open Delegation* option grants a reseller access to all of the available IP addresses on the server. This option is selected by default.

To allow a reseller access to all of the available IP addresses on the server, perform the following steps:

1. If more than one reseller exists on the server, select the desired reseller from the menu and click *Submit*. A new interface will appear.
2. Click *Open Delegation*.
3. Click *Save*.

If the function succeeds, the following message will appear (where `example` represents the user):

```
The reseller "example" now has access to any free IPs on the server.
```

## Restricted Delegation

The *Restricted Delegation* option restricts a reseller to specific IP addresses on the server. When a reseller has restricted access to certain IP addresses, the selected IP addresses are **delegated** to that reseller.

To restrict a reseller's access to specific IP address or addresses on the server, perform the following steps:

1. If more than one reseller exists on the server, select the desired reseller from the menu and click *Submit*. A new interface will appear.
2. Click *Restricted Delegation*. A menu that lists IP addresses will appear.



**Note:**

The interface labels the server's IP addresses as *delegated* or *dedicated*. You can *delegate* an IP address to multiple resellers, but you can only *dedicate* an IP address to one user.

3. Select the IP address or addresses that you wish for the reseller to use.
4. Click *Save*. A new interface will appear.

If the function is successful, you will see the following message (where `example` represents the user):

```
Saved Delegated IPs for example:  
10.1.11.1
```



**Note:**

To change the IP address for an existing account, use WHM's [Change Site's IP Address](#) interface (*WHM >> Home >> Account Functions >> Change Site's IP Address*).

## Additional documentation

- [Manage Reseller's Shared IP](#)
- [Manage Reseller's IP Delegation](#)
- [The swapip Script](#)
- [Add a New IP Address](#)
- [Edit Reseller Nameservers and Privileges](#)