

# cPanel API 1 Functions - Fileman::delfile

## Guide to cPanel API 1

[Return Data](#)

[cPanel Tags \(deprecated\)](#)

Bandwidth:: [display bwheader](#)

Bandwidth:: [display bw](#)

Bandwidth:: [display day](#)

Bandwidth:: [display mainbwheader](#)

BoxTrapper:: [change status](#)

BoxTrapper:: [clean configfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchconfigfile](#)

BoxTrapper:: [getbox confdir](#)

BoxTrapper:: [listmsg](#)

BoxTrapper:: [logcontrols](#)

BoxTrapper:: [messageaction](#)

BoxTrapper:: [multimessageaction](#)

BoxTrapper:: [resetmsg](#)

BoxTrapper:: [saveconfigfile](#)

BoxTrapper:: [saveconf](#)

BoxTrapper:: [showautowhitelist](#)

BoxTrapper:: [showemails](#)

BoxTrapper:: [showfromname](#)

BoxTrapper:: [showlog](#)

BoxTrapper:: [showmessage](#)

BoxTrapper:: [showqueue](#)

BoxTrapper:: [showqueuesearch](#)

## Description

This function deletes a file and backs it up in the `/trash` directory.



### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.



### Important:

In cPanel & WHM version 76 and later, when you disable the `FileStorage` role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

## Examples

## Function information

**Module:**  
Fileman  
**API Version:**  
cPanel API 1  
**Available in:**  
cPanel 11+  
**Methods:**  
GET, POST  
**Required Parameters:**  
file  
**Return Formats:**  
plaintext

## About this module

The `Fileman` module provides access to file functions.



### Note:

This function requires access to the *File Manager* feature.

## About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.

BoxTrapper:: [showqueue](#)  
BoxTrapper:: [status](#)  
BoxTrapper:: [status](#)  
[button](#)  
Branding:: [file](#)  
Branding:: [image](#)  
Branding:: [killing](#)  
Branding:: [setbranding](#)  
[ngpkg](#)  
Branding:: [setmyaccount](#)  
[tspkg](#)  
Branding:: [setupdirs](#)  
Branding:: [tempsetbranding](#)  
[ngpkg](#)  
Cgi:: [backuplink](#)  
Cgi:: [displayurchin](#)  
Cgi:: [phpmyadminlink](#)  
Chkserverd:: [getximp](#)  
[port](#)  
Chkserverd:: [getximp](#)  
[port\\_ssl](#)  
ClamScanner:: [bars](#)  
cPAddons:: [main](#)  
[ngpkg](#)  
Cron:: [crontab](#)  
[permissions](#)  
CustInfo:: [getemail](#)  
Denylp:: [adddenyip](#)  
Denylp:: [deldenyip](#)  
Denylp:: [listdenyips](#)  
DiskUsage:: [showmanager](#)  
Email:: [addautoresponse](#)  
Email:: [addforward](#)  
Email:: [addfilter](#)  
Email:: [addlist](#)  
Email:: [addmx](#)  
Email:: [addpop](#)  
Email:: [addspam](#)  
Email:: [addspambox](#)  
Email:: [addspamfilter](#)  
Email:: [changemx](#)  
Email:: [checkfastmail](#)  
Email:: [checkpipe](#)  
[forward](#)

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.  
$delete_file = $cpanel->apil('Fileman', 'delfile', array('user', 'myfile.txt')); // Call the function.
```



**Note:**

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.  
my $delete_file = $cpliveapi->apil('Fileman', 'delfile' ['user', 'myfile.txt']); # Call the function.
```



**Note:**

For more information, read our [Guide to the LiveAPI System](#).



**Warning:**

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="Fileman::delfile ( $FORM('dir','file'))">
```

```
cpapil --user=username Fileman delfile public_html myfile.txt
```



**Notes:**

- You **must** [URI-encode](#) these values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```
/usr/local/cpanel/bin/cpapil
```

```
1
```



**Warning:**

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [U API](#) instead.



**Notes:**

Email: [clearspambox](#)

Email: [delautoresponse](#)

Email: [delforward](#)

Email: [delfilter](#)

Email: [dellist](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [delspam](#)

Email: [delspambox](#)

Email: [disable\\_spam\\_autodelete](#)

Email: [editquota](#)

Email: [enable\\_spam\\_autodelete](#)

Email: [getaging](#)

Email: [getarsbody](#)

Email: [getarscharset](#)

Email: [getarsfrom](#)

Email: [getarshtml](#)

Email: [getarsinterval](#)

Email: [getarsstart](#)

Email: [getarsstop](#)

Email: [getarssubject](#)

Email: [getmailserver](#)

Email: [getmailserveruser](#)

Email: [getpopquota](#)

Email: [has\\_spam\\_as\\_acl](#)

Email: [has\\_spam\\_autodelete](#)

Email: [listmaildomains](#)

Email: [listmaildomainsopt](#)

Email: [listmaildomainsoptndef](#)

Email: [mainacctdiskused](#)

Email: [passwdlist](#)

Email: [passwdpop](#)

Email: [setmxaccept](#)

Email: [spamboxstatus](#)

## Parameters

Parameter	Type	Description	Possible values	Example
dir	string	The file's directory directory. This parameter defaults to the cPanel account's /home directory.	Any valid directory, relative to the account's /home directory.	public_html
file	string	<b>Required</b> The file.	Any valid file name.	myfile.txt

## Returns

- 1 — The function succeeded.
- An error message — The function failed.

• The  
h  
e  
s  
e  
f  
u  
n  
c  
t  
i  
o  
n  
s  
m  
a  
y  
r  
e  
q  
u  
i  
r  
e  
a  
f  
e  
a  
t  
u  
r  
e  
l  
i  
s  
t.  
T  
o  
v  
i  
e  
w  
t  
h  
e  
a  
v  
a  
i  
l  
a  
b  
l  
e  
f  
e  
a  
t  
u  
r  
e  
l  
i  
s  
t  
o  
n  
a  
c  
c  
P  
a  
n  
e  
l  
s  
e  
r  
v  
e  
r  
,  
v  
i  
e  
w  
W  
H  
M's  
*F  
e  
a  
t  
u  
r  
e  
M  
a  
n  
a  
g  
e  
r*  
i  
n  
t  
e  
r  
f  
a  
c  
e.  
• U  
n  
l  
e  
s  
s  
y  
o  
u  
c  
a

Email: [spamstatus](#)  
Email: [tracefilter](#)  
Fileman: [changepe  
rm](#)  
Fileman: [delfile](#)  
Fileman: [dofileop](#)  
Fileman: [emptytrash](#)  
Fileman: [extractfile](#)  
Fileman: [fileimg](#)  
Fileman: [fmmkdir](#)  
Fileman: [fmmkfile](#)  
Fileman: [fmpushfile](#)  
Fileman: [fmrename](#)  
Fileman: [fmsavefile](#)  
Fileman: [fmsaveht  
mlfile](#)  
Fileman: [fullbackup](#)  
Fileman: [getfile](#)  
Fileman: [htmleditor](#)  
Fileman: [killdir](#)  
Fileman: [listfiles](#)  
Fileman: [listfullback  
ups](#)  
Fileman: [listtemplat  
es](#)  
Fileman: [restoreaf](#)  
Fileman: [restoredb](#)  
Fileman: [restorefile](#)  
Fileman: [restorefiles](#)  
Fileman: [savehtmlfi  
le](#)  
Fileman: [showperm](#)  
Fileman: [uploadfiles](#)  
Fileman: [viewfile](#)  
FrontPage: [addfp](#)  
FrontPage: [delfp](#)  
FrontPage: [fpstatus](#)  
Ftp: [addftp](#)  
Ftp: [delftp](#)  
Ftp: [ftpquota](#)  
Ftp: [ftpservname](#)  
Ftp: [ftpstatslogin](#)  
Ftp: [get\\_anonftp](#)

Il  
thi  
s  
A  
P  
I  
vi  
a  
th  
e  
W  
H  
M  
A  
P  
I  
,  
you  
m  
u  
st  
us  
e  
th  
e  
a  
p  
pr  
o  
pr  
iat  
e  
c  
P  
a  
n  
el  
p  
or  
ts  
(  
2  
0  
82  
o  
r  
2  
0  
83  
).  
Y  
o  
u  
ca  
n  
al  
so  
ca  
ll  
so  
me  
fu  
nc  
tio  
ns  
vi  
a  
c  
P  
a  
n  
el'  
s  
W  
e  
b  
mail  
por

Ftp:: [get\\_anonftpin](#)

Ftp:: [get\\_welcomemsg](#)

Ftp:: [getftpquota](#)

Ftp:: [kill\\_ftp\\_session](#)

Ftp:: [listftpstatsurl](#)

Ftp:: [passwdftp](#)

Ftp:: [set\\_anonftp](#)

Ftp:: [set\\_anonftpin](#)

Ftp:: [set\\_welcomemsg](#)

Gpg:: [deletekey](#)

Gpg:: [exportkey](#)

Gpg:: [exportsecretkey](#)

Gpg:: [genkey](#)

Gpg:: [importkeys](#)

Htaccess:: [checkprotected](#)

Htaccess:: [del\\_user](#)

Htaccess:: [getindex](#)

Htaccess:: [htdirs](#)

Htaccess:: [number\\_of\\_users](#)

Htaccess:: [phpselestable](#)

Htaccess:: [resname](#)

Htaccess:: [set\\_pass](#)

Htaccess:: [set\\_protect](#)

Htaccess:: [setindex](#)

Htaccess:: [setphpreference](#)

Htaccess:: [showusers](#)

ImageManager:: [convert](#)

ImageManager:: [dimensions](#)

ImageManager:: [hdimension](#)

ImageManager:: [scale](#)

ImageManager:: [thumbnail](#)

ImageManager:: [widthimension](#)

LastLogin:: [lastlogin](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

## Find a function

## Related functions

- [cPanel API 1 Modules - Fileman](#) — The `Fileman` module provides access to file functions.
- [cPanel API 1 Functions - Fileman::changeperm](#) — This function changes a file's permissions.
- [cPanel API 1 Functions - Fileman::delfile](#) — This function deletes a file and backs it up in the `/trash` directory.
- [cPanel API 1 Functions - Fileman::dofileop](#) — This function moves or copies a file to a different directory.
- [cPanel API 1 Functions - Fileman::emptytrash](#) — This function deletes the user's `/trash` directory's contents.

LeechProtect:: [disable](#)

LeechProtect:: [enable](#)

LeechProtect:: [setup](#)

LeechProtect:: [showpasswdfile](#)

LeechProtect:: [status](#)

LogManager:: [listdownloads](#)

LogManager:: [save settings](#)

LogManager:: [show settings](#)

MagicRevision:: [uri](#)

Mime:: [add\\_handler](#)

Mime:: [add\\_hotlink](#)

Mime:: [add\\_mime](#)

Mime:: [add\\_redirect](#)

Mime:: [del\\_handler](#)

Mime:: [del\\_hotlink](#)

Mime:: [del\\_mime](#)

Mime:: [del\\_redirect](#)

Mime:: [linkallownull](#)

Mime:: [linkenable](#)

Mime:: [linkexts](#)

Mime:: [linkrurl](#)

Mime:: [linkurls](#)

Mysql:: [adddb](#)

Mysql:: [addhost](#)

Mysql:: [adduser](#)

Mysql:: [adduserdb](#)

Mysql:: [checkdb](#)

Mysql:: [deldb](#)

Mysql:: [delhost](#)

Mysql:: [deluser](#)

Mysql:: [deluserdb](#)

Mysql:: [gethost](#)

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number\\_of\\_dbs](#)

Mysql:: [number\\_of\\_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings](#) (bytes)

OptimizeWS:: [optimizezews](#)

Park:: [disablereirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number\\_of\\_dbs](#)

Postgres:: [number\\_of\\_users](#)

ProxyUtils:: [proxyaddress](#)

Resellers:: [accountlistopt](#)

Resellers:: [themelistopt](#)

Serverinfo:: [servicesatus](#)

SetLang:: listlangso  
pt

SetLang:: setlang

SpamAssassin:: con  
fig

SpamAssassin:: sav  
econfig

SSH:: getport

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat  
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo  
rm

StatManager:: updat  
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi  
dth

Stats:: webalizer

Stats:: webalizerftp

SubDomain:: addsu  
bdomain

SubDomain:: cplots  
ubdomains

SubDomain:: disabl  
esubrd



SubDomain:: [listsubdomainsop](#)

SubDomain:: [setsuburl](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)

## Guide to cPanel API 1

[Return Data](#)

[cPanel Tags \(deprecated\)](#)

Bandwidth:: [displaybwheader](#)

Bandwidth:: [displaybw](#)

Bandwidth:: [displayday](#)

Bandwidth:: [displaymainbwheader](#)

BoxTrapper:: [changeestatus](#)

BoxTrapper:: [cleancfgfilelist](#)

BoxTrapper:: [editmsg](#)

BoxTrapper:: [fetchcfgfile](#)

BoxTrapper:: [getboxconfdir](#)

BoxTrapper:: [listmsgs](#)

BoxTrapper:: [logcontrols](#)

BoxTrapper:: [messageaction](#)

BoxTrapper:: [multimessageaction](#)

BoxTrapper:: [resetmsg](#)

BoxTrapper:: [savecfgfile](#)

BoxTrapper:: [saveconf](#)

BoxTrapper:: [showautowhitelist](#)

BoxTrapper:: [showemails](#)

BoxTrapper:: [showfromname](#)

BoxTrapper:: [showlog](#)

## Description

This function deletes a file and backs it up in the `/trash` directory.



### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.



### Important:

In cPanel & WHM version 76, the `FTP` role affects this function.

## Examples

## Function information

**Module:** Fileman  
**API Version:** [cPanel API 1](#)  
**Available in:** cPanel 11+  
**Methods:** GET, POST  
**Required Parameters:** file  
**Return Formats:** plaintext

## About this module

The Fileman module provides access to file functions.



### Note:

This function requires access to the *File Manager* feature.

## About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.

BoxTrapper:: [show message](#)

BoxTrapper:: [show queue](#)

BoxTrapper:: [show queue search](#)

BoxTrapper:: [show queue time](#)

BoxTrapper:: [status](#)

BoxTrapper:: [status button](#)

Branding:: [file](#)

Branding:: [image](#)

Branding:: [killing](#)

Branding:: [set branding pkg](#)

Branding:: [set myacc tspkg](#)

Branding:: [setup dirs](#)

Branding:: [temp set branding pkg](#)

Cgi:: [backup link](#)

Cgi:: [display urchin](#)

Cgi:: [phpmyadmin link](#)

Chkserverd:: [get xml port](#)

Chkserverd:: [get xml port ssl](#)

ClamScanner:: [bars](#)

cPAddons:: [main pg](#)

Cron:: [crontab perms](#)

CustInfo:: [get email](#)

Denylp:: [add deny ip](#)

Denylp:: [del deny ip](#)

Denylp:: [list deny ips](#)

DiskUsage:: [show manager](#)

Email:: [add auto responder](#)

Email:: [add forward](#)

Email:: [add filter](#)

Email:: [add list](#)

Email:: [add mx](#)

Email:: [add pop](#)

Email:: [add spam](#)

Email:: [add spam box](#)

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.
$delete_file = $cpanel->apil('Fileman', 'delfile', array('user', 'myfile.txt')); // Call the function.
```



**Note:**

For more information, read our [Guide to the LiveAPI System](#).

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.
my $delete_file = $cpliveapi->apil('Fileman', 'delfile' ['user', 'myfile.txt']); # Call the function.
```



**Note:**

For more information, read our [Guide to the LiveAPI System](#).



**Warning:**

In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel Module="Fileman::delfile ( $FORM('dir','file'))">
```

```
cpapil --user=username Fileman delfile public_html myfile.txt
```



**Notes:**

- You **must** [URI-encode](#) these values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1](#) documentation or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```
/usr/local/cpanel/bin/cpapil
```

```
1
```



**Warning:**

cPanel API 1 is **deprecated**. We **strongly** recommend that you use [cPanel API 2](#) or [U API](#) instead.



**Notes:**

Email: [addspamfilter](#)

Email: [changemx](#)

Email: [checkfastmail](#)

Email: [checkpipefwd](#)

Email: [clearspambox](#)

Email: [delautoresponder](#)

Email: [delforward](#)

Email: [delfilter](#)

Email: [dellist](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [delspam](#)

Email: [delspambox](#)

Email: [disable\\_spam\\_autodelete](#)

Email: [editquota](#)

Email: [enable\\_spam\\_autodelete](#)

Email: [getaging](#)

Email: [getarsbody](#)

Email: [getarscharset](#)

Email: [getarsfrom](#)

Email: [getarshtml](#)

Email: [getarsinterval](#)

Email: [getarsstart](#)

Email: [getarsstop](#)

Email: [getarssubject](#)

Email: [getmailserver](#)

Email: [getmailserveruser](#)

Email: [getpopquota](#)

Email: [has\\_spam\\_as\\_acl](#)

Email: [has\\_spam\\_autodelete](#)

Email: [listmaildomains](#)

Email: [listmaildomainsopt](#)

Email: [listmaildomainsoptndef](#)

Email: [mainacctdiskused](#)

## Parameters

Parameter	Type	Description	Possible values	Example
dir	<i>string</i>	The file's directory directory.  This parameter defaults to the cPanel account's /home directory.	Any valid directory, relative to the account's /home directory.	public_html
file	<i>string</i>	<b>Required</b> The file.	Any valid file name.	myfile.txt

## Returns

- 1 — The function succeeded.
- An error message — The function failed.

• These functions may require a feature list. To view the available features listed on a cPanel server, view the WHM's *Feature Manager* interface. • Unless you ca

Email: [passwdlist](#)  
Email: [passwdpop](#)  
Email: [setmxaccept](#)  
Email: [spambboxstat  
us](#)  
Email: [spamstatus](#)  
Email: [tracefilter](#)  
Fileman: [changepe  
rm](#)  
Fileman: [delfile](#)  
Fileman: [dofileop](#)  
Fileman: [emptytrash](#)  
Fileman: [extractfile](#)  
Fileman: [fileimg](#)  
Fileman: [fmmkdir](#)  
Fileman: [fmmkfile](#)  
Fileman: [fmpushfile](#)  
Fileman: [fmrename](#)  
Fileman: [fmsavefile](#)  
Fileman: [fmsaveht  
mfile](#)  
Fileman: [fullbackup](#)  
Fileman: [getfile](#)  
Fileman: [htmleditor](#)  
Fileman: [killdir](#)  
Fileman: [listfiles](#)  
Fileman: [listfullback  
ups](#)  
Fileman: [listtemplat  
es](#)  
Fileman: [restoreaf](#)  
Fileman: [restoredb](#)  
Fileman: [restorefile](#)  
Fileman: [restorefiles](#)  
Fileman: [savehtmlfi  
le](#)  
Fileman: [showperm](#)  
Fileman: [uploadfiles](#)  
Fileman: [viewfile](#)  
FrontPage: [addfp](#)  
FrontPage: [delfp](#)  
FrontPage: [fpstatus](#)  
Ftp: [addftp](#)

Il  
thi  
s  
A  
P  
I  
vi  
a  
th  
e  
W  
H  
M  
A  
P  
I  
,  
you  
m  
u  
st  
us  
e  
th  
e  
a  
p  
p  
r  
o  
p  
r  
i  
a  
t  
e  
c  
P  
a  
n  
el  
p  
or  
ts  
(  
2  
0  
82  
o  
r  
2  
0  
83  
).  
Y  
o  
u  
ca  
n  
al  
so  
ca  
ll  
so  
m  
e  
fu  
nc  
tio  
ns  
vi  
a  
c  
P  
a  
n  
el'  
s  
W  
e  
b  
m  
ail  
p  
or

Ftp:: [delftp](#)

Ftp:: [ftpquota](#)

Ftp:: [ftpservname](#)

Ftp:: [ftpstatslogin](#)

Ftp:: [get\\_anonftp](#)

Ftp:: [get\\_anonftpin](#)

Ftp:: [get\\_welcomemsg](#)

Ftp:: [getftpquota](#)

Ftp:: [kill\\_ftp\\_session](#)

Ftp:: [listftpstatsurl](#)

Ftp:: [passwdftp](#)

Ftp:: [set\\_anonftp](#)

Ftp:: [set\\_anonftpin](#)

Ftp:: [set\\_welcomemsg](#)

Gpg:: [deletekey](#)

Gpg:: [exportkey](#)

Gpg:: [exportsecretkey](#)

Gpg:: [genkey](#)

Gpg:: [importkeys](#)

Htaccess:: [checkprotected](#)

Htaccess:: [del\\_user](#)

Htaccess:: [getindex](#)

Htaccess:: [htdirs](#)

Htaccess:: [number\\_of\\_users](#)

Htaccess:: [phpselectable](#)

Htaccess:: [resname](#)

Htaccess:: [set\\_pass](#)

Htaccess:: [set\\_protect](#)

Htaccess:: [setindex](#)

Htaccess:: [setpreference](#)

Htaccess:: [showusers](#)

ImageManager:: [convert](#)

ImageManager:: [dimensions](#)

ImageManager:: [hdimension](#)

```
ts  
(  
2  
0  
95  
o  
r  
2  
0  
96  
).
```

## Find a function

## Related functions

- [cPanel API 1 Modules - Fileman](#) — The Fileman module provides access to file functions.
- [cPanel API 1 Functions - Fileman: changeperm](#) — This function changes a file's permissions.
- [cPanel API 1 Functions - Fileman: delfile](#) — This function deletes a file and backs it up in the /trash directory.
- [cPanel API 1 Functions - Fileman: dofileop](#) — This function moves or copies a file to a different directory.
- [cPanel API 1 Functions - Fileman: emptytrash](#) — This function deletes the user's /trash directory's contents.

ImageManager:: scale

ImageManager:: thumbnail

ImageManager:: width

LastLogin:: lastlogin

LeechProtect:: disable

LeechProtect:: enable

LeechProtect:: setup

LeechProtect:: show passwordfile

LeechProtect:: status

LogManager:: listdownloads

LogManager:: save settings

LogManager:: show settings

MagicRevision:: uri

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: del\_handler

Mime:: del\_hotlink

Mime:: del\_mime

Mime:: del\_redirect

Mime:: linkallownull

Mime:: linkenable

Mime:: linkexts

Mime:: linkurl

Mime:: linkurls

Mysql:: adddb

Mysql:: addhost

Mysql:: adduser

Mysql:: adduserdb

Mysql:: checkdb

Mysql:: deldb

Mysql:: delhost

Mysql:: deluser

Mysql:: deluserdb

Mysql:: gethost

Mysql:: [initcache](#)

Mysql:: [listdbs](#)

Mysql:: [listdbsopt](#)

Mysql:: [listusers](#)

Mysql:: [listusersopt](#)

Mysql:: [number\\_of\\_dbs](#)

Mysql:: [number\\_of\\_users](#)

Mysql:: [repairdb](#)

Mysql:: [routines](#)

Mysql:: [updateprivs](#)

Net:: [dnslookup](#)

Net:: [dnszone](#)

Net:: [sethastraceroute](#)

News:: [displaynews](#)

NVData:: [set](#)

OptimizeWS:: [loadoptimizesettings](#)

OptimizeWS:: [loadoptimizesettings\(bytes\)](#)

OptimizeWS:: [optimizezews](#)

Park:: [disabledirect](#)

Park:: [getredirecturl](#)

Park:: [park](#)

Park:: [setredirecturl](#)

Park:: [unpark](#)

Postgres:: [adddb](#)

Postgres:: [adduser](#)

Postgres:: [adduserdb](#)

Postgres:: [deldb](#)

Postgres:: [deluser](#)

Postgres:: [deluserdb](#)

Postgres:: [initcache](#)

Postgres:: [listdbsopt](#)

Postgres:: [listusersopt](#)

Postgres:: [number\\_of\\_dbs](#)

Postgres:: [number\\_of\\_users](#)

ProxyUtils:: proxyad  
dress

Resellers:: accountli  
stopt

Resellers:: themelist  
opt

Serverinfo:: services  
tatus

SetLang:: listlangso  
pt

SetLang:: setlang

SpamAssassin:: con  
fig

SpamAssassin:: sav  
econfig

SSH:: getport

SSL:: delete

SSL:: deletect

SSL:: deletectsr

SSL:: deletekey

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedstat  
us

SSL:: uploadcrt

SSL:: uploadkey

StatManager:: doFo  
rm

StatManager:: updat  
eUserConfig

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandwi  
dth

Stats:: webalizer



Stats:: [webalizerftp](#)

SubDomain:: [addsubdomain](#)

SubDomain:: [cplistsubdomains](#)

SubDomain:: [disablesubrd](#)

SubDomain:: [listsubdomainsop](#)

SubDomain:: [setsuburl](#)

UI:: [confirm](#)

UI:: [redirect](#)

UI:: [showresult](#)