

# UAPI Modules - WordPressBackup

## Guide to UAPI

[Return Data](#)

[Filter Output](#)

[Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Calls from the WHM API](#)

[Custom UAPI Modules](#)

Backup:: [fullbackup\\_to\\_ftp](#)

Backup:: [fullbackup\\_to\\_homedir](#)

Backup:: [fullbackup\\_to\\_scp\\_with\\_key](#)

Backup:: [fullbackup\\_to\\_scp\\_with\\_password](#)

Backup:: [list\\_backups](#)

Bandwidth:: [get\\_enabled\\_protocols](#)

Bandwidth:: [get\\_retention\\_periods](#)

Bandwidth:: [query](#)

Batch:: [strict](#)

BoxTrapper:: [blacklist\\_messages](#)

BoxTrapper:: [delete\\_messages](#)

BoxTrapper:: [deliver\\_messages](#)

BoxTrapper:: [get\\_configuration](#)

BoxTrapper:: [get\\_log](#)

BoxTrapper:: [get\\_message](#)

BoxTrapper:: [get\\_status](#)

BoxTrapper:: [ignore\\_messages](#)

BoxTrapper:: [list\\_queued\\_messages](#)

BoxTrapper:: [process\\_messages](#)

## Introduction

The WordPressBackups module manages cPanel's WordPress® instance backups.

The system installs this module with the WordPress Manager cPAddon plugin.

## Available functions

- [UAPI Functions - WordPressBackup::any\\_running](#) — This function checks for any active WordPress® site backups on the cPanel account.
- [UAPI Functions - WordPressBackup::cancel](#) — This function cancels a WordPress® site backup.
- [UAPI Functions - WordPressBackup::cleanup](#) — This function releases any system resources from a previous WordPress® site backup.
- [UAPI Functions - WordPressBackup::get\\_available\\_backups](#) — This function retrieves a list of available WordPress® site backups of a single site.
- [UAPI Functions - WordPressBackup::is\\_running](#) — This function checks for an active WordPress® site backup.
- [UAPI Functions - WordPressBackup::start](#) — This function starts a single WordPress® site backup.

## UAPI Basics

**Available in:**  
cPanel 11.42+  
**Languages:**  
PHP, Perl

### Important:

You can only use Perl to create custom UAPI modules.

**Methods:**  
GET, POST  
**Return Formats:**  
JSON, XML

### Important:

cPanel & WHM version 66 **deprecated** XML output.

## About UAPI

UAPI accesses and modifies data for cPanel accounts.

### Notes:

BoxTrapper:: [save\\_configuration](#)

BoxTrapper:: [set\\_status](#)

BoxTrapper:: [whitelist\\_messages](#)

Brand:: [read](#)

Branding:: [file](#)

Branding:: [get\\_applications](#)

Branding:: [get\\_application\\_information](#)

Branding:: [get\\_available\\_applications](#)

Branding:: [get\\_information\\_for\\_applications](#)

Branding:: [image](#)

Branding:: [include](#)

Branding:: [spritelist](#)

CacheBuster:: [read](#)

CacheBuster:: [update](#)

Chkservd:: [get\\_exim\\_ports](#)

Chkservd:: [get\\_exim\\_ports\\_ssl](#)

Chrome:: [get\\_dom](#)

Contactus:: [is\\_enabled](#)

cPAddons:: [get\\_available\\_addons](#)

cPAddons:: [get\\_instance\\_settings](#)

cPAddons:: [list\\_addon\\_instances](#)

cPGreyList:: [disable\\_all\\_domains](#)

cPGreyList:: [disable\\_domains](#)

cPGreyList:: [enable\\_all\\_domains](#)

cPGreyList:: [enable\\_domains](#)

cPGreyList:: [has\\_greylisting\\_enabled](#)

cPGreyList:: [list\\_domains](#)

DAV:: [disable\\_shared\\_global\\_addressbook](#)

- These functions may require unspecified features.  
• To enable or disable features, use WHM's *Feature Manager* interface.
- Unless you call this API via the WHM

DAV:: enable\_share  
d\_global\_addressbo  
ok

DAV:: get\_calendar  
\_contacts\_config

DAV:: has\_shared\_  
global\_addressbook

DAV:: is\_dav\_servic  
e\_enabled

DAV:: is\_horde\_ena  
bled

DCV:: check\_domai  
ns\_via\_dns

DCV:: check\_domai  
ns\_via\_http

DCV:: ensure\_doma  
ins\_can\_pass\_dcv

DomainInfo:: domai  
ns\_data

DomainInfo:: list\_do  
mains

DomainInfo:: main\_  
domain\_builtin\_sub  
domain\_aliases

DomainInfo:: single  
\_domain\_data

DNS:: ensure\_doma  
ins\_reside\_only\_loc  
ally

DNS:: has\_local\_au  
thority

DNSSEC:: disable\_  
dnssec

DNSSEC:: enable\_  
dnssec

DNSSEC:: fetch\_ds  
\_records

DNSSEC:: set\_nsec3

DNSSEC:: unset\_ns  
ec3

Email:: account\_na  
me

Email:: add\_auto\_re  
sponder

Email:: add\_domain  
\_forwarder

Email:: add\_forward  
er

Email:: add\_list

Email:: add\_mailma  
n\_delegates

Email:: add\_mx

Email:: add\_pop

M  
A  
P  
I  
,  
yo  
u  
m  
u  
st  
u  
se  
th  
e  
a  
p  
pr  
o  
pr  
iat  
e  
c  
P  
a  
n  
el  
p  
or  
ts  
(2  
0  
82  
o  
r  
2  
0  
83  
).  
Y  
o  
u  
ca  
n  
al  
so  
ca  
ll  
so  
me  
fu  
nc  
tio  
ns  
vi  
a  
c  
P  
a  
n  
el'  
s  
W  
e  
b  
m  
ail  
p  
or  
ts  
(2  
0  
95  
o  
r  
2  
0  
96  
).

Email: [add\\_spam\\_filter](#)

Email: [browse\\_mailbox](#)

Email: [change\\_mx](#)

Email: [check\\_fastmail](#)

Email: [check\\_pipe\\_forwarder](#)

Email: [delete\\_auto\\_responder](#)

Email: [delete\\_domain\\_forwarder](#)

Email: [delete\\_filter](#)

Email: [delete\\_forwarder](#)

Email: [delete\\_held\\_messages](#)

Email: [delete\\_list](#)

Email: [delete\\_mx](#)

Email: [delete\\_pop](#)

Email: [disable\\_filter](#)

Email: [disable\\_mailbox\\_autocreate](#)

Email: [disable\\_spam\\_assassin](#)

Email: [disable\\_spam\\_autodelete](#)

Email: [disable\\_spam\\_box](#)

Email: [dispatch\\_client\\_settings](#)

Email: [edit\\_pop\\_quota](#)

Email: [enable\\_filter](#)

Email: [enable\\_mailbox\\_autocreate](#)

Email: [enable\\_spam\\_assassin](#)

Email: [enable\\_spam\\_box](#)

Email: [fetch\\_charmaps](#)

Email: [fts\\_rescan\\_mailbox](#)

Email: [generate\\_mailman\\_otp](#)

Email: [get\\_auto\\_responder](#)

Email: [get\\_charsets](#)

## Related Documentation

- [Guide to cPanel API 1](#) — cPanel API 1 accesses information from the cPanel interface.
- [Guide to cPanel API 2](#) — cPanel API 2 accesses cPanel account information and modifies settings.
- [Guide to WHM API 0](#) — WHM API 0 accesses the WHM interface's features.
- [Guide to WHM API 1](#) — WHM API 1 accesses the WHM interface's features.
- [Guide to UAPI](#) — UAPI accesses the cPanel interface's features.

Email: [get\\_client\\_settings](#)

Email: [get\\_default\\_email\\_quota](#)

Email: [get\\_default\\_email\\_quota\\_mib](#)

Email: [get\\_disk\\_usage](#)

Email: [get\\_filter](#)

Email: [get\\_held\\_message\\_count](#)

Email: [get\\_mailbox\\_autocreate](#)

Email: [get\\_mailman\\_delegates](#)

Email: [get\\_main\\_account\\_disk\\_usage](#)

Email: [get\\_main\\_account\\_disk\\_usage\\_bytes](#)

Email: [get\\_max\\_email\\_quota](#)

Email: [get\\_max\\_email\\_quota\\_mib](#)

Email: [get\\_pop\\_quota](#)

Email: [get\\_spam\\_settings](#)

Email: [get\\_webmail\\_settings](#)

Email: [has\\_delegated\\_mailman\\_lists](#)

Email: [has\\_plaintext\\_authentication](#)

Email: [hold\\_outgoing](#)

Email: [is\\_integer](#)

Email: [list\\_auto\\_responders](#)

Email: [list\\_default\\_address](#)

Email: [list\\_domain\\_forwarders](#)

Email: [list\\_filters](#)

Email: [list\\_filters\\_backups](#)

Email: [list\\_forwarders](#)

Email: [list\\_forwarders\\_backups](#)

Email: [list\\_lists](#)

Email: [list\\_mail\\_domains](#)

Email: [list\\_mx](#)s

Email: [list\\_pops](#)

Email: [list\\_pops\\_wit](#)  
[h\\_disk](#)

Email: [list\\_system\\_](#)  
[filter\\_info](#)

Email: [passwd\\_list](#)

Email: [passwd\\_pop](#)

Email: [release\\_out](#)  
[going](#)

Email: [remove\\_mail](#)  
[man\\_delegates](#)

Email: [reorder\\_filters](#)

Email: [set\\_always\\_](#)  
[accept](#)

Email: [set\\_default\\_](#)  
[address](#)

Email: [set\\_list\\_priv](#)  
[acy\\_options](#)

Email: [stats\\_db\\_sta](#)  
[tus](#)

Email: [store\\_filter](#)

Email: [suspend\\_inc](#)  
[oming](#)

Email: [suspend\\_log](#)  
[in](#)

Email: [suspend\\_out](#)  
[going](#)

Email: [trace\\_filter](#)

Email: [unsuspend\\_i](#)  
[ncoming](#)

Email: [unsuspend\\_l](#)  
[ogin](#)

Email: [unsuspend\\_](#)  
[outgoing](#)

Email: [verify\\_pass](#)  
[word](#)

EmailAuth: [disable\\_](#)  
[dkim](#)

EmailAuth: [enable\\_](#)  
[dkim](#)

EmailAuth: [ensure\\_](#)  
[dkim\\_keys\\_exist](#)

EmailAuth: [fetch\\_d](#)  
[kim\\_private\\_keys](#)

EmailAuth: [install\\_d](#)  
[kim\\_private\\_keys](#)

EmailAuth: [install\\_s](#)  
[pf\\_records](#)

EmailAuth: [validate\\_](#)  
[current\\_dkims](#)

EmailAuth:: validate  
\_current\_ptrs

EmailAuth:: validate  
\_current\_spfs

ExternalAuthenticati  
on:: add\_authn\_link

ExternalAuthenticati  
on:: configured\_mo  
dules

ExternalAuthenticati  
on:: get\_authn\_links

ExternalAuthenticati  
on:: has\_external\_a  
uth\_modules\_config  
ured

ExternalAuthenticati  
on:: remove\_authn\_  
link

Features:: get\_featu  
re\_metadata

Features:: has\_feat  
ure

Features:: list\_featu  
res

Fileman:: autocompl  
etedir

Fileman:: empty\_tra  
sh

Fileman:: get\_file\_c  
ontent

Fileman:: get\_file\_in  
formation

Fileman:: list\_files

Fileman:: save\_file\_  
content

Fileman:: transcode

Fileman:: upload\_fil  
es

Ftp:: add\_ftp

Ftp:: allows\_anony  
mous\_ftp

Ftp:: allows\_anony  
mous\_ftp\_incoming

Ftp:: delete\_ftp

Ftp:: ftp\_exists

Ftp:: get\_ftp\_daemo  
n\_info

Ftp:: get\_port

Ftp:: get\_quota

Ftp:: get\_welcome\_  
message

Ftp:: kill\_session

Ftp:: [list\\_ftp](#)

Ftp:: [list\\_ftp\\_with\\_dir](#)

Ftp:: [list\\_sessions](#)

Ftp:: [passwd](#)

Ftp:: [server\\_name](#)

Ftp:: [set\\_anonymous\\_ftp](#)

Ftp:: [set\\_anonymous\\_ftp\\_incoming](#)

Ftp:: [set\\_homedir](#)

Ftp:: [set\\_quota](#)

Ftp:: [set\\_welcome\\_message](#)

Gpg:: [delete\\_keypair](#)

Gpg:: [export\\_public\\_key](#)

Gpg:: [export\\_secret\\_key](#)

Gpg:: [generate\\_key](#)

Gpg:: [import\\_key](#)

Gpg:: [list\\_public\\_keys](#)

Gpg:: [list\\_secret\\_keys](#)

ImageManager:: [convert\\_file](#)

ImageManager:: [create\\_thumbnails](#)

ImageManager:: [get\\_dimensions](#)

ImageManager:: [resize\\_image](#)

Integration:: [fetch\\_url](#)

KnownHosts:: [create](#)

KnownHosts:: [delete](#)

KnownHosts:: [update](#)

KnownHosts:: [verify](#)

LangPHP:: [php\\_get\\_domain\\_handler](#)

LangPHP:: [php\\_get\\_impacted\\_domains](#)

LangPHP:: [php\\_get\\_installed\\_versions](#)

LangPHP:: [php\\_get\\_system\\_default\\_version](#)

LangPHP:: [php\\_get\\_vhost\\_versions](#)

LangPHP:: [php\\_ini\\_get\\_user\\_basic\\_directives](#)

LangPHP:: [php\\_ini\\_get\\_user\\_content](#)

LangPHP:: [php\\_ini\\_get\\_user\\_paths](#)

LangPHP:: [php\\_ini\\_set\\_user\\_basic\\_directives](#)

LangPHP:: [php\\_ini\\_set\\_user\\_content](#)

LangPHP:: [php\\_set\\_vhost\\_versions](#)

LastLogin:: [get\\_last\\_or\\_current\\_logged\\_in\\_ip](#)

Locale:: [get\\_attributes](#)

Locale:: [list\\_locales](#)

Locale:: [set\\_locale](#)

Mailboxes:: [expunge\\_mailbox\\_messages](#)

Mailboxes:: [expunge\\_messages\\_for\\_mailbox\\_guid](#)

Mailboxes:: [get\\_mailbox\\_status\\_list](#)

Mailboxes:: [has\\_utf8\\_mailbox\\_names](#)

Mailboxes:: [set\\_utf8\\_mailbox\\_names](#)

Market:: [cancel\\_pending\\_ssl\\_certificate](#)

Market:: [create\\_shopping\\_cart](#)

Market:: [get\\_all\\_products](#)

Market:: [get\\_certificate\\_status\\_details](#)

Market:: [get\\_login\\_url](#)

Market:: [get\\_pending\\_ssl\\_certificates](#)

Market:: [get\\_provider\\_specific\\_dcv\\_constraints](#)

Market:: [get\\_providers\\_list](#)

Market:: [get\\_ssl\\_certificate\\_if\\_available](#)

Market:: [process\\_ssl\\_pending\\_queue](#)

Market:: request\_ssl  
\_certificates

Market:: set\_status\_  
of\_pending\_queue\_i  
tems

Market:: set\_url\_aft  
er\_checkout

Market:: validate\_lo  
gin\_token

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: delete\_handl  
er

Mime:: delete\_hotlink

Mime:: delete\_mime

Mime:: delete\_redir  
ect

Mime:: list\_handlers

Mime:: list\_hotlinks

Mime:: list\_mime

Mime:: list\_redirects

Mime:: redirect\_info

ModSecurity:: disabl  
e\_all\_domains

ModSecurity:: disabl  
e\_domains

ModSecurity:: enabl  
e\_all\_domains

ModSecurity:: enabl  
e\_domains

ModSecurity:: has\_  
modsecurity\_installed

ModSecurity:: list\_d  
omains

Mysql:: add\_host

Mysql:: add\_host\_n  
ote

Mysql:: check\_data  
base

Mysql:: create\_data  
base

Mysql:: create\_user

Mysql:: delete\_data  
base

Mysql:: delete\_host

Mysql:: delete\_user

Mysql:: dump\_database\_schema

Mysql:: get\_host\_notes

Mysql:: get\_privileges\_on\_database

Mysql:: get\_restrictions

Mysql:: get\_server\_information

Mysql:: list\_databases

Mysql:: list\_routines

Mysql:: list\_users

Mysql:: locate\_server

Mysql:: rename\_database

Mysql:: rename\_user

Mysql:: repair\_database

Mysql:: revoke\_access\_to\_database

Mysql:: set\_password

Mysql:: set\_privileges\_on\_database

Mysql:: update\_privileges

Notifications:: get\_notifications\_count

NVData:: get

NVData:: set

Parser:: firstfile\_relative\_uri

PassengerApps:: disable\_application

PassengerApps:: edit\_application

PassengerApps:: enable\_application

PassengerApps:: ensure\_deps

PassengerApps:: list\_applications

PassengerApps:: register\_application

PassengerApps:: unregister\_application

PasswdStrength:: get\_required\_strength

Personalization::set

Personalization ::get

Postgresql:: create\_  
database

Postgresql:: create\_  
user

Postgresql:: delete\_  
database

Postgresql:: get\_res  
trictions

Postgresql:: grant\_a  
ll\_privileges

Postgresql:: rename\_  
database

Postgresql:: rename\_  
user

Postgresql:: rename\_  
user\_no\_password

Postgresql:: revoke\_  
all\_privileges

Postgresql:: set\_pas  
sword

Pushbullet:: send\_te  
st\_message

Quota:: get\_quota\_i  
nfo

Resellers:: list\_acc  
ounts

ResourceUsage:: g  
et\_usages

Restore:: directory\_l  
isting

Restore:: get\_users

Restore:: query\_file  
\_info

Restore:: restore\_file

ServerInformation::  
get\_information

Session:: create\_te  
mp\_user

SiteTemplates:: list\_  
site\_templates

SiteTemplates:: list\_  
user\_settings

SiteTemplates:: pub  
lish

SpamAssassin :: cle  
ar\_spam\_box

SpamAssassin:: get\_  
symbolic\_test\_na  
mes

SpamAssassin:: get\_  
user\_preferences

SpamAssassin:: update\_user\_preference

SSH:: get\_port

SSL:: add\_autossl\_excluded\_domains

SSL:: can\_ssl\_redirect

SSL:: check\_shared\_cert

SSL:: delete\_cert

SSL:: delete\_csr

SSL:: delete\_key

SSL:: delete\_ssl

SSL:: disable\_mail\_sni

SSL:: enable\_mail\_sni

SSL:: fetch\_best\_for\_domain

SSL:: fetch\_cert\_info

SSL:: fetch\_certificates\_for\_fqdns

SSL:: fetch\_key\_and\_cabundle\_for\_certificate

SSL:: find\_certificates\_for\_key

SSL:: find\_csrs\_for\_key

SSL:: generate\_cert

SSL:: generate\_csr

SSL:: generate\_key

SSL:: get\_autossl\_excluded\_domains

SSL:: get\_autossl\_pending\_queue

SSL:: get\_autossl\_problems

SSL:: get\_cabundle

SSL:: get\_cn\_name

SSL:: install\_ssl

SSL:: installed\_host

SSL:: installed\_hosts

SSL:: is\_autossl\_check\_in\_progress

SSL:: is\_mail\_sni\_supported

SSL:: is\_sni\_supported

SSL:: list\_certs  
SSL:: list\_csrs  
SSL:: list\_keys  
SSL:: list\_ssl\_items  
SSL:: mail\_sni\_status  
SSL:: rebuild\_mail\_sni\_config  
SSL:: rebuildssldb  
SSL:: remove\_autossl\_excluded\_domains  
SSL:: set\_autossl\_excluded\_domains  
SSL:: set\_cert\_friendly\_name  
SSL:: set\_csr\_friendly\_name  
SSL:: set\_key\_friendly\_name  
SSL:: set\_primary\_ssl  
SSL:: set\_ssl\_share  
SSL:: show\_cert  
SSL:: show\_csr  
SSL:: show\_key  
SSL:: start\_autossl\_check  
SSL:: toggle\_ssl\_rejects\_for\_domains  
SSL:: upload\_cert  
SSL:: upload\_key  
StatsBar:: get\_stats  
Styles:: current  
Styles:: list  
Styles:: set\_default  
Styles:: update  
SubDomain:: addsubdomain  
Themes:: get\_theme\_base  
Themes:: list  
Themes:: update  
Tokens:: create\_full\_access  
Tokens:: list  
Tokens:: rename

Tokens:: [revoke](#)

TwoFactorAuth:: [generate\\_user\\_configuration](#)

TwoFactorAuth:: [get\\_user\\_configuration](#)

TwoFactorAuth:: [remove\\_user\\_configuration](#)

TwoFactorAuth:: [set\\_user\\_configuration](#)

UserManager:: [check\\_account\\_conflicts](#)

UserManager:: [create\\_user](#)

UserManager:: [delete\\_user](#)

UserManager:: [dismiss\\_user](#)

UserManager:: [edit\\_user](#)

UserManager:: [list\\_users](#)

UserManager:: [lookup\\_service\\_account](#)

UserManager:: [lookup\\_user](#)

UserManager:: [merge\\_service\\_account](#)

UserManager:: [unlink\\_service\\_account](#)

UserTasks:: [delete](#)

UserTasks:: [retrieve](#)

VersionControl:: [create](#)

VersionControl:: [delete](#)

VersionControl:: [retrieve](#)

VersionControl:: [update](#)

VersionControlDeployment:: [create](#)

VersionControlDeployment:: [delete](#)

VersionControlDeployment:: [retrieve](#)

WebDisk:: [delete\\_user](#)

WebDisk:: [set\\_home\\_dir](#)

WebDisk:: [set\\_password](#)

WebDisk:: [set\\_permissions](#)

WebmailApps:: [listwebmailapps](#)

WebVhost:: [listdomains](#)

WebVhost:: [list\\_ssl\\_capable\\_domains](#)

WordPressBackup:: [any\\_running](#)

WordPressBackup:: [cancel](#)

WordPressBackup:: [cleanup](#)

WordPressBackup:: [get\\_available\\_backups](#)

WordPressBackup:: [is\\_running](#)

WordPressBackup:: [start](#)

WordPressInstance  
Manager:: [cancel\\_scan](#)

WordPressInstance  
Manager:: [cleanup\\_scan](#)

WordPressInstance  
Manager:: [change\\_admin\\_password](#)

WordPressInstance  
Manager:: [configure\\_autoupdate](#)

WordPressInstance  
Manager:: [get\\_api\\_version](#)

WordPressInstance  
Manager:: [get\\_instance\\_by\\_id](#)

WordPressInstance  
Manager:: [get\\_instances](#)

WordPressInstance  
Manager:: [get\\_latest\\_wordpress\\_version\\_from\\_wordpress\\_org](#)

WordPressInstance  
Manager:: [get\\_scan\\_results](#)

WordPressInstance  
Manager:: [is\\_installable\\_addon\\_available](#)

WordPressInstance  
Manager:: [start\\_scan](#)

WordPressRestore:: [any\\_running](#)

WordPressRestore::  
cleanup

WordPressRestore::  
start