

Guide to the LiveAPI System - The footer() Method

Guide to the LiveAPI System

PHP Class

Perl Module

LiveAPI Methods

api()

api1()

api2()

cpanelfeature()

cpanelif()

cpanellangprint()

cpanelprint()

debug_log()

debug_log_json()

end()

exec()

fetch()

footer()

get_debug_level()

get_debug_log()

get_result()

header()

new()

set_debug()

uapi()

Description

The `footer()` method calls the cPanel interface's footer. Use this method to add the necessary footer buttons at the bottom of the interface.



Note:

This method is available in cPanel & WHM version 11.46 and later, and is **only** compatible with cPanel's Paper Lantern theme.

Example

LiveAPI PHP Class

```
// Inject the title page into the footer element.
$cpanel->footer(title);
```

LiveAPI Perl Module

```
# Inject the title page into the footer element.
$cpliveapi->footer(title);
```

Parameters

Parameter	Type	Description	Possible values	Example
title	<i>string</i>	The title of the page to inject into the cPanel interface's <code><body-content></code> element.	A valid HTML page's title value.	title

Returns

This method returns a string value that contains the contents of the interface page before the `<body-content>` element.

LiveAPI License Information



Important:

For Perl applications, we recommend that you use [Template Toolkit](#).

Version:

PHP class: 2.1

Perl module: 0.2

Copyright:

cPanel, L.L.C.

License:

or:

Modified BSD

Related Documentation

- [Guide to the LiveAPI System](#) — The LiveAPI System provides environments for applications in the cPanel interface.
- [Guide to the LiveAPI System - PHP Class](#) — The LiveAPI PHP Class provides an environment for PHP applications.
- [Guide to the LiveAPI System - Perl Module](#) — The LiveAPI Perl Module provides an environment for Perl applications.
- [Guide to the LiveAPI System - The api\(\) Method](#) — The `api()` method executes a [cPanel API 1](#) or [cPanel API 2](#) function.
- [Guide to the LiveAPI System - The cpanelfeature\(\) Method](#) — The `cpanelfeature()` method is a wrapper for the `feature tag`, which checks whether the authenticated user has access to a feature.