

cPanel API 2 Functions - StatsBar::setrowcounter

Guide to cPanel API 2

[Return Data](#)

[Filter and Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Calls from the WHM API](#)

[cPanel Tags \(deprecated\)](#)

AddonDomain:: [addaddondomain](#)

AddonDomain:: [delaaddondomain](#)

AddonDomain:: [listaddondomains](#)

Backups:: [listfullbackups](#)

Bandwidth:: [addhttpbandwidth](#)

Bandwidth:: [getbwdata](#)

Bandwidth:: [gethourlyaveragebwoveryear](#)

BoxTrapper:: [accountmanagelist](#)

Branding:: [addbrandingobj](#)

Branding:: [applist](#)

Branding:: [brandingeditor](#)

Branding:: [createpkg](#)

Branding:: [cssmerge](#)

Branding:: [delbrandingobj](#)

Branding:: [delpkg](#)

Branding:: [gensprites](#)

Branding:: [getbrandingpkg](#)

Branding:: [getbrandingpkgstatus](#)

Branding:: [getdefaultbrandingpkg](#)

Branding:: [installbrandingpkgs](#)

Branding:: [installimages](#)

Branding:: [killimgs](#)

Description

This function is for internal use only.



Warning:

We **strongly** recommend that you use [UAPI](#) instead of cPanel API 2. However, no equivalent UAPI function exists.

Examples

```
This function is for internal use only.
```



Note:

For more information, read our [Calls from the WHM API](#) documentation.

```
This function is for internal use only.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

```
This function is for internal use only.
```



Note:

For more information, read our [Guide to the LiveAPI System](#).



Warnings:

- In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs. Examples are **only** present in order to help developers move from the old cPanel tag system to our [LiveAPI](#).
- cPanel API 2 calls that use cPanel tags vary in code syntax and in their output.
- For more information, read our [Deprecated cPanel Tag Usage](#) documentation.

Function information

Module:

StatsBar

API

Version:

[cPanel API 2](#)

Available in:

cPanel 11+

Methods:

GET, POST

Required

Parameters:

This function is for

internal use only.

Return

Format

s:

JSON, XML



Notes:

- XML or [call this](#)
- cPanel **deprec** XML or

Legacy

Equivalents:

(none)

About this module

The StatsBar module displays statistics information.

About cPanel API 2

cPanel API 2 accesses and modifies data for cPanel accounts.



Notes:

Branding:: [listmgty](#)
[es](#)

Branding:: [listobject](#)
[types](#)

Branding:: [preloadc](#)
[onf](#)

Branding:: [resetall](#)

Branding:: [resetcss](#)

Branding:: [resethtml](#)

Branding:: [resolve_f](#)
[ile](#)

Branding:: [resolvelo](#)
[calcss](#)

Branding:: [savelocal](#)
[css](#)

Branding:: [setbrandi](#)
[ngpkgstatus](#)

Branding:: [showpkgs](#)

Branding:: [spritelist](#)

CSVImport:: [column](#)
[choices](#)

CSVImport:: [configi](#)
[mport](#)

CSVImport:: [data](#)

CSVImport:: [fetchim](#)
[portdata](#)

CSVImport:: [isenabl](#)
[ed](#)

CSVImport:: [loaddata](#)

CSVImport:: [proces](#)
[sdata](#)

CSVImport:: [sendco](#)
[ntact](#)

CSVImport:: [uploadi](#)
[mport](#)

Contactus:: [isenabled](#)

Contactus:: [sendco](#)
[ntact](#)

Cron:: [add_line](#)

Cron:: [edit_line](#)

Cron:: [fetchcron](#)

Cron:: [get_email](#)

Cron:: [listcron](#)

Cron:: [remove_line](#)

Cron:: [set_email](#)

CustInfo:: [contacte](#)
[mails](#)

CustInfo:: [contactpr](#)
[efs](#)

This function is for internal use only.



Notes:

- You **must** [URI-encode](#) values.
- `username` represents your account-level username.
- You **must** run the `--user=username` command.
- For more information and additional output options, read our [Guide to cPanel API 2](#) documentation or run the `cpapi2 --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapi2` command:

```
/usr/local/cpanel/bin/cpapi2
```

This function is for internal use only.



Note:

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

This function is for internal use only.

Returns

This function is for internal use only.

• This functions may require a feature list. To view the available features at the list on a cPanel server, view the WHM's *Feature Manager* interface. • Unless you ca

CustInfo: [displaycontactinfo](#)

CustInfo: [savecontactinfo](#)

DBmap: [status](#)

DBmap: [version](#)

DenyIp: [listdenyips](#)

DiskCounter: [diskcounter](#)

DiskUsage: [buildcache](#)

DiskUsage: [clearcache](#)

DiskUsage: [fetch_raw_disk_usage](#)

DiskUsage: [fetchdiskusage](#)

DiskUsage: [fetchdiskusagewithextras](#)

DKIMUI: [available](#)

DKIMUI: [getrecords](#)

DKIMUI: [install](#)

DKIMUI: [installed](#)

DKIMUI: [uninstall](#)

DnsLookup: [name2ip](#)

DomainLookup: [countbaseddomains](#)

DomainLookup: [getbaseddomains](#)

DomainLookup: [getdocroot](#)

DomainLookup: [getdocroots](#)

DomainLookup: [getmaindomain](#)

Email: [accountname](#)

Email: [adddomainforward](#)

Email: [addforward](#)

Email: [addmx](#)

Email: [addpop](#)

Email: [browseboxes](#)

Email: [changemx](#)

Email: [checkmaindiscard](#)

Email: [clearpopcache](#)

Email: [deletefilter](#)

Il
thi
s
A
P
I
vi
a
th
e
W
H
M
A
P
I
,
yo
u
m
u
s
t
u
s
e
th
e
a
p
pr
o
pr
iat
e
c
P
a
n
el
p
or
ts
(2
0
82
o
r
2
0
83
).
Y
o
u
ca
n
al
so
ca
ll
so
m
e
fu
nc
tio
ns
vi
a
c
P
a
n
el'
s
W
e
b
mail
por

Email: [delforward](#)

Email: [delmx](#)

Email: [delpop](#)

Email: [disablefilter](#)

Email: [editquota](#)

Email: [enablefilter](#)

Email: [fetchautoresponder](#)

Email: [fetchcharmaps](#)

Email: [filteractions](#)

Email: [filterlist](#)

Email: [filtername](#)

Email: [filterrules](#)

Email: [get_archiving_configuration](#)

Email: [get_archiving_default_configuration](#)

Email: [get_archiving_types](#)

Email: [get_default_email_quota](#)

Email: [get_email_signing](#)

Email: [get_max_email_quota](#)

Email: [getabsbrowse_dir](#)

Email: [getalwaysaccept](#)

Email: [getdiskusage](#)

Email: [getmxcheck](#)

Email: [has_delegated_mailman_lists](#)

Email: [list_system_filter_info](#)

Email: [listaliasbackups](#)

Email: [listautoresponders](#)

Email: [listdefaultaddresses](#)

Email: [listdomainforwards](#)

Email: [listfilterbackups](#)

Email: [listfilters](#)

Email: [listforwards](#)

```
ts  
(2  
0  
95  
o  
r  
2  
0  
96  
).
```

Find a function

Related functions

- [cPanel API 2 Modules - Logaholic](#) — The Logaholic module manages the Logaholic statistics program.
- [cPanel API 2 Functions - Logaholic::adduser](#) — This function adds a user to the Logaholic statistics program.
- [cPanel API 2 Functions - Logaholic::adduserprofile](#) — This function adds a profile to a Logaholic user.
- [cPanel API 2 Functions - Logaholic::deleteuser](#) — This function removes a user from the Logaholic statistics program.
- [cPanel API 2 Functions - Logaholic::deleteuserprofile](#) — This function removes a profile from a Logaholic user.

Email: [listlists](#)

Email: [listmaildomains](#)

Email: [listmx](#)

Email: [listmxs](#)

Email: [listpops](#)

Email: [listpopssingle](#)

Email: [listpopswithdisk](#)

Email: [listpopswithimage](#)

Email: [loadfilter](#)

Email: [passwdpop](#)

Email: [reorderfilters](#)

Email: [set_archiving_configuration](#)

Email: [set_archiving_default_configuration](#)

Email: [set_email_signing](#)

Email: [setalwaysaccept](#)

Email: [setdefaultaddress](#)

Email: [setmxcheck](#)

Email: [storefilter](#)

Email: [tracefilter](#)

EmailTrack: [search](#)

EmailTrack: [stats](#)

EmailTrack: [trace](#)

Encoding: [get_encodings](#)

Encoding: [guess_file](#)

Encoding: [guess_file_opts](#)

Fileman: [autocomplete_dir](#)

Fileman: [fileop](#)

Fileman: [getabsdir](#)

Fileman: [getdir](#)

Fileman: [getdiractions](#)

Fileman: [getdiskinfo](#)

Fileman: [getedittype](#)

Fileman: [getfileactions](#)

Fileman:: [getpath](#)

Fileman:: [listfiles](#)

Fileman:: [mkdir](#)

Fileman:: [mkfile](#)

Fileman:: [savefile](#)

Fileman:: [search](#)

Fileman:: [statfiles](#)

Fileman:: [uploadfiles](#)

Fileman:: [viewfile](#)

ForcePassword:: [get_force_password_flags](#)

ForcePassword:: [update_force_password_flags](#)

Frontpage:: [fpenabled](#)

Frontpage:: [list](#)

FSTest:: [dirisempty](#)

Ftp:: [addftp](#)

Ftp:: [delftp](#)

Ftp:: [listftp](#)

Ftp:: [listftpsessions](#)

Ftp:: [listftpwithdisk](#)

Ftp:: [passwd](#)

Ftp:: [setquota](#)

Gpg:: [listgpgkeys](#)

Gpg:: [listsecretgpgkeys](#)

Gpg:: [number_of_private_keys](#)

Gpg:: [number_of_public_keys](#)

Htaccess:: [listuser](#)

Htaccess:: [listusers](#)

HttpUtils:: [getdirindices](#)

ImageManager:: [thumbnail](#)

LangMods:: [getarchname](#)

LangMods:: [getkey](#)

LangMods:: [getprefix](#)

LangMods:: [install](#)

LangMods:: [langlist](#)

LangMods:: [list_available](#)

LangMods:: [list_installed](#)

LangMods:: [magic_status](#)

LangMods:: [pre_run](#)

LangMods:: [search](#)

LangMods:: [setup](#)

LangMods:: [uninstall](#)

LangMods:: [update](#)

LeechProtect:: [setup](#)

Locale:: [get_encoding](#)

Locale:: [get_html_dir_attr](#)

Locale:: [get_locale_name](#)

Locale:: [get_user_locale](#)

Locale:: [get_user_locale_name](#)

Locale:: [numf](#)

Logaholic:: [adduser](#)

Logaholic:: [adduserprofile](#)

Logaholic:: [deleteuser](#)

Logaholic:: [deleteuserprofile](#)

Logaholic:: [edituser](#)

Logaholic:: [fetchuser](#)

Logaholic:: [listuserprofiles](#)

Logaholic:: [logaholiclink](#)

Logaholic:: [processstats](#)

LVEInfo:: [getUsage](#)

Mime:: [list_hotlinks](#)

Mime:: [listhandlers](#)

Mime:: [listmime](#)

Mime:: [listredirects](#)

Mime:: [redirectname](#)

Mime:: [redirecturlname](#)

MysqlFE:: [authorizehost](#)

MysqlFE:: [changedbuserpassword](#)

MysqlFE:: createdb
MysqlFE:: createdb
user
MysqlFE:: dbuserexi
sts
MysqlFE:: deauthori
zehost
MysqlFE:: deletedb
MysqlFE:: deletedb
user
MysqlFE:: getalldb
info
MysqlFE:: getalldb
usersanddbs
MysqlFE:: getdbuse
rprivileges
MysqlFE:: getdbuse
rs
MysqlFE:: gethosts
MysqlFE:: getmysql
privileges
MysqlFE:: getmysql
serverprivileges
MysqlFE:: has_myc
nf_for_cpuser
MysqlFE:: listdbs
MysqlFE:: listdbsba
ckup
MysqlFE:: listhosts
MysqlFE:: listusers
MysqlFE:: listusers
info
MysqlFE:: revokedb
userprivileges
MysqlFE:: setdbuse
rprivileges
MysqlFE:: userdbpri
vs
MysqlOptimizer:: fet
ch_slow_queries
Net:: dnszone
Net:: traceroute
News:: does_news_
exist
News:: does_news_
type_exist
News:: get_news
NVData:: get
NVData:: set
NVData:: setall

Park:: [listaddondomains](#)

Park:: [listparkeddomains](#)

Park:: [park](#)

Park:: [unpark](#)

Passwd:: [change_password](#)

Passwd:: [set_digest_auth](#)

PasswdStrength:: [appstrengths](#)

PasswdStrength:: [get_password_strength](#)

PasswdStrength:: [get_required_strength](#)

PHPINI:: [getalloptions](#)

PHPINI:: [getoptions](#)

Postgres:: [listdbs](#)

Postgres:: [listusers](#)

Postgres:: [listusersindb](#)

Postgres:: [userexists](#)

Rand:: [getranddata](#)

Resellers:: [get_sub_accounts](#)

RoR:: [addapp](#)

RoR:: [changeapp](#)

RoR:: [importrails](#)

RoR:: [listapps](#)

RoR:: [listrewrites](#)

RoR:: [needsimport](#)

RoR:: [removeapp](#)

RoR:: [removerewrite](#)

RoR:: [restartapp](#)

RoR:: [setuprewrite](#)

RoR:: [softrestartapp](#)

RoR:: [startapp](#)

RoR:: [stopapp](#)

SetLang:: [setlocale](#)

SourceIPCheck:: [addip](#)

SourceIPCheck:: [deleteip](#)

SourceIPCheck:: [getaccount](#)

SourceIPCheck:: list
ips

SourceIPCheck:: loadsecquestions

SourceIPCheck:: resetsecquestions

SourceIPCheck:: samplequestions

SourceIPCheck:: savesecquestions

SPFUI:: available

SPFUI:: count_settings

SPFUI:: entries_complete

SPFUI:: get_raw_record

SPFUI:: getmainserverip

SPFUI:: install

SPFUI:: installed

SPFUI:: list_settings

SPFUI:: load_current_values

SPFUI:: uninstall

SSH:: authkey

SSH:: converttoppk

SSH:: delkey

SSH:: fetchkey

SSH:: genkey

SSH:: genkey_legacy

SSH:: importkey

SSH:: listkeys

SSL:: fetchcabundle

SSL:: fetchinfo

SSL:: gencrt

SSL:: gencsr

SSL:: genkey

SSL:: getcname

SSL:: installssl

SSL:: listcrts

SSL:: listcsrs

SSL:: listkeys

SSL:: listsslitems

SSL:: uploadcrt

SSL:: [uploadkey](#)

SSLInfo:: [fetchinfo](#)

StatCache:: [clearcache](#)

Stats:: [getmonthlybandwidth](#)

Stats:: [getmonthlydomainbandwidth](#)

Stats:: [getthismonthsbwusage](#)

Stats:: [lastapachehits](#)

Stats:: [lastvisitors](#)

Stats:: [listanalog](#)

Stats:: [listawstats](#)

Stats:: [listlastvisitors](#)

Stats:: [listrawlogs](#)

Stats:: [listurchin](#)

Stats:: [listwebalizer](#)

StatsBar:: [getrowcounter](#)

StatsBar:: [rowcounter](#)

StatsBar:: [setrowcounter](#)

StatsBar:: [stat](#)

SubDomain:: [addsubdomain](#)

SubDomain:: [changedocroot](#)

SubDomain:: [delsubdomain](#)

SubDomain:: [getreservedsubdomains](#)

SubDomain:: [listsubdomains](#)

SubDomain:: [validregex](#)

Themes:: [apply_new_theme](#)

Themes:: [does_panel_theme_exist](#)

Themes:: [get_available_themes](#)

Themes:: [get_themes_list](#)

Themes:: [restore_saved_theme](#)

UI:: [dynamicincludelist](#)

UI:: [includelist](#)

UI:: [listform](#)

UI:: [paginate](#)

UI:: [paginate_list](#)

UserHttpUtils:: [getdirindices](#)

WebDisk:: [addwebdisk](#)

WebDisk:: [delwebdisk](#)

WebDisk:: [hasdigest](#)

WebDisk:: [listwebdisks](#)

WebDisk:: [passworddisk](#)

WebDisk:: [set_digest_auth](#)

WebDisk:: [set_home_dir](#)

WebDisk:: [set_perms](#)

WebDisk:: [setstatus](#)

WebmailApps:: [listwebmailapps](#)

ZoneEdit:: [add_zone_record](#)

ZoneEdit:: [edit_zone_record](#)

ZoneEdit:: [fetch_cpanel_generated_domains](#)

ZoneEdit:: [fetchzone](#)

ZoneEdit:: [fetchzone_records](#)

ZoneEdit:: [fetchzones](#)

ZoneEdit:: [get_zone_record](#)

ZoneEdit:: [remove_zone_record](#)

ZoneEdit:: [resetzone](#)